

Package ‘bruceR’

March 3, 2023

Title Broadly Useful Convenient and Efficient R Functions

Version 0.8.10

Date 2023-03-03

Author Han-Wu-Shuang Bao [aut, cre]

Maintainer Han-Wu-Shuang Bao <baohws@foxmail.com>

Description Broadly useful convenient and efficient R functions that bring users concise and elegant R data analyses. This package includes easy-to-use functions for

- (1) basic R programming
(e.g., set working directory to the path of currently opened file; import/export data from/to files in any format; print tables to Microsoft Word);
- (2) multivariate computation
(e.g., compute scale sums/means/... with reverse scoring);
- (3) reliability analyses and factor analyses;
- (4) descriptive statistics and correlation analyses;
- (5) t-test, multi-factor analysis of variance (ANOVA), simple-effect analysis, and post-hoc multiple comparison;
- (6) tidy report of statistical models
(to R Console and Microsoft Word);
- (7) mediation and moderation analyses (PROCESS);
- and (8) additional toolbox for statistics and graphics.

License GPL-3

Encoding UTF-8

LazyData true

LazyDataCompression xz

URL <https://psychbruce.github.io/bruceR/>

BugReports <https://github.com/psychbruce/bruceR/issues>

Depends R (>= 4.0.0)

Imports rstudioapi, data.table, rio, plyr, dplyr, tidyr, stringr, ggplot2, psych, afex, emmeans, effectsize, performance, mediation, interactions, lavaan, jtools, texreg, lmerTest, MuMIn

Suggests pacman, glue, crayon, tibble, forcats, haven, foreign,
 readxl, openxlsx, clipr, cowplot, ggtext, see, car, lmtest,
 lme4, nnet, vars, phia, MASS, BayesFactor, GGally, GPArotation

RoxygenNote 7.2.3

NeedsCompilation no

Repository CRAN

Date/Publication 2023-03-03 20:20:05 UTC

R topics documented:

bruceR-package	3
add	5
Alpha	8
cc	9
ccf_plot	10
CFA	12
Corr	13
cor_diff	15
Describe	15
dtime	17
EFA	18
EMMEANS	21
export	25
formatF	27
formatN	28
formula_expand	28
formula_paste	29
Freq	30
GLM_summary	31
grand_mean_center	32
granger_causality	33
granger_test	34
group_mean_center	35
HLM_ICC_rWG	36
HLM_summary	38
import	39
lavaan_summary	41
LOOKUP	43
MANOVA	45
med_summary	49
model_summary	50
p	53
pkg_depend	54
pkg_install_suggested	55
Print	55
print_table	56

PROCESS	58
RECODE	64
regress	65
rep_char	67
RESCALE	67
RGB	68
Run	69
scaler	69
set.wd	70
show_colors	71
theme_bruce	72
TTEST	74
%allin%	77
%anyin%	78
%%COMPUTE%%	79
%nonein%	82
%notin%	83
%partin%	83
%^%	84
Index	85

bruceR-package

bruceR: BRoadly Useful Convenient and Efficient R functions

Description

BRoadly **U**seful **C**onvenient and **E**fficient **R** functions that **BR**ing **U**sers **C**oncise and **E**legant **R** data analyses.

Package homepage: <https://psychbruce.github.io/bruceR/>

Install the latest **development version** from GitHub: `devtools::install_github("psychbruce/bruceR")`

Report bugs at [GitHub Issues](#).

Details

Loading bruceR by `library(bruceR)` will also load these R packages for you:

[Data]:

- `dplyr`: Data manipulation and processing.
- `tidyr`: Data cleaning and reshaping.
- `stringr`: Toolbox for string operation (with regular expressions).
- `forcats`: Toolbox for factor manipulation (for categorical variables).
- `data.table`: Advanced `data.frame` with higher efficiency.

[Stat]:

- `emmeans`: Estimates of marginal means and multiple contrasts.
- `effectsize`: Estimates of effect sizes and standardized parameters.
- `performance`: Estimates of regression models performance.
- `lmerTest`: Tests of linear mixed effects models (LMM, also known as HLM and multilevel models).

[Plot]:

- `ggplot2`: Data visualization.
- `ggtext`: Markdown/HTML rich text format for `ggplot2` (geoms and themes).
- `cowplot`: Advanced toolbox for `ggplot2` (arrange multiple plots and add labels).
- `see`: Advanced toolbox for `ggplot2` (geoms, scales, themes, and color palettes).

Main Functions in bruceR

(1) Basic R Programming [set.wd](#) (alias: [set_wd](#))

[import](#), [export](#)
[cc](#)
[pkg_depend](#), [pkg_install_suggested](#)
[formatF](#), [formatN](#)
[print_table](#)
[Print](#), [Glue](#), [Run](#)
[%^%](#)
[%notin%](#)
[%allin%](#), [%anyin%](#), [%nonein%](#), [%partin%](#)

(2) Multivariate Computation [add](#), [added](#)

[.sum](#), [.mean](#)
[SUM](#), [MEAN](#), [STD](#), [MODE](#), [COUNT](#), [CONSEC](#)
[RECODE](#), [RESCALE](#)
[LOOKUP](#)

(3) Reliability and Factor Analyses [Alpha](#)

[EFA / PCA](#)
[CFA](#)

(4) Descriptive Statistics and Correlation Analyses [Describe](#)

[Freq](#)
[Corr](#)
[cor_diff](#)

(5) T-Test, Multi-Factor ANOVA, Simple-Effect Analysis, and Post-Hoc Multiple Comparison

[TTEST](#)
[MANOVA](#)
[EMMEANS](#)

(6) Tidy Report of Regression Models [model_summary](#)

[lavaan_summary](#)
[GLM_summary](#)
[HLM_summary](#)
[HLM_ICC_rWG](#)
[regress](#)

(7) Mediation and Moderation Analyses [PROCESS](#)

[med_summary](#)

(8) Additional Toolbox for Statistics and Graphics [grand_mean_center](#)

[group_mean_center](#)
[ccf_plot](#)
[granger_test](#)
[granger_causality](#)
[theme_bruce](#)
[show_colors](#)

Author(s)

Han-Wu-Shuang (Bruce) Bao

add *Create, modify, and delete variables.*

Description

Enhanced functions to create, modify, and/or delete variables. The functions **combine** the advantages of [within](#) (base), [mutate](#) (dplyr), [transmute](#) (dplyr), and [:=](#) (data.table). See examples below for the usage and convenience.

Usage

```
add(data, expr, when, by, drop = FALSE)
```

```
added(data, expr, when, by, drop = FALSE)
```

Arguments

data	A data.table (preferred).
expr	R expression(s) enclosed in <code>{...}</code> to compute variables. Passing to data.table : <code>DT[, `:=`(expr),]</code> Execute each line of expression in <code>{...}</code> <i>one by one</i> , such that newly created variables are available immediately. This is an advantage of mutate and has been implemented here for data.table .

when	[Optional] Compute for which rows or rows meeting what condition(s)? Passing to <code>data.table</code> : DT[when, ,]
by	[Optional] Compute by what group(s)? Passing to <code>data.table</code> : DT[, , by]
drop	Drop existing variables and return only new variables? Default is FALSE, which returns all variables.

Value

`add()` returns a new `data.table`, with the raw data unchanged.

`added()` returns nothing and has already changed the raw data.

Functions

- `add()`: Return the *new data*.
You need to assign the new data to an object:
`data = add(data, {...})`
- `added()`: Return nothing and *change the raw data immediately*.
NO need to assign the new data:
`added(data, {...})`

Examples

```
## ===== Usage 1: add() ===== ##

d = as.data.table(within.1)
d$XYZ = 1:8
d

# add() does not change the raw data:
add(d, {B = 1; C = 2})
d

# new data should be assigned to an object:
d = d %>% add({
  ID = str_extract(ID, "\\d") # modify a variable
  XYZ = NULL                 # delete a variable
  A = .mean("A", 1:4)        # create a new variable
  B = A * 4                  # new variable is immediately available
  C = 1                      # never need ,/; at the end of any line
})
d

## ===== Usage 2: added() ===== ##

d = as.data.table(within.1)
d$XYZ = 1:8
```

```

d

# added() has already changed the raw data:
added(d, {B = 1; C = 2})
d

# raw data has already become the new data:
added(d, {
  ID = str_extract(ID, "\\d")
  XYZ = NULL
  A = .mean("A", 1:4)
  B = A * 4
  C = 1
})
d

## ===== Using `when` and `by` ===== ##

d = as.data.table(between.2)
d

added(d, {SCORE2 = SCORE - mean(SCORE)},
      A == 1 & B %in% 1:2, # `when`: for what conditions
      by=B)               # `by`: by what groups
d
na.omit(d)

## ===== Return Only New Variables ===== ##

newvars = add(within.1, {
  ID = str_extract(ID, "\\d")
  A = .mean("A", 1:4)
}, drop=TRUE)
newvars

## ===== Better Than `base::within()` ===== ##

d = as.data.table(within.1)

# wrong order: C B A
within(d, {
  A = 4
  B = A + 1
  C = 6
})

# correct order: A B C
add(d, {
  A = 4
  B = A + 1

```

```

    C = 6
  })

```

 Alpha

Reliability analysis (Cronbach's α and McDonald's ω).

Description

An extension of `psych::alpha()` and `psych::omega()`, reporting (1) scale statistics (Cronbach's α and McDonald's ω) and (2) item statistics (item-rest correlation [i.e., corrected item-total correlation] and Cronbach's α if item deleted).

Three options to specify variables:

1. `var + items`: common and unique parts of variable names (suggested).
2. `vars`: a character vector of variable names (suggested).
3. `varrange`: starting and stopping positions of variables (NOT suggested).

Usage

```

Alpha(
  data,
  var,
  items,
  vars = NULL,
  varrange = NULL,
  rev = NULL,
  digits = 3,
  nsmall = digits
)

```

Arguments

<code>data</code>	Data frame.
<code>var</code>	[Option 1] The common part across the variables. e.g., "RSES"
<code>items</code>	[Option 1] The unique part across the variables. e.g., 1:10
<code>vars</code>	[Option 2] A character vector specifying the variables. e.g., c("X1", "X2", "X3", "X4", "X5")
<code>varrange</code>	[Option 3] A character string specifying the positions ("starting:stopping") of variables. e.g., "A1:E5"
<code>rev</code>	[Optional] Variables that need to be reversed. It can be (1) a character vector specifying the reverse-scoring variables (recommended), or (2) a numeric vector specifying the item number of reverse-scoring variables (not recommended).
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.

Value

A list of results obtained from `psych::alpha()` and `psych::omega()`.

See Also

[MEAN](#), [EFA](#), [CFA](#)

Examples

```
# ?psych::bfi
data = psych::bfi
Alpha(data, "E", 1:5) # "E1" & "E2" should be reversed
Alpha(data, "E", 1:5, rev=1:2) # correct
Alpha(data, "E", 1:5, rev=cc("E1, E2")) # also correct
Alpha(data, vars=cc("E1, E2, E3, E4, E5"), rev=cc("E1, E2"))
Alpha(data, varrange="E1:E5", rev=cc("E1, E2"))

# using dplyr::select()
data %>% select(E1, E2, E3, E4, E5) %>%
  Alpha(vars=names(.), rev=cc("E1, E2"))
```

 cc

Split up a string (with separators) into a character vector.

Description

Split up a string (with separators) into a character vector (whitespace around separator is trimmed).

Usage

```
cc(..., sep = "auto", trim = TRUE)
```

Arguments

...	Character string(s).
sep	Pattern for separation. Default is "auto": , ; \n \t
trim	Remove whitespace from start and end of string(s)? Default is TRUE.

Value

Character vector.

Examples

```
cc("a,b,c,d,e")

cc(" a , b , c , d , e ")

cc(" a , b , c , d , e ", trim=FALSE)

cc("1, 2, 3, 4, 5")

cc("A 1 , B 2 ; C 3 | D 4 \t E 5")

cc("A, B, C",
    " D | E ",
    c("F", "G"))

cc("
American
British
Chinese
")
```

`ccf_plot`*Cross-correlation analysis.*

Description

Plot the results of cross-correlation analysis using `ggplot2` (rather than R base plot) for more flexible modification of the plot.

Usage

```
ccf_plot(
  formula,
  data,
  lag.max = 30,
  sig.level = 0.05,
  xbreaks = seq(-100, 100, 10),
  ybreaks = seq(-1, 1, 0.2),
  ylim = NULL,
  alpha.ns = 1,
  pos.color = "black",
  neg.color = "black",
  ci.color = "blue",
  title = NULL,
  subtitle = NULL,
  xlab = "Lag",
  ylab = "Cross-Correlation"
)
```

Arguments

formula	Model formula like $y \sim x$.
data	Data frame.
lag.max	Maximum time lag. Default is 30.
sig.level	Significance level. Default is 0.05.
xbreaks	X-axis breaks.
ybreaks	Y-axis breaks.
ylim	Y-axis limits. Default is NULL to automatically estimate.
alpha.ns	Color transparency (opacity: 0~1) for non-significant values. Default is 1 for no transparency (i.e., opaque color).
pos.color	Color for positive values. Default is "black".
neg.color	Color for negative values. Default is "black".
ci.color	Color for upper and lower bounds of significant values. Default is "blue".
title	Plot title. Default is an illustration of the formula.
subtitle	Plot subtitle.
xlab	X-axis title. Default is "Lag".
ylab	Y-axis title. Default is "Cross-Correlation".

Details

Significant correlations with *negative time lags* suggest shifts in a predictor *precede* shifts in an outcome.

Value

A gg object, which you can further modify using ggplot2 syntax and save using ggsave().

See Also

[granger_test](#)

Examples

```
# resemble the default plot output by `ccf()`
p1 = ccf_plot(chicken ~ egg, data=lmtest::ChickEgg)

# a more colorful plot
p2 = ccf_plot(chicken ~ egg, data=lmtest::ChickEgg, alpha.ns=0.3,
              pos.color="#CD201F",
              neg.color="#21759B",
              ci.color="black")
```

Description

An extension of `lavaan::cfa()`.

Usage

```
CFA(
  data,
  model = "A =~ a[1:5]; B =~ b[c(1,3,5)]; C =~ c1 + c2 + c3",
  estimator = "ML",
  highorder = "",
  orthogonal = FALSE,
  missing = "listwise",
  digits = 3,
  nsmall = digits,
  file = NULL
)
```

Arguments

<code>data</code>	Data frame.
<code>model</code>	Model formula. See examples.
<code>estimator</code>	The estimator to be used (for details, see lavaan options). Default is "ML". Can be one of the following: "ML" Maximum Likelihood (can be extended to "MLM", "MLMV", "MLMVS", "MLF", or "MLR" for robust standard errors and robust test statistics) "GLS" Generalized Least Squares "WLS" Weighted Least Squares "ULS" Unweighted Least Squares "DWLS" Diagonally Weighted Least Squares "DLS" Distributionally-weighted Least Squares
<code>highorder</code>	High-order factor. Default is "".
<code>orthogonal</code>	Default is FALSE. If TRUE, all covariances among latent variables are set to zero.
<code>missing</code>	Default is "listwise". Alternative is "fiml" ("Full Information Maximum Likelihood").
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.
<code>file</code>	File name of MS Word (.doc).

Value

A list of results returned by `lavaan::cfa()`.

See Also

[Alpha](#), [EFA](#), [lavaan_summary](#)

Examples

```
data.cfa=lavaan::HolzingerSwineford1939
CFA(data.cfa, "Visual =~ x[1:3]; Textual =~ x[c(4,5,6)]; Speed =~ x7 + x8 + x9")
CFA(data.cfa, model="
  Visual =~ x[1:3]
  Textual =~ x[c(4,5,6)]
  Speed =~ x7 + x8 + x9
", highorder="Ability")

data.bfi = na.omit(psych::bfi)
CFA(data.bfi, "E =~ E[1:5]; A =~ A[1:5]; C =~ C[1:5]; N =~ N[1:5]; O =~ O[1:5]")
```

Corr

Correlation analysis.

Description

Correlation analysis.

Usage

```
Corr(
  data,
  method = "pearson",
  p.adjust = "none",
  all.as.numeric = TRUE,
  digits = 2,
  nsmall = digits,
  file = NULL,
  plot = TRUE,
  plot.range = c(-1, 1),
  plot.palette = NULL,
  plot.color.levels = 201,
  plot.file = NULL,
  plot.width = 8,
  plot.height = 6,
  plot.dpi = 500
)
```

Arguments

<code>data</code>	Data frame.
<code>method</code>	"pearson" (default), "spearman", or "kendall".
<code>p.adjust</code>	Adjustment of p values for multiple tests: "none", "fdr", "holm", "bonferroni", ... For details, see stats::p.adjust() .
<code>all.as.numeric</code>	TRUE (default) or FALSE. Transform all variables into numeric (continuous).
<code>digits, nsmall</code>	Number of decimal places of output. Default is 2.
<code>file</code>	File name of MS Word (.doc).
<code>plot</code>	TRUE (default) or FALSE. Plot the correlation matrix.
<code>plot.range</code>	Range of correlation coefficients for plot. Default is <code>c(-1, 1)</code> .
<code>plot.palette</code>	Color gradient for plot. Default is <code>c("#B52127", "white", "#2171B5")</code> . You may also set it to, e.g., <code>c("red", "white", "blue")</code> .
<code>plot.color.levels</code>	Default is 201.
<code>plot.file</code>	NULL (default, plot in RStudio) or a file name ("xxx.png").
<code>plot.width</code>	Width (in "inch") of the saved plot. Default is 8.
<code>plot.height</code>	Height (in "inch") of the saved plot. Default is 6.
<code>plot.dpi</code>	DPI (dots per inch) of the saved plot. Default is 500.

Value

Invisibly return the correlation results obtained from `psych::corr.test()`.

See Also

[Describe](#)

Examples

```
Corr(airquality)
Corr(airquality, p.adjust="bonferroni")

d = as.data.table(psych::bfi)
added(d, {
  gender = as.factor(gender)
  education = as.factor(education)
  E = .mean("E", 1:5, rev=c(1,2), range=1:6)
  A = .mean("A", 1:5, rev=1, range=1:6)
  C = .mean("C", 1:5, rev=c(4,5), range=1:6)
  N = .mean("N", 1:5, range=1:6)
  O = .mean("O", 1:5, rev=c(2,5), range=1:6)
})
Corr(d[, .(age, gender, education, E, A, C, N, O)])
```

cor_diff	<i>Test the difference between two correlations.</i>
----------	------------------------------------------------------

Description

Test the difference between two correlations.

Usage

```
cor_diff(r1, n1, r2, n2, n = NULL, rcov = NULL)
```

Arguments

r1, r2	Correlation coefficients (Pearson's r).
n, n1, n2	Sample sizes.
rcov	[Optional] Only for nonindependent r s: r1 is $r(X,Y)$, r2 is $r(X,Z)$, then, as Y and Z are also correlated, we should also consider rcov: $r(Y,Z)$

Value

Invisibly return the p value.

Examples

```
# two independent rs (X~Y vs. Z~W)
cor_diff(r1=0.20, n1=100, r2=0.45, n2=100)

# two nonindependent rs (X~Y vs. X~Z, with Y and Z also correlated [rcov])
cor_diff(r1=0.20, r2=0.45, n=100, rcov=0.80)
```

Describe	<i>Descriptive statistics.</i>
----------	--------------------------------

Description

Descriptive statistics.

Usage

```
Describe(
  data,
  all.as.numeric = TRUE,
  digits = 2,
  nsmall = digits,
  file = NULL,
  plot = FALSE,
  upper.triangle = FALSE,
  upper.smooth = "none",
  plot.file = NULL,
  plot.width = 8,
  plot.height = 6,
  plot.dpi = 500
)
```

Arguments

<code>data</code>	Data frame or numeric vector.
<code>all.as.numeric</code>	TRUE (default) or FALSE. Transform all variables into numeric (continuous).
<code>digits</code> , <code>nsmall</code>	Number of decimal places of output. Default is 2.
<code>file</code>	File name of MS Word (.doc).
<code>plot</code>	TRUE or FALSE (default). Visualize the descriptive statistics using GGally::ggpairs() .
<code>upper.triangle</code>	TRUE or FALSE (default). Add (scatter) plots to upper triangle (time consuming when sample size is large).
<code>upper.smooth</code>	"none" (default), "lm", or "loess". Add fitting lines to scatter plots (if any).
<code>plot.file</code>	NULL (default, plot in RStudio) or a file name ("xxx.png").
<code>plot.width</code>	Width (in "inch") of the saved plot. Default is 8.
<code>plot.height</code>	Height (in "inch") of the saved plot. Default is 6.
<code>plot.dpi</code>	DPI (dots per inch) of the saved plot. Default is 500.

Value

Invisibly return a list consisting of (1) a data frame of descriptive statistics and (2) a `ggplot2` object if users set `plot=TRUE`.

See Also

[Corr](#)

Examples

```
set.seed(1)
Describe(rnorm(1000000), plot=TRUE)

Describe(airquality)
```

```
Describe(airquality, plot=TRUE, upper.triangle=TRUE, upper.smooth="lm")

# ?psych::bfi
Describe(psych::bfi[c("age", "gender", "education")])

d = as.data.table(psych::bfi)
added(d, {
  gender = as.factor(gender)
  education = as.factor(education)
  E = .mean("E", 1:5, rev=c(1,2), range=1:6)
  A = .mean("A", 1:5, rev=1, range=1:6)
  C = .mean("C", 1:5, rev=c(4,5), range=1:6)
  N = .mean("N", 1:5, range=1:6)
  O = .mean("O", 1:5, rev=c(2,5), range=1:6)
})
Describe(d[, .(age, gender, education)], plot=TRUE, all.as.numeric=FALSE)
Describe(d[, .(age, gender, education, E, A, C, N, O)], plot=TRUE)
```

dtime	<i>Timer (compute time difference).</i>
-------	-----------------------------------------

Description

Timer (compute time difference).

Usage

```
dtime(t0, unit = "secs", digits = 0, nsmall = digits)
```

Arguments

<code>t0</code>	Time at the beginning.
<code>unit</code>	Options: "auto", "secs", "mins", "hours", "days", "weeks". Default is "secs".
<code>digits, nsmall</code>	Number of decimal places of output. Default is 0.

Value

A character string of time difference.

Examples

```
## Not run:

t0 = Sys.time()
dtime(t0)

## End(Not run)
```

EFA *Principal Component Analysis (PCA) and Exploratory Factor analysis (EFA).*

Description

An extension of `psych::principal()` and `psych::fa()`, performing either Principal Component Analysis (PCA) or Exploratory Factor Analysis (EFA).

Three options to specify variables:

1. `var + items`: use the common and unique parts of variable names.
2. `vars`: directly define a character vector of variables.
3. `varrange`: use the starting and stopping positions of variables.

Usage

```
EFA(
  data,
  var,
  items,
  vars = NULL,
  varrange = NULL,
  rev = NULL,
  method = c("pca", "pa", "ml", "minres", "uls", "ols", "wls", "gls", "alpha"),
  rotation = c("none", "varimax", "oblimin", "promax", "quartimax", "equamax"),
  nfactors = c("eigen", "parallel", "(any number >= 1)"),
  sort.loadings = TRUE,
  hide.loadings = 0,
  plot.scree = TRUE,
  kaiser = TRUE,
  max.iter = 25,
  min.eigen = 1,
  digits = 3,
  nsmall = digits,
  file = NULL
)

PCA(..., method = "pca")
```

Arguments

<code>data</code>	Data frame.
<code>var</code>	[Option 1] The common part across the variables. e.g., "RSES"
<code>items</code>	[Option 1] The unique part across the variables. e.g., 1:10
<code>vars</code>	[Option 2] A character vector specifying the variables. e.g., c("X1", "X2", "X3", "X4", "X5")

varrange	[Option 3] A character string specifying the positions ("starting:stopping") of variables. e.g., "A1:E5"
rev	[Optional] Variables that need to be reversed. It can be (1) a character vector specifying the reverse-scoring variables (recommended), or (2) a numeric vector specifying the item number of reverse-scoring variables (not recommended).
method	Extraction method. <ul style="list-style-type: none"> • "pca" - Principal Component Analysis (default) • "pa" - Principal Axis Factor Analysis • "ml" - Maximum Likelihood Factor Analysis • "minres" - Minimum Residual Factor Analysis • "uls" - Unweighted Least Squares Factor Analysis • "ols" - Ordinary Least Squares Factor Analysis • "wls" - Weighted Least Squares Factor Analysis • "gls" - Generalized Least Squares Factor Analysis • "alpha" - Alpha Factor Analysis (Kaiser & Coffey, 1965)
rotation	Rotation method. <ul style="list-style-type: none"> • "none" - None (not suggested) • "varimax" - Varimax (default) • "oblimin" - Direct Oblimin • "promax" - Promax • "quartimax" - Quartimax • "equamax" - Equamax
nfactors	How to determine the number of factors/components? <ul style="list-style-type: none"> • "eigen" - based on eigenvalue (> minimum eigenvalue) (default) • "parallel" - based on parallel analysis • (any number >= 1) - user-defined fixed number
sort.loadings	Sort factor/component loadings by size? Default is TRUE.
hide.loadings	A number (0~1) for hiding absolute factor/component loadings below this value. Default is 0 (does not hide any loading).
plot.scree	Display the scree plot? Default is TRUE.
kaiser	Do the Kaiser normalization (as in SPSS)? Default is TRUE.
max.iter	Maximum number of iterations for convergence. Default is 25 (the same as in SPSS).
min.eigen	Minimum eigenvalue (used if nfactors="eigen"). Default is 1.
digits, nsmall	Number of decimal places of output. Default is 3.
file	File name of MS Word (.doc).
...	Arguments passed from PCA() to EFA().

Value

A list of results:

`result` The R object returned from `psych::principal()` or `psych::fa()`
`result.kaiser` The R object returned from `psych::kaiser()` (if any)
`extraction.method` Extraction method
`rotation.method` Rotation method
`eigenvalues` A data.frame of eigenvalues and sum of squared (SS) loadings
`loadings` A data.frame of factor/component loadings and communalities
`scree.plot` A ggplot2 object of the scree plot

Functions

- `EFA()`: Exploratory Factor Analysis
- `PCA()`: Principal Component Analysis - a wrapper of `EFA(..., method="pca")`

Note

Results based on the `varimax` rotation method are identical to SPSS. The other rotation methods may produce results slightly different from SPSS.

See Also

[MEAN](#), [Alpha](#), [CFA](#)

Examples

```
data = psych::bfi
EFA(data, "E", 1:5) # var + items
EFA(data, "E", 1:5, nfactors=2) # var + items

EFA(data, varrange="A1:05",
     nfactors="parallel",
     hide.loadings=0.45)

# the same as above:
# using dplyr::select() and dplyr::matches()
# to select variables whose names end with numbers
# (regex: \d matches all numbers, $ matches the end of a string)
data %>% select(matches("\\d$")) %>%
  EFA(vars=names(.), # all selected variables
      method="pca", # default
      rotation="varimax", # default
      nfactors="parallel", # parallel analysis
      hide.loadings=0.45) # hide loadings < 0.45
```

Description

Perform (1) simple-effect (and simple-simple-effect) analyses, including both simple main effects and simple interaction effects, and (2) post-hoc multiple comparisons (e.g., pairwise, sequential, polynomial), with p values adjusted for factors with ≥ 3 levels.

This function is based on and extends (1) `emmeans::joint_tests()`, (2) `emmeans::emmeans()`, and (3) `emmeans::contrast()`. You only need to specify the model object, to-be-tested effect(s), and moderator(s). Almost all results you need will be displayed together, including effect sizes (partial η^2 and Cohen's d) and their confidence intervals (CIs). 90% CIs for partial η^2 and 95% CIs for Cohen's d are reported.

By default, the *root mean square error* (RMSE) is used to compute the pooled *SD* for Cohen's d . Specifically, it uses:

1. the square root of *mean square error* (MSE) for between-subjects designs;
2. the square root of *mean variance of all paired differences of the residuals of repeated measures* for within-subjects and mixed designs.

Disclaimer: There is substantial disagreement on the appropriate pooled *SD* to use in computing the effect size. For alternative methods, see `emmeans::eff_size()` and `effectsize::t_to_d()`. Users should *not* take the default output as the only right results and are completely responsible for specifying `sd.pooled`.

Usage

```
EMMEANS(
  model,
  effect = NULL,
  by = NULL,
  contrast = "pairwise",
  reverse = TRUE,
  p.adjust = "bonferroni",
  sd.pooled = NULL,
  model.type = "multivariate",
  digits = 3,
  nsmall = digits
)
```

Arguments

<code>model</code>	The model object returned by MANOVA .
<code>effect</code>	Effect(s) you want to test. If set to a character string (e.g., "A"), it reports the results of omnibus test or simple main effect. If set to a character vector (e.g., <code>c("A", "B")</code>), it also reports the results of simple interaction effect.

by	Moderator variable(s). Default is NULL.
contrast	Contrast method for multiple comparisons. Default is "pairwise". Alternatives can be "pairwise" ("revpairwise"), "seq" ("consec"), "poly", "eff". For details, see <code>?emmeans::`contrast-methods`</code> .
reverse	The order of levels to be contrasted. Default is TRUE (higher level vs. lower level).
p.adjust	Adjustment method of p values for multiple comparisons. Default is "bonferroni". For polynomial contrasts, default is "none". Alternatives can be "none", "fdr", "hochberg", "hommel", "holm", "tukey", "mvt", "dunnett", "sidak", "scheffe", "bonferroni". For details, see <code>stats::p.adjust()</code> and <code>emmeans::summary()</code> .
sd.pooled	By default, it uses $\sqrt{\text{MSE}}$ (root mean square error, RMSE) as the pooled SD to compute Cohen's d . Users may specify this argument as the SD of a reference group, or use <code>effectsize::sd_pooled()</code> to obtain a pooled SD . For an issue about the computation method of Cohen's d , see <i>Disclaimer</i> above.
model.type	"multivariate" returns the results of pairwise comparisons identical to SPSS, which uses the <code>lm</code> (rather than <code>aov</code>) object of the model for <code>emmeans::joint_tests()</code> and <code>emmeans::emmeans()</code> . "univariate" requires also specifying <code>aov.include=TRUE</code> in <code>MANOVA</code> (not recommended by the <code>afex</code> package; for details, see <code>afex::aov_ez()</code>).
digits, nsmall	Number of decimal places of output. Default is 3.

Value

The same model object as returned by `MANOVA` (for recursive use), along with a list of tables: `sim` (simple effects), `emm` (estimated marginal means), `con` (contrasts).

Each `EMMEANS(...)` appends one list to the returned object.

Interaction Plot (See Examples Below)

You can save the returned object and use the `emmeans::emmip()` function to create an interaction plot (based on the fitted model and a formula). See examples below for the usage.

Note: `emmeans::emmip()` returns a `ggplot` object, which can be modified and saved with `ggplot2` syntax.

Statistical Details

Some may confuse the statistical terms "simple effects", "post-hoc tests", and "multiple comparisons". Such a confusion is not uncommon. Here I explain what these terms actually refer to.

1. Simple Effect When we speak of "simple effect", we are referring to ...

- simple main effect
- simple interaction effect (only for designs with 3 or more factors)
- simple simple effect (only for designs with 3 or more factors)

When the interaction effect in ANOVA is significant, we should then perform a "simple-effect analysis". In regression, we call this "simple-slope analysis". They are identical in statistical principles.

In a two-factors design, we only test "**simple main effect**". That is, at different levels of a factor "B", the main effects of "A" would be different. However, in a three-factors (or more) design, we may also test "**simple interaction effect**" and "**simple simple effect**". That is, at different combinations of levels of factors "B" and "C", the main effects of "A" would be different.

To note, simple effects *per se* never require *p*-value adjustment, because what we test in simple-effect analyses are still "omnibus *F*-tests".

- 2. Post-Hoc Test** The term "post-hoc" means that the tests are performed after ANOVA. Given this, some may (wrongly) regard simple-effect analyses also as a kind of post-hoc tests. However, these two terms should be distinguished. In many situations, "post-hoc tests" only refer to "**post-hoc comparisons**" using *t*-tests and some *p*-value adjustment techniques. We need post-hoc comparisons **only when there are factors with 3 or more levels**.

Post-hoc tests are totally **independent of** whether there is a significant interaction effect. **It only deals with factors with multiple levels**. In most cases, we use pairwise comparisons to do post-hoc tests. See the next part for details.

- 3. Multiple Comparison** As mentioned above, multiple comparisons are indeed post-hoc tests but have no relationship with simple-effect analyses. Post-hoc multiple comparisons are **independent of** interaction effects and simple effects. Furthermore, if a simple main effect contains 3 or more levels, we also need to do multiple comparisons *within* the simple-effect analysis. In this situation, we also need *p*-value adjustment with methods such as Bonferroni, Tukey's HSD (honest significant difference), FDR (false discovery rate), and so forth.

Options for multiple comparison:

- "pairwise" - Pairwise comparisons (default is "higher level - lower level")
- "seq" or "consec" - Consecutive (sequential) comparisons
- "poly" - Polynomial contrasts (linear, quadratic, cubic, quartic, ...)
- "eff" - Effect contrasts (vs. the grand mean)

See Also

[TTEST](#), [MANOVA](#), [bruceR-demodata](#)

Examples

```
#### Between-Subjects Design ####

between.1
MANOVA(between.1, dv="SCORE", between="A") %>%
  EMMEANS("A")
MANOVA(between.1, dv="SCORE", between="A") %>%
  EMMEANS("A", p.adjust="tukey")
MANOVA(between.1, dv="SCORE", between="A") %>%
  EMMEANS("A", contrast="seq")
MANOVA(between.1, dv="SCORE", between="A") %>%
  EMMEANS("A", contrast="poly")
```

```

between.2
MANOVA(between.2, dv="SCORE", between=c("A", "B")) %>%
  EMMEANS("A", by="B") %>%
  EMMEANS("B", by="A")
## How to create an interaction plot using `emmeans::emmip()`?
## See help page: ?emmeans::emmip()
m = MANOVA(between.2, dv="SCORE", between=c("A", "B"))
emmip(m, ~ A | B, CIs=TRUE)
emmip(m, ~ B | A, CIs=TRUE)
emmip(m, B ~ A, CIs=TRUE)
emmip(m, A ~ B, CIs=TRUE)

between.3
MANOVA(between.3, dv="SCORE", between=c("A", "B", "C")) %>%
  EMMEANS("A", by="B") %>%
  EMMEANS(c("A", "B"), by="C") %>%
  EMMEANS("A", by=c("B", "C"))
## Just to name a few...
## You may test other combinations...

#### Within-Subjects Design ####

within.1
MANOVA(within.1, dvs="A1:A4", dvs.pattern="A(.)",
  within="A") %>%
  EMMEANS("A")

within.2
MANOVA(within.2, dvs="A1B1:A2B3", dvs.pattern="A(.)B(.)",
  within=c("A", "B")) %>%
  EMMEANS("A", by="B") %>%
  EMMEANS("B", by="A") # singular error matrix
# ::::::::::::::::::::::::::::::::::::::::::::
# This would produce a WARNING because of
# the linear dependence of A2B2 and A2B3.
# See: Corr(within.2[c("A2B2", "A2B3")])

within.3
MANOVA(within.3, dvs="A1B1C1:A2B2C2", dvs.pattern="A(.)B(.)C(.)",
  within=c("A", "B", "C")) %>%
  EMMEANS("A", by="B") %>%
  EMMEANS(c("A", "B"), by="C") %>%
  EMMEANS("A", by=c("B", "C"))
## Just to name a few...
## You may test other combinations...

#### Mixed Design ####

mixed.2_1b1w
MANOVA(mixed.2_1b1w, dvs="B1:B3", dvs.pattern="B(.)",
  between="A", within="B", sph.correction="GG") %>%

```

```

EMMEANS("A", by="B") %>%
EMMEANS("B", by="A")

mixed.3_1b2w
MANOVA(mixed.3_1b2w, dvs="B1C1:B2C2", dvs.pattern="B(.)C(.)",
        between="A", within=c("B", "C")) %>%
EMMEANS("A", by="B") %>%
EMMEANS(c("A", "B"), by="C") %>%
EMMEANS("A", by=c("B", "C"))
## Just to name a few...
## You may test other combinations...

mixed.3_2b1w
MANOVA(mixed.3_2b1w, dvs="B1:B2", dvs.pattern="B(.)",
        between=c("A", "C"), within="B") %>%
EMMEANS("A", by="B") %>%
EMMEANS("A", by="C") %>%
EMMEANS(c("A", "B"), by="C") %>%
EMMEANS("B", by=c("A", "C"))
## Just to name a few...
## You may test other combinations...

#### Other Examples ####

air = airquality
air$Day.1or2 = ifelse(air$Day %% 2 == 1, 1, 2) %>%
  factor(levels=1:2, labels=c("odd", "even"))
MANOVA(air, dv="Temp", between=c("Month", "Day.1or2"),
        covariate=c("Solar.R", "Wind")) %>%
EMMEANS("Month", contrast="seq") %>%
EMMEANS("Month", by="Day.1or2", contrast="poly")

```

export

Export data to a file (TXT, CSV, Excel, SPSS, Stata, ...) or clipboard.

Description

Export data to a file, with format automatically judged from file extension. This function is inspired by `rio::export()` and has several modifications. Its purpose is to avoid using lots of `write_xxx()` functions in your code and to provide one tidy function for data export.

It supports many file formats and uses corresponding R functions:

- Plain text (.txt, .csv, .csv2, .tsv, .psv), using `data.table::fwrite()`; if the encoding argument is specified, using `utils::write.table()` instead
- Excel (.xls, .xlsx), using `openxlsx::write.xlsx()`
- SPSS (.sav), using `haven::write_sav()`

- Stata (.dta), using `haven::write_dta()`
- R objects (.rda, .rdata, .Rdata), using `base::save()`
- R serialized objects (.rds), using `base::saveRDS()`
- Clipboard (on Windows and Mac OS), using `clipr::write_clip()`
- Other formats, using `rio::export()`

Usage

```
export(
  x,
  file,
  sheet = NULL,
  encoding = NULL,
  header = "auto",
  overwrite = TRUE
)
```

Arguments

<code>x</code>	Any R object, usually a data frame (<code>data.frame</code> , <code>data.table</code> , <code>tbl_df</code>). Multiple R objects should be included in a <i>named</i> list (see examples). If you want to save R objects other than a data frame (e.g., model results), you'd better specify <code>file</code> with extensions <code>.rda</code> , <code>.rdata</code> , or <code>.Rdata</code> .
<code>file</code>	File name (with extension). If unspecified, then data will be exported to clipboard.
<code>sheet</code>	[Only for Excel] Excel sheet name(s). Default is <code>Sheet1</code> , <code>Sheet2</code> , ... You may specify multiple sheet names in a character vector <code>c()</code> with the <i>same length</i> as <code>x</code> (see examples).
<code>encoding</code>	File encoding. Default is <code>NULL</code> . Alternatives can be <code>"UTF-8"</code> , <code>"GBK"</code> , <code>"CP936"</code> , etc. If you find messy code for Chinese text in the exported data (often in CSV when opened with Excel), it is usually effective to set <code>encoding="GBK"</code> or <code>encoding="CP936"</code> .
<code>header</code>	Does the first row contain column names (TRUE or FALSE)? Default is <code>"auto"</code> .
<code>overwrite</code>	Overwrite the existing file (if any)? Default is <code>TRUE</code> .

Value

No return value.

See Also

[import](#), [print_table](#)

Examples

```
## Not run:

export(airquality) # paste to clipboard
export(airquality, file="mydata.csv")
export(airquality, file="mydata.sav")

export(list(airquality, npk), file="mydata.xlsx") # Sheet1, Sheet2
export(list(air=airquality, npk=npk), file="mydata.xlsx") # a named list
export(list(airquality, npk), sheet=c("air", "npk"), file="mydata.xlsx")

export(list(a=1, b=npk, c="character"), file="abc.Rdata") # .rda, .rdata
d = import("abc.Rdata") # load only the first object and rename it to `d`
load("abc.Rdata") # load all objects with original names to environment

export(lm(yield ~ N*P*K, data=npk), file="lm_npk.Rdata")
model = import("lm_npk.Rdata")
load("lm_npk.Rdata") # because x is unnamed, the object has a name "List1"

export(list(m1=lm(yield ~ N*P*K, data=npk)), file="lm_npk.Rdata")
model = import("lm_npk.Rdata")
load("lm_npk.Rdata") # because x is named, the object has a name "m1"

## End(Not run)
```

formatF

Format numeric values.

Description

Format numeric values.

Usage

```
formatF(x, digits = 3, nsmall = digits)
```

Arguments

x A number or numeric vector.
digits, nsmall Number of decimal places of output. Default is 3.

Value

Formatted character string.

See Also

[format](#), [formatN](#)

Examples

```
formatF(pi, 20)
```

formatN	<i>Format "1234" to "1,234".</i>
---------	----------------------------------

Description

Format "1234" to "1,234".

Usage

```
formatN(x, mark = ",")
```

Arguments

x	A number or numeric vector.
mark	Usually ", ".

Value

Formatted character string.

See Also

[format](#), [formatF](#)

Examples

```
formatN(1234)
```

formula_expand	<i>Expand all interaction terms in a formula.</i>
----------------	---------------------------------------------------

Description

Expand all interaction terms in a formula.

Usage

```
formula_expand(formula, as.char = FALSE)
```

Arguments

formula R formula or a character string indicating the formula.
as.char Return character? Default is FALSE.

Value

A formula/character object including all expanded terms.

Examples

```
formula_expand(y ~ a*b*c)
formula_expand("y ~ a*b*c")
```

formula_paste	<i>Paste a formula into a string.</i>
---------------	---------------------------------------

Description

Paste a formula into a string.

Usage

```
formula_paste(formula)
```

Arguments

formula R formula.

Value

A character string indicating the formula.

Examples

```
formula_paste(y ~ x)
formula_paste(y ~ x + (1 | g))
```

Freq

Frequency statistics.

Description

Frequency statistics.

Usage

```
Freq(x, varname, labels, sort = "", digits = 1, nsmall = digits, file = NULL)
```

Arguments

x	A vector of values (or a data frame).
varname	[Optional] Variable name, if x is a data frame.
labels	[Optional] A vector re-defining the labels of values.
sort	"" (default, sorted by the order of variable values/labels), "-" (decreasing by N), or "+" (increasing by N).
digits, nsmall	Number of decimal places of output. Default is 1.
file	File name of MS Word (.doc).

Value

A data frame of frequency statistics.

Examples

```
data = psych::bfi

## Input `data$variable`
Freq(data$education)
Freq(data$gender, labels=c("Male", "Female"))
Freq(data$age)

## Input one data frame and one variable name
Freq(data, "education")
Freq(data, "gender", labels=c("Male", "Female"))
Freq(data, "age")
```

GLM_summary

*Tidy report of GLM (lm and glm models).***Description**

NOTE: `model_summary` is preferred.

Usage

```
GLM_summary(
  model,
  robust = FALSE,
  cluster = NULL,
  digits = 3,
  nsmall = digits,
  ...
)
```

Arguments

<code>model</code>	A model fitted with <code>lm</code> or <code>glm</code> function.
<code>robust</code>	[Only for <code>lm</code> and <code>glm</code>] FALSE (default), TRUE (then the default is "HC1"), "HC0", "HC1", "HC2", "HC3", "HC4", "HC4m", or "HC5". It will add a table with heteroskedasticity-robust standard errors (aka. Huber-White standard errors). For details, see <code>?sandwich::vcovHC</code> and <code>?jtools::summ.lm</code> . *** "HC1" is the default of Stata, whereas "HC3" is the default suggested by the <code>sandwich</code> package.
<code>cluster</code>	[Only for <code>lm</code> and <code>glm</code>] Cluster-robust standard errors are computed if <code>cluster</code> is set to the name of the input data's cluster variable or is a vector of clusters.
<code>digits</code> , <code>nsmall</code>	Number of decimal places of output. Default is 3.
<code>...</code>	Other arguments. You may re-define <code>formula</code> , <code>data</code> , or <code>family</code> .

Value

No return value.

See Also

[print_table](#) (print simple table)
[model_summary](#) (highly suggested)
[HLM_summary](#)
[regress](#)

Examples

```
## Example 1: OLS regression
lm = lm(Temp ~ Month + Day + Wind + Solar.R, data=airquality)
GLM_summary(lm)
GLM_summary(lm, robust="HC1")
# Stata's default is "HC1"
# R package <sandwich>'s default is "HC3"

## Example 2: Logistic regression
glm = glm(case ~ age + parity + education + spontaneous + induced,
          data=infert, family=binomial)
GLM_summary(glm)
GLM_summary(glm, robust="HC1", cluster="stratum")
```

grand_mean_center *Grand-mean centering.*

Description

Compute grand-mean centered variables. Usually used for GLM interaction-term predictors and HLM level-2 predictors.

Usage

```
grand_mean_center(data, vars = names(data), std = FALSE, add.suffix = "")
```

Arguments

data	Data object.
vars	Variable(s) to be centered.
std	Standardized or not. Default is FALSE.
add.suffix	The suffix of the centered variable(s). Default is "". You may set it to "_c", "_center", etc.

Value

A new data object containing the centered variable(s).

See Also

[group_mean_center](#)

Examples

```
d = data.table(a=1:5, b=6:10)

d.c = grand_mean_center(d, "a")
d.c

d.c = grand_mean_center(d, c("a", "b"), add.suffix="_center")
d.c
```

granger_causality *Granger causality test (multivariate).*

Description

Granger test of predictive causality (between multivariate time series) based on vector autoregression (VAR) model. Its output resembles the output of the vargranger command in Stata (but here using an F test).

Usage

```
granger_causality(
  varmodel,
  var.y = NULL,
  var.x = NULL,
  test = c("F", "Chisq"),
  file = NULL,
  check.dropped = FALSE
)
```

Arguments

varmodel	VAR model fitted using the <code>vars::VAR()</code> function.
var.y, var.x	[Optional] Default is NULL (all variables). If specified, then perform tests for specific variables. Values can be a single variable (e.g., "X"), a vector of variables (e.g., c("X1", "X2")), or a string containing regular expression (e.g., "X1 X2").
test	F test and/or Wald χ^2 test. Default is both: c("F", "Chisq").
file	File name of MS Word (.doc).
check.dropped	Check dropped variables. Default is FALSE.

Details

Granger causality test (based on VAR model) examines whether the lagged values of a predictor (or predictors) help to predict an outcome when controlling for the lagged values of the outcome itself.

Granger causality does not necessarily constitute a true causal effect.

Value

A data frame of results.

See Also

[ccf_plot](#), [granger_test](#)

Examples

```
## Not run:  
  
# R package "vars" should be installed  
library(vars)  
data(Canada)  
VARselect(Canada)  
vm = VAR(Canada, p=3)  
model_summary(vm)  
granger_causality(vm)  
  
## End(Not run)
```

granger_test

Granger causality test (bivariate).

Description

Granger test of predictive causality (between two time series) using the `lmtest::grangertest()` function.

Usage

```
granger_test(formula, data, lags = 1:5, test.reverse = TRUE, file = NULL)
```

Arguments

formula	Model formula like $y \sim x$.
data	Data frame.
lags	Time lags. Default is 1:5.
test.reverse	Whether to test reverse causality. Default is TRUE.
file	File name of MS Word (.doc).

Details

Granger causality test examines whether the lagged values of a predictor have an incremental role in predicting (i.e., help to predict) an outcome when controlling for the lagged values of the outcome.

Granger causality does not necessarily constitute a true causal effect.

Value

A data frame of results.

See Also

[ccf_plot](#), [granger_causality](#)

Examples

```
granger_test(chicken ~ egg, data=lmtest::ChickEgg)
granger_test(chicken ~ egg, data=lmtest::ChickEgg, lags=1:10, file="Granger.doc")
unlink("Granger.doc") # delete file for code check
```

group_mean_center	<i>Group-mean centering.</i>
-------------------	------------------------------

Description

Compute group-mean centered variables. Usually used for HLM level-1 predictors.

Usage

```
group_mean_center(
  data,
  vars = setdiff(names(data), by),
  by,
  std = FALSE,
  add.suffix = "",
  add.group.mean = "_mean"
)
```

Arguments

data	Data object.
vars	Variable(s) to be centered.
by	Grouping variable.
std	Standardized or not. Default is FALSE.
add.suffix	The suffix of the centered variable(s). Default is "". You may set it to "_c", "_center", etc.
add.group.mean	The suffix of the variable name(s) of group means. Default is "_mean" (see Examples).

Value

A new data object containing the centered variable(s).

See Also

[grand_mean_center](#)

Examples

```
d = data.table(x=1:9, g=rep(1:3, each=3))

d.c = group_mean_center(d, "x", by="g")
d.c

d.c = group_mean_center(d, "x", by="g", add.suffix="_c")
d.c
```

HLM_ICC_rWG

Tidy report of HLM indices: ICC(1), ICC(2), and rWG/rWG(J).

Description

Compute ICC(1) (non-independence of data), ICC(2) (reliability of group means), and $r_{WG}/r_{WG(J)}$ (within-group agreement for single-item/multi-item measures) in multilevel analysis (HLM).

Usage

```
HLM_ICC_rWG(
  data,
  group,
  icc.var,
  rwg.vars = icc.var,
  rwg.levels = 0,
  digits = 3,
  nsmall = digits
)
```

Arguments

data	Data frame.
group	Grouping variable.
icc.var	Key variable for analysis (usually the dependent variable).
rwg.vars	Default is icc.var. It can be: <ul style="list-style-type: none"> • A single variable (<i>single-item</i> measure), then computing rWG. • Multiple variables (<i>multi-item</i> measure), then computing rWG(J), where J = the number of items.
rwg.levels	As $r_{WG}/r_{WG(J)}$ compares the actual group variance to the expected random variance (i.e., the variance of uniform distribution, σ_{EU}^2), it is required to specify which type of uniform distribution is.

- For *continuous* uniform distribution, $\sigma_{EU}^2 = (max - min)^2/12$. Then `rwg.levels` is not useful and will be set to 0 (the default).
- For *discrete* uniform distribution, $\sigma_{EU}^2 = (A^2 - 1)/12$, where A is the number of response options (levels). Then `rwg.levels` should be provided (= A in the above formula). For example, if the measure is a 5-point Likert scale, you should set `rwg.levels=5`.

`digits`, `nsmall` Number of decimal places of output. Default is 3.

Details

ICC(1) (intra-class correlation, or non-independence of data) $ICC(1) = var.u0 / (var.u0 + var.e) = \sigma_{u0}^2 / (\sigma_{u0}^2 + \sigma_e^2)$

ICC(1) is the ICC we often compute and report in multilevel analysis (usually in the Null Model, where only the random intercept of group is included). It can be interpreted as either "**the proportion of variance explained by groups**" (i.e., *heterogeneity* between groups) or "**the expectation of correlation coefficient between any two observations within any group**" (i.e., *homogeneity* within groups).

ICC(2) (reliability of group means) $ICC(2) = mean(var.u0 / (var.u0 + var.e / n.k)) = \Sigma[\sigma_{u0}^2 / (\sigma_{u0}^2 + \sigma_e^2 / n_k)] / K$

ICC(2) is a measure of "**the representativeness of group-level aggregated means for within-group individual values**" or "**the degree to which an individual score can be considered a reliable assessment of a group-level construct**".

$r_{WG}/r_{WG(J)}$ (**within-group agreement for single-item/multi-item measures**) $r_{WG} = 1 - \sigma^2 / \sigma_{EU}^2$
 $r_{WG(J)} = 1 - (\sigma_{MJ}^2 / \sigma_{EU}^2) / [J * (1 - \sigma_{MJ}^2 / \sigma_{EU}^2) + \sigma_{MJ}^2 / \sigma_{EU}^2]$

$r_{WG}/r_{WG(J)}$ is a measure of within-group agreement or consensus. Each group has an $r_{WG}/r_{WG(J)}$.

* **Note for the above formulas** • σ_{u0}^2 : between-group variance (i.e., tau00)

- σ_e^2 : within-group variance (i.e., residual variance)
- n_k : group size of the k-th group
- K : number of groups
- σ^2 : actual group variance of the k-th group
- σ_{MJ}^2 : mean value of actual group variance of the k-th group across all J items
- σ_{EU}^2 : expected random variance (i.e., the variance of uniform distribution)
- J : number of items

Value

Invisibly return a list of results.

References

- Bliese, P. D. (2000). Within-group agreement, non-independence, and reliability: Implications for data aggregation and Analysis. In K. J. Klein & S. W. Kozlowski (Eds.), *Multilevel theory, research, and methods in organizations* (pp. 349–381). San Francisco, CA: Jossey-Bass, Inc.
- James, L.R., Demaree, R.G., & Wolf, G. (1984). Estimating within-group interrater reliability with and without response bias. *Journal of Applied Psychology*, 69, 85–98.

See Also

[R package "multilevel"](#)

Examples

```
data = lme4::sleepstudy # continuous variable
HLM_ICC_rWG(data, group="Subject", icc.var="Reaction")

data = lmerTest::carrots # 7-point scale
HLM_ICC_rWG(data, group="Consumer", icc.var="Preference",
             rwg.vars="Preference",
             rwg.levels=7)
HLM_ICC_rWG(data, group="Consumer", icc.var="Preference",
             rwg.vars=c("Sweetness", "Bitter", "Crisp"),
             rwg.levels=7)
```

HLM_summary

Tidy report of HLM (lmer and glmer models).

Description

NOTE: [model_summary](#) is preferred.

Usage

```
HLM_summary(model = NULL, test.rand = FALSE, digits = 3, nsmall = digits, ...)
```

Arguments

model	A model fitted with lmer or glmer function using the lmerTest package.
test.rand	[Only for lmer and glmer] TRUE or FALSE (default). Test random effects (i.e., variance components) by using the likelihood-ratio test (LRT), which is asymptotically chi-square distributed. For large datasets, it is much time-consuming.
digits, nsmall	Number of decimal places of output. Default is 3.
...	Other arguments. You may re-define formula, data, or family.

Value

No return value.

References

Hox, J. J. (2010). *Multilevel analysis: Techniques and applications* (2nd ed.). New York, NY: Routledge.

Nakagawa, S., & Schielzeth, H. (2013). A general and simple method for obtaining R^2 from generalized linear mixed-effects models. *Methods in Ecology and Evolution*, 4, 133–142.

Xu, R. (2003). Measuring explained variation in linear mixed effects models. *Statistics in Medicine*, 22, 3527–3541.

See Also

[print_table](#) (print simple table)
[model_summary](#) (highly suggested)
[GLM_summary](#)
[regress](#)

Examples

```
library(lmerTest)

## Example 1: data from lme4::sleepstudy
# (1) 'Subject' is a grouping/clustering variable
# (2) 'Days' is a level-1 predictor nested within 'Subject'
# (3) No level-2 predictors
m1 = lmer(Reaction ~ (1 | Subject), data=sleepstudy)
m2 = lmer(Reaction ~ Days + (1 | Subject), data=sleepstudy)
m3 = lmer(Reaction ~ Days + (Days | Subject), data=sleepstudy)
HLM_summary(m1)
HLM_summary(m2)
HLM_summary(m3)

## Example 2: data from lmerTest::carrots
# (1) 'Consumer' is a grouping/clustering variable
# (2) 'Sweetness' is a level-1 predictor
# (3) 'Age' and 'Frequency' are level-2 predictors
hlm.1 = lmer(Preference ~ Sweetness + Age + Frequency +
            (1 | Consumer), data=carrots)
hlm.2 = lmer(Preference ~ Sweetness + Age + Frequency +
            (Sweetness | Consumer) + (1 | Product), data=carrots)
HLM_summary(hlm.1)
HLM_summary(hlm.2)
```

import

Import data from a file (TXT, CSV, Excel, SPSS, Stata, ...) or clipboard.

Description

Import data from a file, with format automatically judged from file extension. This function is inspired by [rio::import\(\)](#) and has several modifications. Its purpose is to avoid using lots of `read_xxx()` functions in your code and to provide one tidy function for data import.

It supports many file formats (local or URL) and uses the corresponding R functions:

- Plain text (.txt, .csv, .csv2, .tsv, .psv), using [data.table::fread\(\)](#)
- Excel (.xls, .xlsx), using [readxl::read_excel\(\)](#)
- SPSS (.sav), using [foreign::read.spss\(\)](#); if failed, using [haven::read_sav\(\)](#) instead

- Stata (.dta), using `foreign::read.dta()`; if failed, using `haven::read_dta()` instead
- R objects (.rda, .rdata, .Rdata), using `base::load()`
- R serialized objects (.rds), using `base::readRDS()`
- Clipboard (on Windows and Mac OS), using `clipr::read_clip_tbl()`
- Other formats, using `rio::import()`

Usage

```
import(
  file,
  sheet = NULL,
  range = NULL,
  encoding = NULL,
  header = "auto",
  setclass = as,
  as = "data.frame"
)
```

Arguments

file	File name (with extension). If unspecified, then data will be imported from clipboard.
sheet	[Only for Excel] Excel sheet name (or sheet number). Default is the first sheet. Ignored if the sheet is specified via range.
range	[Only for Excel] Excel cell range. Default are all cells in a sheet. You may specify it as <code>range="A1:E100"</code> or <code>range="Sheet1!A1:E100"</code> .
encoding	File encoding. Default is NULL. Alternatives can be "UTF-8", "GBK", "CP936", etc. If you find messy code for Chinese text in the imported data, it is usually effective to set <code>encoding="UTF-8"</code> .
header	Does the first row contain column names (TRUE or FALSE)? Default is "auto".
setclass, as	Class of the imported data. Default is "data.frame". Ignored if the data file is R object (.rds, .rda, .rdata, .Rdata). Alternatives can be: <ul style="list-style-type: none"> • data.frame: "data.frame", "df", "DF" • data.table: "data.table", "dt", "DT" • tbl_df: "tibble", "tbl_df", "tbl"

Value

A data object (default class is `data.frame`).

See Also

[export](#)

Examples

```
## Not run:

# Import data from system clipboard
data = import() # read from clipboard (on Windows and Mac OS)

# If you have an Excel file named "mydata.xlsx"
export(airquality, file="mydata.xlsx")

# Import data from a file
data = import("mydata.xlsx") # default: data.frame
data = import("mydata.xlsx", as="data.table")

## End(Not run)
```

lavaan_summary

Tidy report of lavaan model.

Description

Tidy report of lavaan model.

Usage

```
lavaan_summary(
  lavaan,
  ci = c("raw", "boot", "bc.boot", "bca.boot"),
  nsim = 100,
  seed = NULL,
  digits = 3,
  nsmall = digits,
  print = TRUE,
  covariance = FALSE,
  file = NULL
)
```

Arguments

lavaan	Model object fitted by lavaan .
ci	Method for estimating standard error (SE) and 95% confidence interval (CI). Default is "raw" (the standard approach of lavaan). Other options: "boot" Percentile Bootstrap "bc.boot" Bias-Corrected Percentile Bootstrap "bca.boot" Bias-Corrected and Accelerated (BCa) Percentile Bootstrap
nsim	Number of simulation samples (bootstrap resampling) for estimating SE and 95% CI. In formal analyses, nsim=1000 (or larger) is strongly suggested.

seed Random seed for obtaining reproducible results. Default is NULL.
 digits, nsmall Number of decimal places of output. Default is 3.
 print Print results. Default is TRUE.
 covariance Print (co)variances. Default is FALSE.
 file File name of MS Word (.doc).

Value

Invisibly return a list of results:

fit Model fit indices.
 measure Latent variable measures.
 regression Regression paths.
 covariance Variances and/or covariances.
 effect Defined effect estimates.

See Also

[PROCESS](#), [CFA](#)

Examples

```
## Simple Mediation:
## Solar.R (X) => Ozone (M) => Temp (Y)

# PROCESS(airquality, y="Temp", x="Solar.R",
#         meds="Ozone", ci="boot", nsim=1000, seed=1)

model = "
Ozone ~ a*Solar.R
Temp ~ c.*Solar.R + b*Ozone
Indirect := a*b
Direct := c.
Total := c. + a*b
"

lv = lavaan::sem(model=model, data=airquality)
lavaan::summary(lv, fit.measure=TRUE, ci=TRUE, nd=3) # raw output
lavaan_summary(lv)
# lavaan_summary(lv, ci="boot", nsim=1000, seed=1)

## Serial Multiple Mediation:
## Solar.R (X) => Ozone (M1) => Wind(M2) => Temp (Y)

# PROCESS(airquality, y="Temp", x="Solar.R",
#         meds=c("Ozone", "Wind"),
#         med.type="serial", ci="boot", nsim=1000, seed=1)

model0 = "
```

```

Ozone ~ a1*Solar.R
Wind ~ a2*Solar.R + d12*Ozone
Temp ~ c.*Solar.R + b1*Ozone + b2*Wind
Indirect_All := a1*b1 + a2*b2 + a1*d12*b2
Ind_X_M1_Y := a1*b1
Ind_X_M2_Y := a2*b2
Ind_X_M1_M2_Y := a1*d12*b2
Direct := c.
Total := c. + a1*b1 + a2*b2 + a1*d12*b2
"

lv0 = lavaan::sem(model=model0, data=airquality)
lavaan::summary(lv0, fit.measure=TRUE, ci=TRUE, nd=3) # raw output
lavaan_summary(lv0)
# lavaan_summary(lv0, ci="boot", nsim=1000, seed=1)

model1 = "
Ozone ~ a1*Solar.R
Wind ~ d12*Ozone
Temp ~ c.*Solar.R + b1*Ozone + b2*Wind
Indirect_All := a1*b1 + a1*d12*b2
Ind_X_M1_Y := a1*b1
Ind_X_M1_M2_Y := a1*d12*b2
Direct := c.
Total := c. + a1*b1 + a1*d12*b2
"

lv1 = lavaan::sem(model=model1, data=airquality)
lavaan::summary(lv1, fit.measure=TRUE, ci=TRUE, nd=3) # raw output
lavaan_summary(lv1)
# lavaan_summary(lv1, ci="boot", nsim=1000, seed=1)

```

LOOKUP

Search, match, and look up values (like Excel's functions INDEX + MATCH).

Description

In Excel, we can use VLOOKUP, HLOOKUP, XLOOKUP (a new function released in 2019), or the combination of INDEX and MATCH to search, match, and look up values. Here I provide a similar function.

Usage

```

LOOKUP(
  data,
  vars,
  data.ref,
  vars.ref,
  vars.lookup,
  return = c("new.data", "new.var", "new.value")
)

```

Arguments

<code>data</code>	Main data.
<code>vars</code>	Character (vector), specifying the variable(s) to be searched in data.
<code>data.ref</code>	Reference data containing both the reference variable(s) and the lookup variable(s).
<code>vars.ref</code>	Character (vector), with the same length and order as <code>vars</code> , specifying the reference variable(s) to be matched in <code>data.ref</code> .
<code>vars.lookup</code>	Character (vector), specifying the variable(s) to be looked up and returned from <code>data.ref</code> .
<code>return</code>	What to return. Default (" <code>new.data</code> ") is to return a data frame with the lookup values added. You may also set it to " <code>new.var</code> " or " <code>new.value</code> ".

Details

If multiple values were simultaneously matched, a warning message would be printed.

Value

New data object, new variable, or new value (see the argument `return`).

See Also

[dplyr::left_join\(\)](#)

[XLOOKUP: Excel University](#)

Examples

```
ref = data.table(City=rep(c("A", "B", "C"), each=5),
                 Year=rep(2013:2017, times=3),
                 GDP=sample(1000:2000, 15),
                 PM2.5=sample(10:300, 15))

ref

data = data.table(sub=1:5,
                  city=c("A", "A", "B", "C", "C"),
                  year=c(2013, 2014, 2015, 2016, 2017))

data

LOOKUP(data, c("city", "year"), ref, c("City", "Year"), "GDP")
LOOKUP(data, c("city", "year"), ref, c("City", "Year"), c("GDP", "PM2.5"))
```

 MANOVA

 Multi-factor ANOVA.

Description

Multi-factor ANOVA (between-subjects, within-subjects, and mixed designs), with and without covariates (ANCOVA).

This function is based on and extends `afex::aov_ez()`. You only need to specify the data, dependent variable(s), and factors (between-subjects and/or within-subjects). Almost all results you need will be displayed together, including effect sizes (partial η^2) and their confidence intervals (CIs). 90% CIs for partial η^2 (two-sided) are reported, following Steiger (2004). In addition to partial η^2 , it also reports generalized η^2 , following Olejnik & Algina (2003).

How to prepare your data and specify the arguments of MANOVA?

- **Wide-format data** (one person in one row, and repeated measures in multiple columns):

Between-subjects design `MANOVA(data=, dv=, between=, ...)`

Within-subjects design `MANOVA(data=, dvs=, dvs.pattern=, within=, ...)`

Mixed design `MANOVA(data=, dvs=, dvs.pattern=, between=, within=, ...)`

- **Long-format data** (one person in multiple rows, and repeated measures in one column):

Between-subjects design (not applicable)

Within-subjects design `MANOVA(data=, subID=, dv=, within=, ...)`

Mixed design `MANOVA(data=, subID=, dv=, between=, within=, ...)`

Usage

```
MANOVA(
  data,
  subID = NULL,
  dv = NULL,
  dvs = NULL,
  dvs.pattern = NULL,
  between = NULL,
  within = NULL,
  covariate = NULL,
  ss.type = "III",
  sph.correction = "none",
  aov.include = FALSE,
  digits = 3,
  nsmall = digits,
  file = NULL
)
```

Arguments

data	Data frame. Both wide-format and long-format are supported.
subID	Subject ID (the column name). Only necessary for long-format data.
dv	Dependent variable. <ul style="list-style-type: none"> For wide-format data, dv only can be used for between-subjects designs. For within-subjects and mixed designs, please use <code>dvs</code> and <code>dvs.pattern</code>. For long-format data, dv is the outcome variable.
dvs	Repeated measures. Only for wide-format data (within-subjects or mixed designs). Can be: <ul style="list-style-type: none"> "start:stop" to specify the range of variables (sensitive to the order of variables): e.g., "A1B1:A2B3" is matched to all variables in the data between "A1B1" and "A2B3" a character vector to directly specify variables (insensitive to the order of variables): e.g., <code>c("Cond1", "Cond2", "Cond3")</code> or <code>cc("Cond1, Cond2, Cond3")</code> See <code>cc</code> for its usage.
dvs.pattern	If you use <code>dvs</code> , you should also specify the pattern of variable names using <i>regular expression</i> . Examples: <ul style="list-style-type: none"> <code>"Cond(.)"</code> extracts levels from "Cond1", "Cond2", "Cond3", ... You may rename the factor using the <code>within</code> argument (e.g., <code>within="Condition"</code>) <code>"X(..)Y(..)"</code> extracts levels from "X01Y01", "X02Y02", "XaaYbc", ... <code>"X(.+)Y(.+)"</code> extracts levels from "X1Y1", "XaYb", "XaY002", ... Tips on regular expression: <ul style="list-style-type: none"> <code>"(.)"</code> extracts any single character (number, letter, and other symbols) <code>"(.+)"</code> extracts ≥ 1 character(s) <code>"(.*)"</code> extracts ≥ 0 character(s) <code>"([0-9])"</code> extracts any single number <code>"([a-z])"</code> extracts any single letter More information: Link 1 (in English) and Link 2 (in Chinese)
between	Between-subjects factor(s). Multiple variables should be included in a character vector <code>c()</code> .
within	Within-subjects factor(s). Multiple variables should be included in a character vector <code>c()</code> .
covariate	Covariates. Multiple variables should be included in a character vector <code>c()</code> .
ss.type	Type of sums of squares (SS) for ANOVA. Default is "III". Possible values are "II", "III", 2, or 3.
sph.correction	[Only for repeated measures with ≥ 3 levels] Sphericity correction method for adjusting the degrees of freedom (<i>df</i>) when the sphericity assumption is violated. Default is "none". If Mauchly's test of sphericity is significant, you may set it to "GG" (Greenhouse-Geisser) or "HF" (Huynh-Feldt).

<code>aov.include</code>	Include the aov object in the returned object? Default is FALSE, as suggested by <code>afex::aov_ez()</code> (please see the <code>include_aov</code> argument in this help page, which provides a detailed explanation). If TRUE, you should also specify <code>model.type="univariate"</code> in <code>EMMEANS</code> .
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.
<code>file</code>	File name of MS Word (.doc).

Details

If observations are not uniquely identified in user-defined long-format data, the function takes averages across those multiple observations for each case. In technical details, it specifies `fun_aggregate=mean` in `afex::aov_ez()` and `values_fn=mean` in `tidyr::pivot_wider()`.

Value

A result object (list) returned by `afex::aov_ez()`, along with several other elements: `between`, `within`, `data.wide`, `data.long`.

Interaction Plot

You can save the returned object and use the `emmeans::emmip()` function to create an interaction plot (based on the fitted model and a formula specification). For usage, please see the help page of `emmeans::emmip()`. It returns an object of class `ggplot`, which can be easily modified and saved using `ggplot2` syntax.

References

- Olejnik, S., & Algina, J. (2003). Generalized eta and omega squared statistics: Measures of effect size for some common research designs. *Psychological Methods*, 8(4), 434–447.
- Steiger, J. H. (2004). Beyond the F test: Effect size confidence intervals and tests of close fit in the analysis of variance and contrast analysis. *Psychological Methods*, 9(2), 164–182.

See Also

[TTEST](#), [EMMEANS](#), [bruceR-demodata](#)

Examples

```
#### Between-Subjects Design ####

between.1
MANOVA(between.1, dv="SCORE", between="A")

between.2
MANOVA(between.2, dv="SCORE", between=c("A", "B"))

between.3
MANOVA(between.3, dv="SCORE", between=c("A", "B", "C"))

## How to create an interaction plot using `emmeans::emmip()`?
```

```

## See help page for its usage: ?emmeans::emmip()
m = MANOVA(between.2, dv="SCORE", between=c("A", "B"))
emmip(m, ~ A | B, CIs=TRUE)
emmip(m, ~ B | A, CIs=TRUE)
emmip(m, B ~ A, CIs=TRUE)
emmip(m, A ~ B, CIs=TRUE)

#### Within-Subjects Design ####

within.1
MANOVA(within.1, dvs="A1:A4", dvs.pattern="A(.)",
        within="A")
## the same:
MANOVA(within.1, dvs=c("A1", "A2", "A3", "A4"), dvs.pattern="A(.)",
        within="MyFactor") # renamed the within-subjects factor

within.2
MANOVA(within.2, dvs="A1B1:A2B3", dvs.pattern="A(.)B(.)",
        within=c("A", "B"))

within.3
MANOVA(within.3, dvs="A1B1C1:A2B2C2", dvs.pattern="A(.)B(.)C(.)",
        within=c("A", "B", "C"))

#### Mixed Design ####

mixed.2_1b1w
MANOVA(mixed.2_1b1w, dvs="B1:B3", dvs.pattern="B(.)",
        between="A", within="B")
MANOVA(mixed.2_1b1w, dvs="B1:B3", dvs.pattern="B(.)",
        between="A", within="B", sph.correction="GG")

mixed.3_1b2w
MANOVA(mixed.3_1b2w, dvs="B1C1:B2C2", dvs.pattern="B(.)C(.)",
        between="A", within=c("B", "C"))

mixed.3_2b1w
MANOVA(mixed.3_2b1w, dvs="B1:B2", dvs.pattern="B(.)",
        between=c("A", "C"), within="B")

#### Other Examples ####

data.new = mixed.3_1b2w
names(data.new) = c("Group", "Cond_01", "Cond_02", "Cond_03", "Cond_04")
MANOVA(data.new,
        dvs="Cond_01:Cond_04",
        dvs.pattern="Cond_(.)",
        between="Group",
        within="Condition") # rename the factor

```

```
# ?afex::obk.long
MANOVA(afex::obk.long,
       subID="id",
       dv="value",
       between=c("treatment", "gender"),
       within=c("phase", "hour"),
       cov="age",
       sph.correction="GG")
```

med_summary

Tidy report of mediation analysis.

Description

Tidy report of mediation analysis, which is performed using the [mediation](#) package.

Usage

```
med_summary(model, digits = 3, nsmall = digits, file = NULL)
```

Arguments

model	Mediation model built using mediation::mediate() .
digits, nsmall	Number of decimal places of output. Default is 3.
file	File name of MS Word (.doc).

Value

Invisibly return a data frame containing the results.

See Also

[PROCESS](#)

Examples

```
## Not run:

library(mediation)
# ?mediation::mediate

## Example 1: OLS Regression
## Bias-corrected and accelerated (BCa) bootstrap confidence intervals

## Hypothesis: Solar radiation -> Ozone -> Daily temperature
lm.m = lm(Ozone ~ Solar.R + Month + Wind, data=airquality)
lm.y = lm(Temp ~ Ozone + Solar.R + Month + Wind, data=airquality)
set.seed(123) # set a random seed for reproduction
```

```

med = mediate(lm.m, lm.y,
              treat="Solar.R", mediator="Ozone",
              sims=1000, boot=TRUE, boot.ci.type="bca")
med_summary(med)

## Example 2: Multilevel Linear Model (Linear Mixed Model)
## (models must be fit using "lme4::lmer" rather than "lmerTest::lmer")
## Monte Carlo simulation (quasi-Bayesian approximation)
## (bootstrap method is not applicable to "lmer" models)

## Hypothesis: Crips -> Sweetness -> Preference (for carrots)
data = lmerTest::carrots # long-format data
data = na.omit(data) # omit missing values
lmm.m = lme4::lmer(Sweetness ~ Crisp + Gender + Age + (1 | Consumer), data=data)
lmm.y = lme4::lmer(Preference ~ Sweetness + Crisp + Gender + Age + (1 | Consumer), data=data)
set.seed(123) # set a random seed for reproduction
med.lmm = mediate(lmm.m, lmm.y,
                  treat="Crisp", mediator="Sweetness",
                  sims=1000)
med_summary(med.lmm)

## End(Not run)

```

model_summary

Tidy report of regression models.

Description

Tidy report of regression models (most model types are supported). This function uses:

- `texreg::screenreg()`
- `texreg::htmlreg()`
- `MuMIn::std.coef()`
- `MuMIn::r.squaredGLMM()`
- `performance::r2_mcfadden()`
- `performance::r2_nagelkerke()`

Usage

```

model_summary(
  model.list,
  std = FALSE,
  digits = 3,
  nsmall = digits,
  file = NULL,
  check = TRUE,
  zero = ifelse(std, FALSE, TRUE),

```

```

    modify.se = NULL,
    modify.head = NULL,
    line = TRUE,
    bold = 0,
    ...
)

```

Arguments

<code>model.list</code>	A single model or a list of (various types of) models. Most types of regression models are supported!
<code>std</code>	Standardized coefficients? Default is FALSE. Only applicable to linear models and linear mixed models. Not applicable to generalized linear (mixed) models.
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.
<code>file</code>	File name of MS Word (.doc).
<code>check</code>	If there is only one model in <code>model.list</code> , it checks for multicollinearity using <code>performance::check_collinearity()</code> . You may turn it off by setting <code>check=FALSE</code> .
<code>zero</code>	Display "0" before "."? Default is TRUE.
<code>modify.se</code>	Replace standard errors. Useful if you need to replace raw SEs with robust SEs. New SEs should be provided as a list of numeric vectors. See usage in <code>texreg::screenreg()</code> .
<code>modify.head</code>	Replace model names.
<code>line</code>	Lines look like true line (TRUE) or === --- === (FALSE). Only relevant to R Console output.
<code>bold</code>	The p -value threshold below which the coefficients will be formatted in bold.
<code>...</code>	Other arguments passed to <code>texreg::screenreg()</code> or <code>texreg::htmlreg()</code> .

Value

Invisibly return the output (character string).

See Also

`print_table` (print simple table)

`GLM_summary`

`HLM_summary`

`med_summary`

`lavaan_summary`

`PROCESS`

Examples

```

#### Example 1: Linear Model ####
lm1 = lm(Temp ~ Month + Day, data=airquality)
lm2 = lm(Temp ~ Month + Day + Wind + Solar.R, data=airquality)
model_summary(lm1)
model_summary(lm2)
model_summary(list(lm1, lm2))
model_summary(list(lm1, lm2), std=TRUE, digits=2)
model_summary(list(lm1, lm2), file="OLS Models.doc")
unlink("OLS Models.doc") # delete file for code check

#### Example 2: Generalized Linear Model ####
glm1 = glm(case ~ age + parity,
           data=infert, family=binomial)
glm2 = glm(case ~ age + parity + education + spontaneous + induced,
           data=infert, family=binomial)
model_summary(list(glm1, glm2)) # "std" is not applicable to glm
model_summary(list(glm1, glm2), file="GLM Models.doc")
unlink("GLM Models.doc") # delete file for code check

#### Example 3: Linear Mixed Model ####
library(lmerTest)
hlm1 = lmer(Reaction ~ (1 | Subject), data=sleepstudy)
hlm2 = lmer(Reaction ~ Days + (1 | Subject), data=sleepstudy)
hlm3 = lmer(Reaction ~ Days + (Days | Subject), data=sleepstudy)
model_summary(list(hlm1, hlm2, hlm3))
model_summary(list(hlm1, hlm2, hlm3), std=TRUE)
model_summary(list(hlm1, hlm2, hlm3), file="HLM Models.doc")
unlink("HLM Models.doc") # delete file for code check

#### Example 4: Generalized Linear Mixed Model ####
library(lmerTest)
data.glmm = MASS::bacteria
glmm1 = glmer(y ~ trt + week + (1 | ID), data=data.glmm, family=binomial)
glmm2 = glmer(y ~ trt + week + hilo + (1 | ID), data=data.glmm, family=binomial)
model_summary(list(glmm1, glmm2)) # "std" is not applicable to glmm
model_summary(list(glmm1, glmm2), file="GLMM Models.doc")
unlink("GLMM Models.doc") # delete file for code check

#### Example 5: Multinomial Logistic Model ####
library(nnet)
d = airquality
d$Month = as.factor(d$Month) # Factor levels: 5, 6, 7, 8, 9
mn1 = multinom(Month ~ Temp, data=d, Hess=TRUE)
mn2 = multinom(Month ~ Temp + Wind + Ozone, data=d, Hess=TRUE)
model_summary(mn1)
model_summary(mn2)
model_summary(mn2, file="Multinomial Logistic Model.doc")
unlink("Multinomial Logistic Model.doc") # delete file for code check

```

p	Compute p value.
---	------------------

Description

Compute p value.

Usage

```
p(  
  z = NULL,  
  t = NULL,  
  f = NULL,  
  r = NULL,  
  chi2 = NULL,  
  n = NULL,  
  df = NULL,  
  df1 = NULL,  
  df2 = NULL,  
  digits = 2,  
  nsmall = digits  
)
```

p.z(z)

p.t(t, df)

p.f(f, df1, df2)

p.r(r, n)

p.chi2(chi2, df)

Arguments

z, t, f, r, chi2 z, t, F, r, χ^2 value.

n, df, df1, df2 Sample size or degree of freedom.

digits, nsmall Number of decimal places of output. Default is 2.

Value

p value statistics.

Functions

- p.z(): Two-tailed p value of z .

- `p.t()`: Two-tailed p value of t .
- `p.f()`: One-tailed p value of F . (Note: F test is one-tailed only.)
- `p.r()`: Two-tailed p value of r .
- `p.chi2()`: One-tailed p value of χ^2 . (Note: χ^2 test is one-tailed only.)

Examples

```
p.z(1.96)
p.t(2, 100)
p.f(4, 1, 100)
p.r(0.2, 100)
p.chi2(3.84, 1)
```

```
p(z=1.96)
p(t=2, df=100)
p(f=4, df1=1, df2=100)
p(r=0.2, n=100)
p(chi2=3.84, df=1)
```

pkg_depend

Check dependencies of R packages.

Description

Check dependencies of R packages.

Usage

```
pkg_depend(pkgs, excludes = NULL)
```

Arguments

<code>pkgs</code>	Package(s).
<code>excludes</code>	[Optional] Package(s) and their dependencies excluded from the dependencies of <code>pkgs</code> . Useful if you want to see the unique dependencies of <code>pkgs</code> .

Value

A character vector of package names.

See Also

[pkg_install_suggested](#)

pkg_install_suggested *Install suggested R packages.*

Description

Install suggested R packages.

Usage

```
pkg_install_suggested(by)
```

Arguments

by Suggested by which package?

Value

No return value.

See Also

[pkg_depend](#)

Examples

```
## Not run:  
  
pkg_install_suggested() # install all packages suggested by me  
  
## End(Not run)
```

Print *Print strings with rich formats and colors.*

Description

Be frustrated with print() and cat()? Try Print()! Run examples to see what it can do.

Usage

```
Print(...)
```

```
Glue(...)
```

Arguments

- ... Character strings enclosed by "{ }" will be evaluated as R code.
- Character strings enclosed by "<<>>" will be printed as formatted and colored text.
- Long strings are broken by line and concatenated together.
- Leading whitespace and blank lines from the first and last lines are automatically trimmed.

Details

Possible formats/colors that can be used in "<<>>" include:

- (1) bold, italic, underline, reset, blurred, inverse, hidden, strikethrough;
- (2) black, white, silver, red, green, blue, yellow, cyan, magenta;
- (3) bgBlack, bgWhite, bgRed, bgGreen, bgBlue, bgYellow, bgCyan, bgMagenta.

See more details in `glue::glue()` and `glue::glue_col()`.

Value

Formatted text.

Functions

- `Print()`: Paste and print strings.
- `Glue()`: Paste strings.

Examples

```
name = "Bruce"
Print("My name is <<underline <<bold {name}>>>>".
      <<bold <<blue Pi = {pi:.15}.>>>>
      <<italic <<green 1 + 1 = {1 + 1}.>>>>
      sqrt({x}) = <<red {sqrt(x):.3}>>>", x=10)
```

print_table

Print a three-line table (to R Console and Microsoft Word).

Description

This basic function prints any data frame as a three-line table to either R Console or Microsoft Word (.doc). It has been used in many other functions of bruceR (see below).

Usage

```
print_table(
  x,
  digits = 3,
  nsmalls = digits,
  nspaces = 1,
  row.names = TRUE,
  col.names = TRUE,
  title = "",
  note = "",
  append = "",
  line = TRUE,
  file = NULL,
  file.align.head = "auto",
  file.align.text = "auto"
)
```

Arguments

x Matrix, data.frame (or data.table), or any model object (e.g., lm, glm, lmer, glmer, ...).

digits, nsmalls Numeric vector specifying the number of decimal places of output. Default is 3.

nspaces Number of whitespaces between columns. Default is 1.

row.names, col.names Print row/column names. Default is TRUE (column names are always printed). To modify the names, you can use a character vector with the same length as the row names.

title Title text, which will be inserted in <p></p> (HTML code).

note Note text, which will be inserted in <p></p> (HTML code).

append Other contents, which will be appended in the end (HTML code).

line Lines looks like true line (TRUE) or === --- === (FALSE).

file File name of MS Word (.doc).

file.align.head, file.align.text Alignment of table head or table text: "left", "right", "center". Either one value of them OR a character vector of mixed values with the same length as the table columns. Default alignment (if set as "auto"): left, right, right, ..., right.

Value

Invisibly return a list of data frame and HTML code.

See Also

These functions have implemented MS Word file output using this function:

- [Describe](#)

- [Freq](#)
- [Corr](#)
- [EFA / PCA](#)
- [CFA](#)
- [TTEST](#)
- [MANOVA](#)
- [model_summary](#)
- [med_summary](#)
- [lavaan_summary](#)
- [PROCESS](#)
- [granger_test](#)
- [granger_causality](#)

Examples

```
print_table(data.frame(x=1))

print_table(airquality, file="airquality.doc")
unlink("airquality.doc") # delete file for code check

model = lm(Temp ~ Month + Day + Wind + Solar.R, data=airquality)
print_table(model)
print_table(model, file="model.doc")
unlink("model.doc") # delete file for code check
```

PROCESS

PROCESS for mediation and/or moderation analyses.

Description

To perform mediation, moderation, and conditional process (moderated mediation) analyses, people may use software like [Mplus](#), [SPSS "PROCESS" macro](#), and [SPSS "MLmed" macro](#). Some R packages can also perform such analyses separately and in a complex way, including [R package "mediation"](#), [R package "interactions"](#), and [R package "lavaan"](#). Some other R packages or scripts/modules have been further developed to improve the convenience, including [jamovi module "jAMM"](#) (by *Marcello Gallucci*, based on the lavaan package), [R package "processR"](#) (by *Keon-Woong Moon*, not official, also based on the lavaan package), and [R script file "process.R"](#) (the official PROCESS R code by *Andrew F. Hayes*, but it is not yet an R package and has some bugs and limitations).

Here, the `bruceR::PROCESS()` function provides an alternative to performing mediation/moderation analyses in R. This function supports a total of **24** kinds of SPSS PROCESS models (Hayes, 2018)

and also supports multilevel mediation/moderation analyses. Overall, it supports the most frequently used types of mediation, moderation, moderated moderation (3-way interaction), and moderated mediation (conditional indirect effect) analyses for **(generalized) linear or linear mixed models**.

Specifically, the `bruceR::PROCESS()` function fits regression models based on the data, variable names, and a few other arguments that users input (with **no need to** specify the PROCESS model number and **no need to** manually mean-center the variables). The function can automatically judge the model number/type and also conduct grand-mean centering before model building (using the `bruceR::grand_mean_center()` function).

This automatic grand-mean centering can be turned off by setting `center=FALSE`.

Note that this automatic grand-mean centering (1) makes the results of main effects accurate for interpretation; (2) does not change any results of model fit (it only affects the interpretation of main effects); (3) is only conducted in "PART 1" (for an accurate estimate of main effects) but not in "PART 2" because it is more intuitive and interpretable to use the raw values of variables for the simple-slope tests in "PART 2"; (4) is not optional to users because mean-centering should always be done when there is an interaction; (5) is not conflicted with group-mean centering because after group-mean centering the grand mean of a variable will also be 0, such that the automatic grand-mean centering (with mean = 0) will not change any values of the variable.

If you need to do group-mean centering, please do this before using PROCESS. `bruceR::group_mean_center()` is a useful function of group-mean centering. Remember that the automatic grand-mean centering in PROCESS never affects the values of a group-mean centered variable, which already has a grand mean of 0.

The `bruceR::PROCESS()` function uses:

1. the `interactions::sim_slopes()` function to estimate simple slopes (and conditional direct effects) in moderation, moderated moderation, and moderated mediation models (PROCESS Models 1, 2, 3, 5, 7, 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 58, 59, 72, 73, 75, 76).
2. the `mediation::mediate()` function to estimate (conditional) indirect effects in (moderated) mediation models (PROCESS Models 4, 5, 7, 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 58, 59, 72, 73, 75, 76).
3. the `lavaan::sem()` function to perform serial multiple mediation analysis (PROCESS Model 6).

If you use this function in your research and report its results in your paper, please cite not only `bruceR` but also the other R packages it uses internally (`mediation`, `interactions`, and/or `lavaan`).

Two parts of results are printed:

PART 1. Regression model summary (using `bruceR::model_summary()` to summarize the models)

PART 2. Mediation/moderation effect estimates (using one or a combination of the above packages and functions to estimate the effects)

To organize the PART 2 output, the results of **Simple Slopes** are titled in **green**, whereas the results of **Indirect Path** are titled in **blue**.

Disclaimer: Although this function is named after PROCESS, Andrew F. Hayes has no role in its design, and its development is independent from the official SPSS PROCESS macro and "process.R" script. Any error or limitation should be attributed to the three R packages/functions that `bruceR::PROCESS()` uses internally. Moreover, as mediation analyses include *random processes*

(i.e., bootstrap resampling or Monte Carlo simulation), the results of mediation analyses are *unlikely* to be exactly the same across different software (even if you set the same random seed in different software).

Usage

```
PROCESS(
  data,
  y = "",
  x = "",
  meds = c(),
  mods = c(),
  covs = c(),
  clusters = c(),
  hlm.re.m = "",
  hlm.re.y = "",
  hlm.type = c("1-1-1", "2-1-1", "2-2-1"),
  med.type = c("parallel", "serial"),
  mod.type = c("2-way", "3-way"),
  mod.path = c("x-y", "x-m", "m-y", "all"),
  cov.path = c("y", "m", "both"),
  mod1.val = NULL,
  mod2.val = NULL,
  ci = c("boot", "bc.boot", "bca.boot", "mcmc"),
  nsim = 100,
  seed = NULL,
  center = TRUE,
  std = FALSE,
  digits = 3,
  nsmall = digits,
  file = NULL
)
```

Arguments

<code>data</code>	Data frame.
<code>y, x</code>	Variable name of outcome (Y) and predictor (X). It supports both continuous (numeric) and dichotomous (factor) variables.
<code>meds</code>	Variable name(s) of mediator(s) (M). Use <code>c()</code> to combine multiple mediators. It supports both continuous (numeric) and dichotomous (factor) variables. It allows an infinite number of mediators in parallel or 2~4 mediators in serial. * Order matters when <code>med.type="serial"</code> (PROCESS Model 6: serial mediation).
<code>mods</code>	Variable name(s) of 0~2 moderator(s) (W). Use <code>c()</code> to combine multiple moderators. It supports all types of variables: continuous (numeric), dichotomous (factor), and multicategorical (factor).

	* Order matters when <code>mod.type="3-way"</code> (PROCESS Models 3, 5.3, 11, 12, 18, 19, 72, and 73).
	** Do not set this argument when <code>med.type="serial"</code> (PROCESS Model 6).
<code>covs</code>	Variable name(s) of covariate(s) (i.e., control variables). Use <code>c()</code> to combine multiple covariates. It supports all types of (and an infinite number of) variables.
<code>clusters</code>	HLM (multilevel) cluster(s): e.g., "School", <code>c("Prov", "City")</code> , <code>c("Sub", "Item")</code> .
<code>hlm.re.m</code> , <code>hlm.re.y</code>	HLM (multilevel) random effect term of M model and Y model. By default, it converts <code>clusters</code> to <code>lme4</code> syntax of random intercepts: e.g., <code>"(1 School)"</code> or <code>"(1 Sub) + (1 Item)"</code> . You may specify these arguments to include more complex terms: e.g., random slopes <code>"(X School)"</code> , or 3-level random effects <code>"(1 Prov/City)"</code> .
<code>hlm.type</code>	HLM (multilevel) mediation type (levels of "X-M-Y"): "1-1-1" (default), "2-1-1" (indeed the same as "1-1-1" in a mixed model), or "2-2-1" (currently <i>not fully supported</i> , as limited by the <code>mediation</code> package). In most cases, no need to set this argument.
<code>med.type</code>	Type of mediator: "parallel" (default) or "serial" (only relevant to PROCESS Model 6). Partial matches of "p" or "s" also work. In most cases, no need to set this argument.
<code>mod.type</code>	Type of moderator: "2-way" (default) or "3-way" (relevant to PROCESS Models 3, 5.3, 11, 12, 18, 19, 72, and 73). Partial matches of "2" or "3" also work.
<code>mod.path</code>	Which path(s) do the moderator(s) influence? "x-y", "x-m", "m-y", or any combination of them (use <code>c()</code> to combine), or "all" (i.e., all of them). No default value.
<code>cov.path</code>	Which path(s) do the control variable(s) influence? "y", "m", or "both" (default).
<code>mod1.val</code> , <code>mod2.val</code>	By default (NULL), it uses Mean +/- SD of a continuous moderator (numeric) or all levels of a dichotomous/multicategorical moderator (factor) to perform simple slope analyses and/or conditional mediation analyses. You may manually specify a vector of certain values: e.g., <code>mod1.val=c(1, 3, 5)</code> or <code>mod1.val=c("A", "B", "C")</code> .
<code>ci</code>	Method for estimating the standard error (SE) and 95% confidence interval (CI) of indirect effect(s). Default is "boot" for (generalized) linear models or "mcmc" for (generalized) linear mixed models (i.e., multilevel models). "boot" Percentile Bootstrap "bc.boot" Bias-Corrected Percentile Bootstrap "bca.boot" Bias-Corrected and Accelerated (BCa) Percentile Bootstrap "mcmc" Markov Chain Monte Carlo (Quasi-Bayesian) * Note that these methods <i>never</i> apply to the estimates of simple slopes. You <i>should not</i> report the 95% CIs of simple slopes as Bootstrap or Monte Carlo CIs, because they are just standard CIs without any resampling method.

<code>nsim</code>	Number of simulation samples (bootstrap resampling or Monte Carlo simulation) for estimating SE and 95% CI. Default is 100 for running examples faster. In formal analyses, however, <code>nsim=1000</code> (or larger) is strongly suggested!
<code>seed</code>	Random seed for obtaining reproducible results. Default is NULL. You may set to any number you prefer (e.g., <code>seed=1234</code> , just an uncountable number). * Note that all mediation models include random processes (i.e., bootstrap resampling or Monte Carlo simulation). To get exactly the same results between runs, you need to set a random seed. However, even if you set the same seed number, it is unlikely to get exactly the same results across different R packages (e.g., lavaan vs. mediation) and software (e.g., SPSS, Mplus, R, jamovi).
<code>center</code>	Centering numeric (continuous) predictors? Default is TRUE (suggested).
<code>std</code>	Standardizing variables to get standardized coefficients? Default is FALSE. If TRUE, it will standardize all numeric (continuous) variables before building regression models. However, it is <i>not suggested</i> to set <code>std=TRUE</code> for <i>generalized</i> linear (mixed) models.
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.
<code>file</code>	File name of MS Word (.doc). Currently, only regression model summary can be saved.

Details

For more details and illustrations, see [PROCESS-bruceR-SPSS](#) (PDF and Markdown files).

Value

Invisibly return a list of results:

`process.id` PROCESS model number.

`process.type` PROCESS model type.

`model.m` "Mediator" (M) models (a list of multiple models).

`model.y` "Outcome" (Y) model.

`results` Effect estimates and other results (unnamed list object).

References

Hayes, A. F. (2018). *Introduction to mediation, moderation, and conditional process analysis (second edition): A regression-based approach*. Guilford Press.

Yzerbyt, V., Muller, D., Batailler, C., & Judd, C. M. (2018). New recommendations for testing indirect effects in mediational models: The need to report and test component paths. *Journal of Personality and Social Psychology*, *115*(6), 929–943.

See Also

[lavaan_summary](#)

[model_summary](#)

[med_summary](#)

Examples

```

#### NOTE ####
## In the following examples, I set nsim=100 to save time.
## In formal analyses, nsim=1000 (or larger) is suggested!

#### Demo Data ####
# ?mediation::student
data = mediation::student %>%
  dplyr::select(SCH_ID, free, smorale, pared, income,
               gender, work, attachment, fight, late, score)
names(data)[2:3] = c("SCH_free", "SCH_morale")
names(data)[4:7] = c("parent_edu", "family_inc", "gender", "partjob")
data$gender01 = 1 - data$gender # 0 = female, 1 = male
# dichotomous X: as.factor()
data$gender = factor(data$gender01, levels=0:1, labels=c("Female", "Male"))
# dichotomous Y: as.factor()
data$pass = as.factor(ifelse(data$score>=50, 1, 0))

#### Descriptive Statistics and Correlation Analyses ####
Freq(data$gender)
Freq(data$pass)
Describe(data) # file="xxx.doc"
Corr(data[,4:11]) # file="xxx.doc"

#### PROCESS Analyses ####

## Model 1 ##
PROCESS(data, y="score", x="late", mods="gender") # continuous Y
PROCESS(data, y="pass", x="late", mods="gender") # dichotomous Y

# (multilevel moderation)
PROCESS(data, y="score", x="late", mods="gender", # continuous Y (LMM)
        clusters="SCH_ID")
PROCESS(data, y="pass", x="late", mods="gender", # dichotomous Y (GLMM)
        clusters="SCH_ID")

# (Johnson-Neyman (J-N) interval and plot)
PROCESS(data, y="score", x="gender", mods="late") -> P
P$results[[1]]$jn[[1]] # Johnson-Neyman interval
P$results[[1]]$jn[[1]]$plot # Johnson-Neyman plot (ggplot object)
GLM_summary(P$model.y) # detailed results of regression

# (allows multicategorical moderator)
d = airquality
d$Month = as.factor(d$Month) # moderator: factor with levels "5"~"9"
PROCESS(d, y="Temp", x="Solar.R", mods="Month")

## Model 2 ##
PROCESS(data, y="score", x="late",
        mods=c("gender", "family_inc"),
        mod.type="2-way") # or omit "mod.type", default is "2-way"

```

```

## Model 3 ##
PROCESS(data, y="score", x="late",
        mods=c("gender", "family_inc"),
        mod.type="3-way")
PROCESS(data, y="pass", x="gender",
        mods=c("late", "family_inc"),
        mod1.val=c(1, 3, 5), # moderator 1: late
        mod2.val=seq(1, 15, 2), # moderator 2: family_inc
        mod.type="3-way")

## Model 4 ##
PROCESS(data, y="score", x="parent_edu",
        meds="family_inc", covs="gender",
        ci="boot", nsim=100, seed=1)

# (allows an infinite number of multiple mediators in parallel)
PROCESS(data, y="score", x="parent_edu",
        meds=c("family_inc", "late"),
        covs=c("gender", "partjob"),
        ci="boot", nsim=100, seed=1)

# (multilevel mediation)
PROCESS(data, y="score", x="SCH_free",
        meds="late", clusters="SCH_ID",
        ci="mcmc", nsim=100, seed=1)

## Model 6 ##
PROCESS(data, y="score", x="parent_edu",
        meds=c("family_inc", "late"),
        covs=c("gender", "partjob"),
        med.type="serial",
        ci="boot", nsim=100, seed=1)

## Model 8 ##
PROCESS(data, y="score", x="fight",
        meds="late",
        mods="gender",
        mod.path=c("x-m", "x-y"),
        ci="boot", nsim=100, seed=1)

## For more examples and details, see the "note" subfolder at:
## https://github.com/psychbruce/bruceR/tree/main/note

```

RECODE

Recode a variable.

Description

A wrapper of `car::recode()`.

Usage

```
RECODE(var, recodes)
```

Arguments

`var` Variable (numeric, character, or factor).

`recodes` A character string define the rule of recoding. e.g., "lo:1=0; c(2,3)=1; 4=2; 5:hi=3; else=999"

Value

A vector of recoded variable.

Examples

```
d = data.table(var=c(NA, 0, 1, 2, 3, 4, 5, 6))
added(d, {
  var.new = RECODE(var, "lo:1=0; c(2,3)=1; 4=2; 5:hi=3; else=999")
})
d
```

 regress

Regression analysis.

Description

NOTE: `model_summary` is preferred.

Usage

```
regress(
  formula,
  data,
  family = NULL,
  digits = 3,
  nsmall = digits,
  robust = FALSE,
  cluster = NULL,
  test.rand = FALSE
)
```

Arguments

<code>formula</code>	Model formula.
<code>data</code>	Data frame.
<code>family</code>	[Optional] The same as in <code>glm</code> and <code>glmer</code> (e.g., <code>family=binomial</code> fits a logistic regression model).
<code>digits, nsmall</code>	Number of decimal places of output. Default is 3.
<code>robust</code>	[Only for <code>lm</code> and <code>glm</code>] FALSE (default), TRUE (then the default is "HC1"), "HC0", "HC1", "HC2", "HC3", "HC4", "HC4m", or "HC5". It will add a table with heteroskedasticity-robust standard errors (aka. Huber-White standard errors). For details, see <code>?sandwich::vcovHC</code> and <code>?jtools::summ.lm</code> . *** "HC1" is the default of Stata, whereas "HC3" is the default suggested by the <code>sandwich</code> package.
<code>cluster</code>	[Only for <code>lm</code> and <code>glm</code>] Cluster-robust standard errors are computed if <code>cluster</code> is set to the name of the input data's cluster variable or is a vector of clusters.
<code>test.rand</code>	[Only for <code>lmer</code> and <code>glmer</code>] TRUE or FALSE (default). Test random effects (i.e., variance components) by using the likelihood-ratio test (LRT), which is asymptotically chi-square distributed. For large datasets, it is much time-consuming.

Value

No return value.

See Also

[print_table](#) (print simple table)
[model_summary](#) (highly suggested)
[GLM_summary](#)
[HLM_summary](#)

Examples

```
## Not run:

## lm
regress(Temp ~ Month + Day + Wind + Solar.R, data=airquality, robust=TRUE)

## glm
regress(case ~ age + parity + education + spontaneous + induced,
        data=infert, family=binomial, robust="HC1", cluster="stratum")

## lmer
library(lmerTest)
regress(Reaction ~ Days + (Days | Subject), data=sleepstudy)
regress(Preference ~ Sweetness + Gender + Age + Frequency +
        (1 | Consumer), data=carrots)

## glmer
```

```
library(lmerTest)
data.glmm = MASS::bacteria
regress(y ~ trt + week + (1 | ID), data=data.glmm, family=binomial)
regress(y ~ trt + week + hilo + (1 | ID), data=data.glmm, family=binomial)

## End(Not run)
```

rep_char	<i>Repeat a character string for many times and paste them up.</i>
----------	--------------------------------------------------------------------

Description

Repeat a character string for many times and paste them up.

Usage

```
rep_char(char, rep.times)
```

Arguments

char	Character string.
rep.times	Times for repeat.

Value

Character string.

Examples

```
rep_char("a", 5)
```

RESCALE	<i>Rescale a variable (e.g., from 5-point to 7-point).</i>
---------	------------------------------------------------------------

Description

Rescale a variable (e.g., from 5-point to 7-point).

Usage

```
RESCALE(var, from = range(var, na.rm = T), to)
```

Arguments

var	Variable (numeric).
from	Numeric vector, the range of old scale (e.g., 1:5). If not defined, it will compute the range of var.
to	Numeric vector, the range of new scale (e.g., 1:7).

Value

A vector of rescaled variable.

Examples

```
d = data.table(var=rep(1:5, 2))
added(d, {
  var1 = RESCALE(var, to=1:7)
  var2 = RESCALE(var, from=1:5, to=1:7)
})
d # var1 is equal to var2
```

 RGB

A simple extension of rgb().

Description

A simple extension of rgb().

Usage

```
RGB(r, g, b, alpha)
```

Arguments

r, g, b	Red, Green, Blue: 0~255.
alpha	Color transparency (opacity): 0~1. If not specified, an opaque color will be generated.

Value

"#rrggbb" or "#rrggbbaa".

Examples

```
RGB(255, 0, 0) # red: "#FF0000"
RGB(255, 0, 0, 0.8) # red with 80% opacity: "#FF0000CC"
```

Run	<i>Run code parsed from text.</i>
-----	-----------------------------------

Description

Run code parsed from text.

Usage

```
Run(..., silent = FALSE)
```

Arguments

...	Character string(s) to run. You can use "{ }" to insert any R object in the environment.
silent	Suppress error/warning messages. Default is FALSE.

Value

Invisibly return the running expression(s).

Examples

```
Run("a=1", "b=2")
Run("print({a+b})")
```

scaler	<i>Min-max scaling (min-max normalization).</i>
--------	-------------------------------------------------

Description

This function resembles [RESCALE\(\)](#) and it is just equivalent to `RESCALE(var, to=0:1)`.

Usage

```
scaler(v, min = 0, max = 1)
```

Arguments

v	Variable (numeric vector).
min	Minimum value (default is 0).
max	Maximum value (default is 1).

Value

A vector of rescaled variable.

Examples

```
scaler(1:5)
# the same: RESCALE(1:5, to=0:1)
```

set.wd

Set working directory to the path of currently opened file.

Description

Set working directory to the path of currently opened file (usually an R script). You can use this function in both **.R/.Rmd files and R Console**. **RStudio** (version ≥ 1.2) is required for running this function.

Usage

```
set.wd(path = NULL, ask = FALSE)
```

```
set_wd(path = NULL, ask = FALSE)
```

Arguments

path	NULL (default) or a specific path. Default is to extract the path of the currently opened file (usually .R or .Rmd) using the <code>rstudioapi::getSourceEditorContext</code> function.
ask	TRUE or FALSE (default). If TRUE, you can select a folder with the prompt of a dialog.

Value

Invisibly return the path.

Functions

- `set.wd()`: Main function
- `set_wd()`: The alias of `set.wd` (the same)

See Also

[setwd](#)

Examples

```
## Not run:  
  
# RStudio (version >= 1.2) is required for running this function.  
set.wd() # set working directory to the path of the currently opened file  
set.wd("~/") # set working directory to the home path  
set.wd("../") # set working directory to the parent path  
set.wd(ask=TRUE) # select a folder with the prompt of a dialog  
  
## End(Not run)
```

show_colors	<i>Show colors.</i>
-------------	---------------------

Description

Show colors.

Usage

```
show_colors(colors)
```

Arguments

colors	Color names. e.g., <ul style="list-style-type: none">• "red" (R base color names)• "#FF0000" (hex color names)• <code>see::social_colors()</code>• <code>viridis::viridis_pal()(10)</code>• <code>RColorBrewer::brewer.pal(name="Set1", n=9)</code>• <code>RColorBrewer::brewer.pal(name="Set2", n=8)</code>• <code>RColorBrewer::brewer.pal(name="Spectral", n=11)</code>
--------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Value

A gg object.

Examples

```
show_colors("blue")  
show_colors("#0000FF") # blue (hex name)  
show_colors(RGB(0, 0, 255)) # blue (RGB)  
show_colors(see::social_colors())  
show_colors(see::pizza_colors())
```

theme_bruce

A nice ggplot2 theme that enables Markdown/HTML rich text.

Description

A nice ggplot2 theme for scientific publication. It uses `ggtext::element_markdown()` to render Markdown/HTML formatted rich text. You can use a combination of Markdown and/or HTML syntax (e.g., "`*y* = *x*²`") in plot text or title, and this function draws text elements with rich text format.

For more usage, see:

- `ggtext::geom_richtext()`
- `ggtext::geom_textbox()`
- `ggtext::element_markdown()`
- `ggtext::element_textbox()`

Usage

```
theme_bruce(  
  markdown = FALSE,  
  base.size = 12,  
  line.size = 0.5,  
  border = "black",  
  bg = "white",  
  panel.bg = "white",  
  tag = "bold",  
  plot.title = "bold",  
  axis.title = "plain",  
  title.pos = 0.5,  
  subtitle.pos = 0.5,  
  caption.pos = 1,  
  font = NULL,  
  grid.x = "",  
  grid.y = "",  
  line.x = TRUE,  
  line.y = TRUE,  
  tick.x = TRUE,  
  tick.y = TRUE  
)
```

Arguments

markdown	Use <code>element_markdown()</code> instead of <code>element_text()</code> . Default is FALSE. If set to TRUE, then you should also use <code>element_markdown()</code> in <code>theme()</code> (if any).
base.size	Basic font size. Default is 12.

line.size	Line width. Default is 0.5.
border	TRUE, FALSE, or "black" (default).
bg	Background color of whole plot. Default is "white". You can use any colors or choose from some pre-set color palettes: "stata", "stata.grey", "solar", "wsj", "light", "dust". To see these colors, you can type: <code>ggthemr::colour_plot(c(stata="#EAF2F3", stata.grey="#E8E8E8", solar="#FDF6E3", wsj="#F8F2E4", light="#F6F1EB", dust="#FAF7F2"))</code>
panel.bg	Background color of panel. Default is "white".
tag	Font face of tag. Choose from "plain", "italic", "bold", "bold.italic".
plot.title	Font face of title. Choose from "plain", "italic", "bold", "bold.italic".
axis.title	Font face of axis text. Choose from "plain", "italic", "bold", "bold.italic".
title.pos	Title position (0~1).
subtitle.pos	Subtitle position (0~1).
caption.pos	Caption position (0~1).
font	Text font. Only applicable to Windows system.
grid.x	FALSE, "" (default), or a color (e.g., "grey90") to set the color of panel grid (x).
grid.y	FALSE, "" (default), or a color (e.g., "grey90") to set the color of panel grid (y).
line.x	Draw the x-axis line. Default is TRUE.
line.y	Draw the y-axis line. Default is TRUE.
tick.x	Draw the x-axis ticks. Default is TRUE.
tick.y	Draw the y-axis ticks. Default is TRUE.

Value

A theme object that should be used for ggplot2.

Examples

```
## Example 1 (bivariate correlation)
d = as.data.table(psych::bfi)
added(d, {
  E = .mean("E", 1:5, rev=c(1,2), range=1:6)
  O = .mean("O", 1:5, rev=c(2,5), range=1:6)
})
ggplot(data=d, aes(x=E, y=O)) +
  geom_point(alpha=0.1) +
  geom_smooth(method="loess") +
  labs(x="Extraversion<sub>Big 5</sub>",
       y="Openness<sub>Big 5</sub>") +
  theme_bruce(markdown=TRUE)

## Example 2 (2x2 ANOVA)
d = data.frame(X1 = factor(rep(1:3, each=2)),
              X2 = factor(rep(1:2, 3)),
```

```

      Y.mean = c(5, 3, 2, 7, 3, 6),
      Y.se = rep(c(0.1, 0.2, 0.1), each=2))
ggplot(data=d, aes(x=X1, y=Y.mean, fill=X2)) +
  geom_bar(position="dodge", stat="identity", width=0.6, show.legend=FALSE) +
  geom_errorbar(aes(x=X1, ymin=Y.mean-Y.se, ymax=Y.mean+Y.se),
               width=0.1, color="black", position=position_dodge(0.6)) +
  scale_y_continuous(expand=expansion(add=0),
                    limits=c(0,8), breaks=0:8) +
  scale_fill_brewer(palette="Set1") +
  labs(x="Independent Variable (*X*)", # italic X
       y="Dependent Variable (*Y*)", # italic Y
       title="Demo Plot<sup>bruceR</sup>") +
  theme_bruce(markdown=TRUE, border="")

```

TTEST

One-sample, independent-samples, and paired-samples t-test.

Description

One-sample, independent-samples, and paired-samples *t*-test, with both Frequentist and Bayesian approaches. The output includes descriptives, *t* statistics, mean difference with 95% CI, Cohen's *d* with 95% CI, and Bayes factor (BF10; BayesFactor package needs to be installed). It also tests the assumption of homogeneity of variance and allows users to determine whether variances are equal or not.

Users can simultaneously test multiple dependent and/or independent variables. The results of one pair of Y-X would be summarized in one row in the output. Key results can be saved in APA format to MS Word.

Usage

```

TTEST(
  data,
  y,
  x = NULL,
  paired = FALSE,
  paired.d.type = "dz",
  var.equal = TRUE,
  mean.diff = TRUE,
  test.value = 0,
  test.sided = c("=", "<", ">"),
  factor.rev = TRUE,
  bayes.prior = "medium",
  digits = 2,
  nsmall = digits,
  file = NULL
)

```

Arguments

data	Data frame (wide-format only, i.e., one case in one row).
y	Dependent variable(s). Multiple variables should be included in a character vector <code>c()</code> . For paired-samples <i>t</i> -test, the number of variables should be 2, 4, 6, etc.
x	Independent variable(s). Multiple variables should be included in a character vector <code>c()</code> . Only necessary for independent-samples <i>t</i> -test.
paired	For paired-samples <i>t</i> -test, set it as TRUE. Default is FALSE.
paired.d.type	Type of Cohen's <i>d</i> for paired-samples <i>t</i> -test (see Lakens, 2013). Default is "dz". Options include: "dz" (d for standardized difference) Cohen's $d_z = \frac{M_{diff}}{SD_{diff}}$ "dav" (d for average standard deviation) Cohen's $d_{av} = \frac{M_{diff}}{\frac{SD_1 + SD_2}{2}}$ "drm" (d for repeated measures, corrected for correlation) Cohen's $d_{rm} = \frac{M_{diff} \times \sqrt{2(1-r_{1,2})}}{\sqrt{SD_1^2 + SD_2^2 - 2 \times r_{1,2} \times SD_1 \times SD_2}}$
var.equal	If Levene's test indicates a violation of the homogeneity of variance, then you should better set this argument as FALSE. Default is TRUE.
mean.diff	Whether to display results of mean difference and its 95% CI. Default is TRUE.
test.value	The true value of the mean (or difference in means for a two-samples test). Default is 0.
test.sided	Any of "=" (two-sided, the default), "<" (one-sided), or ">" (one-sided).
factor.rev	Whether to reverse the levels of factor (X) such that the test compares higher vs. lower level. Default is TRUE.
bayes.prior	Prior scale in Bayesian <i>t</i> -test. Default is 0.707. See details in <code>BayesFactor::ttestBF()</code> .
digits, nsmall	Number of decimal places of output. Default is 2.
file	File name of MS Word (.doc).

Details

Note that the point estimate of Cohen's *d* is computed using the common method "Cohen's *d* = mean difference / (pooled) standard deviation", which is consistent with results from other R packages (e.g., `effectsize`) and software (e.g., `jamovi`). The 95% CI of Cohen's *d* is estimated based on the 95% CI of mean difference (i.e., also divided by the pooled standard deviation).

However, different packages and software diverge greatly on the estimate of the 95% CI of Cohen's *d*. R packages such as `psych` and `effectsize`, R software `jamovi`, and several online statistical tools for estimating effect sizes indeed produce surprisingly inconsistent results on the 95% CI of Cohen's *d*.

See an illustration of this issue in the section "Examples".

References

Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for *t*-tests and ANOVAs. *Frontiers in Psychology*, 4, Article 863.

See Also

[MANOVA, EMMEANS](#)

Examples

```
## Demo data ##
d1 = between.3
d1$Y1 = d1$SCORE # shorter name for convenience
d1$Y2 = rnorm(32) # random variable
d1$B = factor(d1$B, levels=1:2, labels=c("Low", "High"))
d1$C = factor(d1$C, levels=1:2, labels=c("M", "F"))
d2 = within.1

## One-sample t-test ##
TTEST(d1, "SCORE")
TTEST(d1, "SCORE", test.value=5)

## Independent-samples t-test ##
TTEST(d1, "SCORE", x="A")
TTEST(d1, "SCORE", x="A", var.equal=FALSE)
TTEST(d1, y="Y1", x=c("A", "B", "C"))
TTEST(d1, y=c("Y1", "Y2"), x=c("A", "B", "C"),
      mean.diff=FALSE, # remove to save space
      file="t-result.doc")
unlink("t-result.doc") # delete file for code check

## Paired-samples t-test ##
TTEST(d2, y=c("A1", "A2"), paired=TRUE)
TTEST(d2, y=c("A1", "A2", "A3", "A4"), paired=TRUE)

## Not run:

## Illustration for the issue stated in "Details"

# Inconsistency in the 95% CI of Cohen's d between R packages:
# In this example, the true point estimate of Cohen's d = 3.00
# and its 95% CI should be equal to 95% CI of mean difference.

data = data.frame(X=rep(1:2, each=3), Y=1:6)
data # simple demo data

TTEST(data, y="Y", x="X")
# d = 3.00 [0.73, 5.27] (estimated based on 95% CI of mean difference)

MANOVA(data, dv="Y", between="X") %>%
  EMMEANS("X")
# d = 3.00 [0.73, 5.27] (the same as TTEST)

psych::cohen.d(x=data, group="X")
# d = 3.67 [0.04, 7.35] (strange)
```

```
psych::d.ci(d=3.00, n1=3, n2=3)
# d = 3.00 [-0.15, 6.12] (significance inconsistent with t-test)

# jamovi uses psych::d.ci() to compute 95% CI
# so its results are also: 3.00 [-0.15, 6.12]

effectsize::cohens_d(Y ~ rev(X), data=data)
# d = 3.00 [0.38, 5.50] (using the noncentrality parameter method)

effectsize::t_to_d(t=t.test(Y ~ rev(X), data=data, var.equal=TRUE)$statistic,
  df_error=4)
# d = 3.67 [0.47, 6.74] (merely an approximate estimate, often overestimated)
# see ?effectsize::t_to_d

# https://www.psychometrica.de/effect_size.html
# d = 3.00 [0.67, 5.33] (slightly different from TTEST)

# https://www.campbellcollaboration.org/escalc/
# d = 3.00 [0.67, 5.33] (slightly different from TTEST)

# Conclusion:
# TTEST() provides a reasonable estimate of Cohen's d and its 95% CI,
# and effectsize::cohens_d() offers another method to compute the CI.

## End(Not run)
```

%allin% *A simple extension of %in%.*

Description

A simple extension of %in%.

Usage

x %allin% vector

Arguments

x	Numeric or character vector.
vector	Numeric or character vector.

Value

TRUE or FALSE.

See Also

[%in%](#), [%anyin%](#), [%nonein%](#), [%partin%](#)

Examples

```
1:2 %allin% 1:3 # TRUE
3:4 %allin% 1:3 # FALSE
```

%anyin%

A simple extension of %in%.

Description

A simple extension of %in%.

Usage

x %anyin% vector

Arguments

x	Numeric or character vector.
vector	Numeric or character vector.

Value

TRUE or FALSE.

See Also

[%in%](#), [%allin%](#), [%nonein%](#), [%partin%](#)

Examples

```
3:4 %anyin% 1:3 # TRUE
4:5 %anyin% 1:3 # FALSE
```

%%COMPUTE%%

Multivariate computation.

Description

Easily compute multivariate sum, mean, and other scores. Reverse scoring can also be easily implemented without saving extra variables. [Alpha](#) function uses a similar method to deal with reverse scoring.

Three options to specify variables:

1. `var + items`: common and unique parts of variable names (suggested).
2. `vars`: a character vector of variable names (suggested).
3. `varrange`: starting and stopping positions of variables (NOT suggested).

Usage

```
COUNT(data, var = NULL, items = NULL, vars = NULL, varrange = NULL, value = NA)
```

```
MODE(data, var = NULL, items = NULL, vars = NULL, varrange = NULL)
```

```
SUM(  
  data,  
  var = NULL,  
  items = NULL,  
  vars = NULL,  
  varrange = NULL,  
  rev = NULL,  
  range = likert,  
  likert = NULL,  
  na.rm = TRUE  
)
```

```
.sum(  
  var = NULL,  
  items = NULL,  
  vars = NULL,  
  varrange = NULL,  
  rev = NULL,  
  range = likert,  
  likert = NULL,  
  na.rm = TRUE  
)
```

```
MEAN(  
  data,  
  var = NULL,
```

```

  items = NULL,
  vars = NULL,
  varrange = NULL,
  rev = NULL,
  range = likert,
  likert = NULL,
  na.rm = TRUE
)

```

```

.mean(
  var = NULL,
  items = NULL,
  vars = NULL,
  varrange = NULL,
  rev = NULL,
  range = likert,
  likert = NULL,
  na.rm = TRUE
)

```

```

STD(
  data,
  var = NULL,
  items = NULL,
  vars = NULL,
  varrange = NULL,
  rev = NULL,
  range = likert,
  likert = NULL,
  na.rm = TRUE
)

```

```

CONSEC(
  data,
  var = NULL,
  items = NULL,
  vars = NULL,
  varrange = NULL,
  values = 0:9
)

```

Arguments

data	Data frame.
var	[Option 1] The common part across the variables. e.g., "RSES"
items	[Option 1] The unique part across the variables. e.g., 1:10
vars	[Option 2] A character vector specifying the variables. e.g., c("X1", "X2", "X3", "X4", "X5")

varrange	[Option 3] A character string specifying the positions ("starting:stopping") of variables. e.g., "A1:E5"
value	[Only for COUNT] The value to be counted.
rev	[Optional] Variables that need to be reversed. It can be (1) a character vector specifying the reverse-scoring variables (recommended), or (2) a numeric vector specifying the item number of reverse-scoring variables (not recommended).
range, likert	[Optional] Range of likert scale (e.g., 1:5, c(1, 5)). If not provided, it will be automatically estimated from the given data (BUT you should use this carefully).
na.rm	Ignore missing values. Default is TRUE.
values	[Only for CONSEC] Values to be counted as consecutive identical values. Default is all numbers (0:9).

Value

A vector of computed values.

Functions

- COUNT(): **Count** a certain value across variables.
- MODE(): Compute **mode** across variables.
- SUM(): Compute **sum** across variables.
- .sum(): Tidy version of SUM, only can be used in [add\(\)/added\(\)](#)
- MEAN(): Compute **mean** across variables.
- .mean(): Tidy version of MEAN, only can be used in [add\(\)/added\(\)](#)
- STD(): Compute **standard deviation** across variables.
- CONSEC(): Compute **consecutive identical digits** across variables (especially useful in detecting careless responding).

Examples

```
d = data.table(x1=1:5,
              x4=c(2,2,5,4,5),
              x3=c(3,2,NA,NA,5),
              x2=c(4,4,NA,2,5),
              x5=c(5,4,1,4,5))

d
## I deliberately set this order to show you
## the difference between "vars" and "varrange".

## ===== Usage 1: data.table `:=` ===== ##
d[, `:=`(
  na = COUNT(d, "x", 1:5, value=NA),
  n.2 = COUNT(d, "x", 1:5, value=2),
  sum = SUM(d, "x", 1:5),
  m1 = MEAN(d, "x", 1:5),
  m2 = MEAN(d, vars=c("x1", "x4")),
  m3 = MEAN(d, varrange="x1:x2", rev="x2", range=1:5),
```

```

    cons1 = CONSEC(d, "x", 1:5),
    cons2 = CONSEC(d, varrange="x1:x5")
  )]
d

## ===== Usage 2: `add()` & `added()` ===== ##
data = as.data.table(psych::bfi)
added(data, {
  gender = as.factor(gender)
  education = as.factor(education)
  E = .mean("E", 1:5, rev=c(1,2), range=1:6)
  A = .mean("A", 1:5, rev=1, range=1:6)
  C = .mean("C", 1:5, rev=c(4,5), range=1:6)
  N = .mean("N", 1:5, range=1:6)
  O = .mean("O", 1:5, rev=c(2,5), range=1:6)
}, drop=TRUE)
data

```

%nonein%

A simple extension of %in%.

Description

A simple extension of %in%.

Usage

x %nonein% vector

Arguments

x	Numeric or character vector.
vector	Numeric or character vector.

Value

TRUE or FALSE.

See Also

[%in%](#), [%allin%](#), [%anyin%](#), [%partin%](#)

Examples

```

3:4 %nonein% 1:3 # FALSE
4:5 %nonein% 1:3 # TRUE

```

%notin% *The opposite of %in%.*

Description

The opposite of %in%.

Usage

x %notin% vector

Arguments

x Numeric or character vector.
vector Numeric or character vector.

Value

A vector of TRUE or FALSE.

See Also

[%in%](#)

Examples

```
data = data.table(ID=1:10, X=sample(1:10, 10))  
data  
data[ID %notin% c(1, 3, 5, 7, 9)]
```

%partin% *A simple extension of %in%.*

Description

A simple extension of %in%.

Usage

pattern %partin% vector

Arguments

pattern Character string containing **regular expressions** to be matched.
vector Character vector.

Value

TRUE or FALSE.

See Also

[%in%](#), [%allin%](#), [%anyin%](#), [%nonein%](#)

Examples

```
"Bei" %partin% c("Beijing", "Shanghai") # TRUE
"bei" %partin% c("Beijing", "Shanghai") # FALSE
"[aeiou]ng" %partin% c("Beijing", "Shanghai") # TRUE
```

%^^%

Paste strings together.

Description

Paste strings together. A wrapper of `paste0()`. Why %^^? Because typing % and ^ is pretty easy by pressing **Shift + 5 + 6 + 5**.

Usage

```
x %^^ y
```

Arguments

x, y Any objects, usually a numeric or character string or vector.

Value

A character string/vector of the pasted values.

Examples

```
"He" %^^ "llo"
"X" %^^ 1:10
"Q" %^^ 1:5 %^^ letters[1:5]
```

Index

.mean, 4
.mean (%%COMPUTE%), 79
.sum, 4
.sum (%%COMPUTE%), 79
:=, 5
%%COMPUTE%, 79
%^, 4, 84
%allin%, 4, 77, 78, 82, 84
%anyin%, 4, 77, 78, 82, 84
%in%, 77, 78, 82–84
%nonein%, 4, 77, 78, 82, 84
%notin%, 4, 83
%partin%, 4, 77, 78, 82, 83

add, 4, 5
add()/added(), 81
added, 4
added (add), 5
afex::aov_ez(), 22, 45, 47
Alpha, 4, 8, 13, 20, 79

base::load(), 40
base::readRDS(), 40
base::save(), 26
base::saveRDS(), 26
BayesFactor::ttestBF(), 75
bruceR (bruceR-package), 3
bruceR-package, 3
bruceR::grand_mean_center(), 59
bruceR::group_mean_center(), 59
bruceR::model_summary(), 59
bruceR::PROCESS(), 58, 59

car::recode(), 64
cc, 4, 9, 46
ccf_plot, 5, 10, 34, 35
CFA, 4, 9, 12, 20, 42, 58
clipr::read_clip_tbl(), 40
clipr::write_clip(), 26
CONSEC, 4

CONSEC (%%COMPUTE%), 79
cor_diff, 4, 15
Corr, 4, 13, 16, 58
COUNT, 4
COUNT (%%COMPUTE%), 79

data.table, 5, 6
data.table::fread(), 39
data.table::fwrite(), 25
Describe, 4, 14, 15, 57
dplyr::left_join(), 44
dtime, 17

EFA, 4, 9, 13, 18, 58
effectsize::sd_pooled(), 22
effectsize::t_to_d(), 21
EMMEANS, 4, 21, 47, 76
emmeans::contrast(), 21
emmeans::eff_size(), 21
emmeans::emmeans(), 21, 22
emmeans::emmip(), 22, 47
emmeans::joint_tests(), 21, 22
emmeans::summary(), 22
export, 4, 25, 40

foreign::read.dta(), 40
foreign::read.spss(), 39
format, 27, 28
formatF, 4, 27, 28
formatN, 4, 27, 28
formula_expand, 28
formula_paste, 29
Freq, 4, 30, 58

GGally::ggpairs(), 16
ggtext::element_markdown(), 72
ggtext::element_textbox(), 72
ggtext::geom_richtext(), 72
ggtext::geom_textbox(), 72
GLM_summary, 5, 31, 39, 51, 66

- Glue, [4](#)
- Glue (Print), [55](#)
- glue::glue(), [56](#)
- glue::glue_col(), [56](#)
- grand_mean_center, [5](#), [32](#), [36](#)
- granger_causality, [5](#), [33](#), [35](#), [58](#)
- granger_test, [5](#), [11](#), [34](#), [34](#), [58](#)
- group_mean_center, [5](#), [32](#), [35](#)

- haven::read_dta(), [40](#)
- haven::read_sav(), [39](#)
- haven::write_dta(), [26](#)
- haven::write_sav(), [25](#)
- HLM_ICC_rWG, [5](#), [36](#)
- HLM_summary, [5](#), [31](#), [38](#), [51](#), [66](#)

- import, [4](#), [26](#), [39](#)
- interactions::sim_slopes(), [59](#)

- lavaan, [41](#), [62](#)
- lavaan options, [12](#)
- lavaan::cfa(), [12](#)
- lavaan::sem(), [59](#)
- lavaan_summary, [5](#), [13](#), [41](#), [51](#), [58](#), [62](#)
- lme4, [61](#)
- lmtest::grangertest(), [34](#)
- LOOKUP, [4](#), [43](#)

- MANOVA, [4](#), [21–23](#), [45](#), [58](#), [76](#)
- MEAN, [4](#), [9](#), [20](#)
- MEAN (%%COMPUTE%), [79](#)
- med_summary, [5](#), [49](#), [51](#), [58](#), [62](#)
- mediation, [49](#), [61](#), [62](#)
- mediation::mediate(), [49](#), [59](#)
- MODE, [4](#)
- MODE (%%COMPUTE%), [79](#)
- model_summary, [5](#), [31](#), [38](#), [39](#), [50](#), [58](#), [62](#), [65](#), [66](#)
- MuMIn::r_squaredGLMM(), [50](#)
- MuMIn::std_coef(), [50](#)
- mutate, [5](#)

- openxlsx::write.xlsx(), [25](#)

- p, [53](#)
- PCA, [4](#), [58](#)
- PCA (EFA), [18](#)
- performance::check_collinearity(), [51](#)
- performance::r2_mcfadden(), [50](#)
- performance::r2_nagelkerke(), [50](#)

- pkg_depend, [4](#), [54](#), [55](#)
- pkg_install_suggested, [4](#), [54](#), [55](#)
- Print, [4](#), [55](#)
- print_table, [4](#), [26](#), [31](#), [39](#), [51](#), [56](#), [66](#)
- PROCESS, [5](#), [42](#), [49](#), [51](#), [58](#), [58](#)
- psych::alpha(), [8](#), [9](#)
- psych::corr.test(), [14](#)
- psych::fa(), [18](#), [20](#)
- psych::kaiser(), [20](#)
- psych::omega(), [8](#), [9](#)
- psych::principal(), [18](#), [20](#)

- readxl::read_excel(), [39](#)
- RECODE, [4](#), [64](#)
- regress, [5](#), [31](#), [39](#), [65](#)
- rep_char, [67](#)
- RESCALE, [4](#), [67](#)
- RESCALE(), [69](#)
- RGB, [68](#)
- rio::export(), [25](#), [26](#)
- rio::import(), [39](#), [40](#)
- Run, [4](#), [69](#)

- scaler, [69](#)
- set.wd, [4](#), [70](#)
- set_wd, [4](#)
- set_wd (set.wd), [70](#)
- setwd, [70](#)
- show_colors, [5](#), [71](#)
- stats::p.adjust(), [14](#), [22](#)
- STD, [4](#)
- STD (%%COMPUTE%), [79](#)
- SUM, [4](#)
- SUM (%%COMPUTE%), [79](#)

- texreg::htmlreg(), [50](#), [51](#)
- texreg::screenreg(), [50](#), [51](#)
- theme_bruce, [5](#), [72](#)
- tidyr::pivot_wider(), [47](#)
- transmute, [5](#)
- TTEST, [4](#), [23](#), [47](#), [58](#), [74](#)

- utils::write.table(), [25](#)

- VAR, [33](#)
- vars::VAR(), [33](#)

- within, [5](#)