

Package ‘kim’

October 9, 2023

Title A Toolkit for Behavioral Scientists

Version 0.5.421

Description A collection of functions for analyzing data typically collected or used by behavioral scientists. Examples of the functions include a function that compares groups in a factorial experimental design, a function that conducts two-way analysis of variance (ANOVA), and a function that cleans a data set generated by Qualtrics surveys. Some of the functions will require installing additional package(s). Such packages and other references are cited within the section describing the relevant functions. Many functions in this package rely heavily on these two popular R packages:
Dowle et al. (2021) <<https://CRAN.R-project.org/package=data.table>>.
Wickham et al. (2021) <<https://CRAN.R-project.org/package=ggplot2>>.

License GPL-3

URL <https://github.com/jinkim3/kim>, <https://jinkim.science>

BugReports <https://github.com/jinkim3/kim/issues>

Imports data.table, remotes

Suggests boot, ggplot2, moments, testthat (>= 3.0.0)

Encoding UTF-8

RoxygenNote 7.2.3

Config/testthat/edition 3

NeedsCompilation no

Author Jin Kim [aut, cre] (<<https://orcid.org/0000-0002-5013-3958>>)

Maintainer Jin Kim <jin.m.kim@yale.edu>

Repository CRAN

Date/Publication 2023-10-09 14:00:13 UTC

R topics documented:

akaike_weights	5
barplot_for_counts	5
binomial_test	6
bracket	7
capitalize	9
change_var_names	9
check_modes	10
check_req_pkg	11
chi_squared_test	11
chi_squared_test_pairwise	12
clean_data_from_qualtrics	14
coefficient_of_variation	15
cohen_d	16
cohen_d_borenstein	17
cohen_d_for_one_sample	18
cohen_d_from_cohen_textbook	19
cohen_d_over_n	20
cohen_d_torchiano	21
cohen_d_to_r	22
combine_data_across_cols	22
comma_sep_string_to_numbers	23
compare_datasets	24
compare_dependent_rs	25
compare_effect_sizes	26
compare_groups	27
compare_independent_rs	29
contingency_table	31
convert_cols_to_numeric	32
convert_to_excel_formula	33
correlation_kim	33
correlation_matrix	35
cum_percent_plot	36
desc_stats	36
desc_stats_by_group	37
detach_user_installed_pkgs	39
duplicated_values	39
excel_formula_convert	40
exit_from_parent_function	41
find_duplicates	42
fisher_z_transform	43
floodlight_2_by_continuous	43
floodlight_2_by_continuous_logistic	47
floodlight_2_by_continuous_mlm_logistic	50
floodlight_for_contrasts	54
floodlight_multi_by_continuous	58
forest_plot	61

geomean	64
ggsave_quick	65
histogram	66
histogram_by_group	68
histogram_deprecated_1	69
histogram_from_hist	71
histogram_w_outlier_bins	72
holm_adjusted_p	74
identical_all	75
id_across_datasets	76
install_all_dependencies	77
kurtosis	77
lenu	78
levene_test	79
logistic_regression	80
logistic_regression_table	82
logistic_reg_w_interaction	83
loglinear_analysis	84
log_odds_ratio	86
log_odds_ratio_to_d	87
mad_remove_outliers	87
mann_whitney	89
matrix_prep_dt	89
mean_center	90
mediation_analysis	91
merge_data_tables	92
merge_data_table_list	94
modes_of_objects	95
multiple_regression	96
noncentrality_parameter	98
odds_ratio	98
order_rows_specifically_in_dt	99
outlier	100
overlapping_interval	101
p0	102
package_list_default	103
parallel_analysis	103
percentile_rank	105
pivot_table	105
plot_group_means	106
pm	108
population_variance	109
prep	109
pretty_round_p_value	110
pretty_round_r	111
print_loop_progress	112
proportion_of_values_in_vector	113
q_stat_test_homo_r	114

read_csv	115
read_sole_csv	115
regex_match	116
rel_pos_of_value_in_vector	117
rel_value_of_pos_in_vector	117
remove_from_vector	118
remove_user_installed_pkgs	119
repeated_measures_anova	119
replace_values_in_dt	121
robust_regression	121
round_flexibly	122
scatterplot	124
score_scale_items	127
setup_r_env	128
setwd_to_active_doc	128
se_of_mean	129
se_of_percentage	130
se_of_proportion	130
simple_effects_analysis	131
skewness	132
spotlight_2_by_continuous	133
standardize	138
standardized_regression	139
start_kim	140
su	142
tabulate_vector	142
tau_squared	144
theme_kim	145
top_median_or_bottom	146
tv	147
two_way_anova	148
t_test_pairwise	151
und	152
unload_user_installed_pkgs	153
update_kim	154
var_of_log_odds_ratio_to_var_of_d	155
var_of_percentage	155
var_of_proportion	156
vlookup	156
weighted_mean_effect_size	157
weighted_mean_r	158
weighted_z	159
wilcoxon_rank_sum_test	159
write_csv	160
z_score	161
z_to_r_transform	161

akaike_weights	<i>Akaike Weights</i>
----------------	-----------------------

Description

Compare adequacy of different models by calculating their Akaike weights and the associated evidence ratio.

Usage

```
akaike_weights(aic_values = NULL, print_output_explanation = TRUE)
```

Arguments

`aic_values` a vector of AIC values
`print_output_explanation` logical. Should an explanation about how to read the output be printed? (default = TRUE).

Details

Please refer to Wagenmakers & Farrell (2004), [doi:10.3758/BF03206482](https://doi.org/10.3758/BF03206482)

Value

the output will be a `data.table` showing AIC weights, their evidence ratio(s), etc.

Examples

```
# default reference AIC value is the minimum AIC value, e.g., 202 below.  
akaike_weights(c(204, 202, 206, 206, 214))
```

barplot_for_counts	<i>Barplot for counts</i>
--------------------	---------------------------

Description

Barplot for counts

Usage

```
barplot_for_counts(data = NULL, x, y)
```

Arguments

data	a data object (a data frame or a data.table)
x	name of the variable that will be on the x axis of the barplot
y	name of the variable that will be on the y axis of the barplot

Examples

```
barplot_for_counts(x = 1:3, y = 7:9)
barplot_for_counts(data = data.frame(
  cyl = names(table(mtcars$cyl)), count = as.vector(table(mtcars$cyl))),
  x = "cyl", y = "count")
```

binomial_test

Binomial test

Description

Conduct a binomial test. In other words, test whether an observed proportion of "successes" (e.g., proportion of heads in a series of coin tosses) is greater than the expected proportion (e.g., 0.5). This function uses the 'binom.test' function from the 'stats' package.

Usage

```
binomial_test(
  x = NULL,
  success = NULL,
  failure = NULL,
  p = 0.5,
  alternative = "two.sided",
  ci = 0.95,
  round_percentages = 0
)
```

Arguments

x	a vector of values, each of which represents an instance of either a "success" or "failure" (e.g., c("s", "f", "s", "s", "f", "s"))
success	which value(s) indicate "successes"?
failure	(optional) which value(s) indicate "failures"? If no input is provided for this argument, then all the non-NA values that are not declared to be "successes" will be treated as "failures".
p	hypothesized probability of success (default = 0.5)

`alternative` indicates the alternative hypothesis and must be one of "two.sided", "greater", or "less". You can specify just the initial letter. By default, `alternative = "two.sided"`

`ci` width of the confidence interval (default = 0.95)

`round_percentages` number of decimal places to which to round the percentages in the summary table (default = 0)

Examples

```
# sample vector
sample_vector <- c(0, 1, 1, 0, 1, 98, 98, 99, NA)
binomial_test(
  x = sample_vector,
  success = 1, failure = 0)
binomial_test(
  x = sample_vector,
  success = 1, failure = 0,
  p = 0.1,
  alternative = "greater")
binomial_test(
  x = sample_vector,
  success = c(1, 99), failure = c(0, 98),
  p = 0.6,
  alternative = "less")
```

bracket

Draw a bracket on a ggplot

Description

Draw a square bracket with a label on a ggplot

Usage

```
bracket(
  xmin = NULL,
  xmax = NULL,
  ymin = NULL,
  ymax = NULL,
  vertical = NULL,
  horizontal = NULL,
  open = NULL,
  bracket_shape = NULL,
  thickness = 2,
  bracket_color = "black",
  label = NULL,
  label_hjust = NULL,
```

```

    label_vjust = NULL,
    label_font_size = 5,
    label_font_face = "bold",
    label_color = "black",
    label_parse = FALSE
  )

```

Arguments

xmin	xmin
xmax	xmax
ymin	ymin
ymax	ymax
vertical	vertical
horizontal	horizontal
open	open
bracket_shape	bracket_shape
thickness	thickness
bracket_color	bracket_color
label	label
label_hjust	label_hjust
label_vjust	label_vjust
label_font_size	label_font_size
label_font_face	label_font_face
label_color	label_color
label_parse	label_parse

Value

a ggplot object; there will be no meaningful output from this function. Instead, this function should be used with another ggplot object

Examples

```

prep(ggplot2)
ggplot(mtcars, aes(x = cyl, y = mpg)) + geom_point() +
bracket(6.1, 6.2, 17, 22, bracket_shape = "]", label = "abc")

```

capitalize	<i>Capitalize a substring</i>
------------	-------------------------------

Description

Capitalizes the first letter (by default) or a substring of a given character string or each element of the character vector

Usage

```
capitalize(x, start = 1, end = 1)
```

Arguments

x	a character string or a character vector
start	starting position of the substring (default = 1)
end	ending position of the substring (default = 1)

Value

a character string or a character vector

Examples

```
capitalize("abc")  
capitalize(c("abc", "xyx"), start = 2, end = 3)
```

change_var_names	<i>Change variable names in a data set</i>
------------------	--

Description

Change variable names in a data set

Usage

```
change_var_names(  
  data = NULL,  
  old_var_names = NULL,  
  new_var_names = NULL,  
  skip_absent = FALSE,  
  print_summary = TRUE,  
  output_type = "dt"  
)
```

Arguments

data	a data object (a data frame or a data.table)
old_var_names	a vector of old variable names (i.e., variable names to change)
new_var_names	a vector of new variable names
skip_absent	If skip_absent = TRUE, old variable names that do not exist in the data set will be skipped (default = TRUE).
print_summary	If print_summary = TRUE, a summary of old and new variable names will be printed. (default = TRUE)
output_type	type of the output. If output_type = "dt", the function's output will be a data.table with changed names. If output_type = "summary", the function's output will be a data.table listing old and new variable names. By default, output_type = "dt".

Value

a data.table object with changed variable names

Examples

```
change_var_names(
  mtcars, old = c("mpg", "cyl"), new = c("mpg_new", "cyl_new"))
```

check_modes

Check modes of objects

Description

Check modes of objects

Usage

```
check_modes(..., mode_to_confirm = NULL)
```

Arguments

...	R objects.
mode_to_confirm	The function will test whether each input is of this mode. For example, check_modes(a, mode_to_confirm = "numeric"), the function will check whether the object a is numeric.

Examples

```
check_modes(1L, mode_to_confirm = "numeric")
check_modes(
  TRUE, FALSE, 1L, 1:3, 1.1, c(1.2, 1.3), "abc", 1 + 2i, intToBits(1L),
  mode_to_confirm = "numeric")
```

check_req_pkg	<i>Check for required packages</i>
---------------	------------------------------------

Description

Check whether required packages are installed.

Usage

```
check_req_pkg(pkg = NULL)
```

Arguments

pkg a character vector containing names of packages to check

Value

there will be no output from this function. Rather, the function will check whether the packages given as inputs are installed.

Examples

```
check_req_pkg("data.table")
check_req_pkg(c("base", "utils", "ggplot2", "data.table"))
```

chi_squared_test	<i>Chi-squared test</i>
------------------	-------------------------

Description

Conduct a chi-squared test and produce a contingency table

Usage

```
chi_squared_test(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  round_chi_sq_test_stat = 2,
  round_p = 3,
  sigfigs_proportion = 2,
  correct = TRUE,
  odds_ratio_ci = 0.95,
```

```

    round_odds_ratio_ci_limits = 2,
    invert = FALSE
  )

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable
<code>dv_name</code>	name of the dependent variable (must be a binary variable)
<code>round_chi_sq_test_stat</code>	number of decimal places to which to round the chi-squared test statistic (default = 2)
<code>round_p</code>	number of decimal places to which to round the p-value from the chi-squared test (default = 3)
<code>sigfigs_proportion</code>	number of significant digits to round to (for the table of proportions). By default <code>sigfigs_proportion = 2</code>
<code>correct</code>	logical. Should continuity correction be applied? (default = TRUE)
<code>odds_ratio_ci</code>	width of the confidence interval for the odds ratio. Input can be any value less than 1 and greater than or equal to 0. By default, <code>odds_ratio_ci = 0.95</code> . If <code>odds_ratio_ci = TRUE</code> , the default value of 0.95 will be used. If <code>odds_ratio_ci = FALSE</code> , no confidence interval will be estimated for the odds ratio.
<code>round_odds_ratio_ci_limits</code>	number of decimal places to which to round the limits of the odds ratio's confidence interval (default = 2)
<code>invert</code>	logical. Whether the inverse of the odds ratio (i.e., $1 / \text{odds ratio}$) should be returned.

Examples

```

chi_squared_test(data = mtcars, iv_name = "cyl", dv_name = "am")
# if the iv has only two levels, odds ratio will also be calculated
chi_squared_test(data = mtcars, iv_name = "vs", dv_name = "am")

```

`chi_squared_test_pairwise`

Chi-squared test, pairwise

Description

Conducts a chi-squared test for every possible pairwise comparison with Bonferroni correction

Usage

```

chi_squared_test_pairwise(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  focal_dv_value = NULL,
  contingency_table = TRUE,
  contingency_table_sigfigs = 2,
  percent_and_total = FALSE,
  percentages_only = NULL,
  counts_only = NULL,
  sigfigs = 3,
  chi_sq_test_stats = FALSE,
  correct = TRUE
)

```

Arguments

data a data object (a data frame or a data.table)

iv_name name of the independent variable (must be a categorical variable)

dv_name name of the dependent variable (must be a binary variable)

focal_dv_value focal value of the dependent variable whose frequencies will be calculated (i.e., the value of the dependent variable that will be considered a "success" or a result of interest)

contingency_table
If `contingency_table = TRUE` or if `contingency_table = "percentages"`, the percentage of each binary value within each group will be printed. If `contingency_table = "counts"`, a table of frequencies will be printed. If `contingency_table = FALSE`, no contingency table will be printed.

contingency_table_sigfigs
number of significant digits that the contingency table's percentage values should be rounded to (default = 2)

percent_and_total
logical. If `percent_and_total = TRUE`, tabulate percentages of the focal DV value and a total count of the two values in DV. By default `percent_and_total = FALSE`

percentages_only
tabulate percentages of the focal DV value only

counts_only
tabulate counts of the focal DV value only

sigfigs
number of significant digits to round to

chi_sq_test_stats
if `chi_sq_test_stats = TRUE`, chi-squared test statistic and degrees of freedom will be included in the pairwise comparison data.table.

correct
logical. Should continuity correction be applied? (default = TRUE)

Examples

```

chi_squared_test_pairwise(data = mtcars, iv_name = "vs", dv_name = "am")
chi_squared_test_pairwise(data = mtcars, iv_name = "vs", dv_name = "am",
percentages_only = TRUE)
# using 3 mtcars data sets combined
chi_squared_test_pairwise(
data = rbind(mtcars, rbind(mtcars, mtcars)),
iv_name = "cyl", dv_name = "am")
# include the total counts
chi_squared_test_pairwise(
data = rbind(mtcars, rbind(mtcars, mtcars)),
iv_name = "cyl", dv_name = "am", percent_and_total = TRUE)
# display counts
chi_squared_test_pairwise(
data = rbind(mtcars, rbind(mtcars, mtcars)),
iv_name = "cyl", dv_name = "am", contingency_table = "counts")

```

clean_data_from_qualtrics

Clean data from Qualtrics

Description

Clean a data set downloaded from Qualtrics

Usage

```

clean_data_from_qualtrics(
  data = NULL,
  remove_survey_preview_data = TRUE,
  remove_test_response_data = TRUE,
  default_cols_by_qualtrics = NULL,
  default_cols_by_qualtrics_new = NULL,
  warn_accuracy_loss = FALSE,
  click_data_cols = "rm",
  page_submit_cols = "move_to_right"
)

```

Arguments

data a data object (a data frame or a data.table)

remove_survey_preview_data
logical. Whether to remove data from survey preview (default = TRUE)

remove_test_response_data
logical. Whether to remove data from test response (default = TRUE)

`default_cols_by_qualtrics`
 names of columns that Qualtrics includes in the data set by default (e.g., "Start-Date", "Finished"). Accepting the default value `default_cols_by_qualtrics = NULL` will set the names to be those that Qualtrics uses as of Dec 25, 2020.

`default_cols_by_qualtrics_new`
 new names for columns that Qualtrics includes in the data set by default (e.g., "StartDate", "Finished"). Accepting the default value `default_cols_by_qualtrics_new = NULL` will set the names to be those that Qualtrics uses as of Dec 25, 2020 converted to `snake_case` (e.g., "start_date", "finished").

`warn_accuracy_loss`
 logical. whether to warn the user if converting character to numeric leads to loss of accuracy. (default = FALSE)

`click_data_cols`
 if `click_data_cols = "rm"`, columns containing click data (e.g., "_First Click") will be removed. If `click_data_cols = "move_to_right"`, the columns will be moved to the right (end) of the data set.

`page_submit_cols`
 if `page_submit_cols = "rm"`, columns containing page submit data (e.g., "_Page Submit"; "response time" data) will be removed. If `page_submit_cols = "move_to_right"`, the columns will be moved to the right (end) of the data set.

Value

a `data.table` object

Examples

```
clean_data_from_qualtrics(mtcars)
clean_data_from_qualtrics(mtcars, default_cols_by_qualtrics = "mpg",
  default_cols_by_qualtrics_new = "mpg2")
```

`coefficient_of_variation`

Coefficient of variation

Description

Calculates the (population or sample) coefficient of variation of a given numeric vector

Usage

```
coefficient_of_variation(vector, pop_or_sample = "pop")
```

Arguments

`vector` a numeric vector

`pop_or_sample` should coefficient of variation be calculated for a "population" or a "sample"?

Value

a numeric value

Examples

```
coefficent_of_variation(1:4, pop_or_sample = "sample")
coefficent_of_variation(1:4, pop_or_sample = "pop")
```

cohen_d	<i>Calculate Cohen's d and its confidence interval using the package 'psych'</i>
---------	--

Description

To run this function, the following package(s) must be installed: Package 'psych' v2.1.9 (or possibly a higher version) by William Revelle (2021), <https://cran.r-project.org/package=psych>

Usage

```
cohen_d(
  sample_1 = NULL,
  sample_2 = NULL,
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  ci_range = 0.95,
  output_type = "all"
)
```

Arguments

sample_1	a vector of values in the first of two samples
sample_2	a vector of values in the second of two samples
data	a data object (a data frame or a data.table)
iv_name	name of the independent variable
dv_name	name of the dependent variable
ci_range	range of the confidence interval for Cohen's d (default = 0.95)
output_type	If output_type == "all" or if output_type == "d_and_ci", the output will be a vector of Cohen's d and its confidence interval. If output_type == "d", the output will be Cohen's d. If output_type == "ci", the output will be a vector of the confidence interval around Cohen's d. By default, output_type == "all".

Examples

```
## Not run:
cohen_d(sample_1 = 1:10, sample_2 = 3:12)
cohen_d(data = mtcars, iv_name = "vs", dv_name = "mpg", ci_range = 0.99)
sample_dt <- data.table::data.table(iris)[Species != "setosa"]
cohen_d(data = sample_dt, iv_name = "Species", dv_name = "Petal.Width")

## End(Not run)
```

cohen_d_borenstein *Calculate Cohen's d as illustrated by Borenstein et al. (2009, ISBN: 978-0-470-05724-7)*

Description

Calculates Cohen's d, its standard error, and confidence interval, as illustrated in the Borenstein et al. (2009, ISBN: 978-0-470-05724-7).

Usage

```
cohen_d_borenstein(
  sample_1 = NULL,
  sample_2 = NULL,
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  direction = "2_minus_1",
  ci_range = 0.95,
  output_type = "all",
  initial_value = 0
)
```

Arguments

sample_1	a vector of values in the first of two samples
sample_2	a vector of values in the second of two samples
data	a data object (a data frame or a data.table)
iv_name	name of the independent variable
dv_name	name of the dependent variable
direction	If direction == "2_minus_1", Cohen's d will reflect the extent to which the mean of IV level 2 is greater than the mean of IV level 1. If direction == "1_minus_2", Cohen's d will reflect the extent to which the mean of IV level 1 is greater than the mean of IV level 2. By default, direction == "2_minus_1".
ci_range	range of the confidence interval for Cohen's d (default = 0.95)

output_type	If output_type == "all" or if output_type == "d_var_se_and_ci", the output will be a vector of Cohen's d and its variance, SE, and confidence interval. If output_type == "d_se_and_ci", the output will be a vector of Cohen's d and its SE and confidence interval. If output_type == "d_and_ci", the output will be a vector of Cohen's d and its confidence interval. If output_type == "d", the output will be Cohen's d. If output_type == "ci", the output will be a vector of the confidence interval around Cohen's d. If output_type == "se", the output will be the standard error of Cohen's d. By default, output_type == "all".
initial_value	initial value of the noncentrality parameter for optimization (default = 0). Adjust this value if confidence interval results look strange.

Examples

```
cohen_d_borenstein(sample_1 = 1:10, sample_2 = 3:12)
cohen_d_borenstein(
  data = mtcars, iv_name = "vs", dv_name = "mpg", ci_range = 0.99)
sample_dt <- data.table::data.table(iris)[Species != "setosa"]
cohen_d_borenstein(
  data = sample_dt, iv_name = "Species", dv_name = "Petal.Width",
  initial_value = 10)
```

cohen_d_for_one_sample

Calculate Cohen's d to accompany a one-sample t-test

Description

To run this function, the following package(s) must be installed: Package 'psych' v2.1.9 (or possibly a higher version) by William Revelle (2021), <https://cran.r-project.org/package=psych>

Usage

```
cohen_d_for_one_sample(x = NULL, mu = NULL)
```

Arguments

x	a numeric vector containing values whose mean will be calculated
mu	the true mean

Examples

```
cohen_d_for_one_sample(x = 1:10, mu = 3)
cohen_d_for_one_sample(x = c(1:10, NA, NA), mu = 3)
```

`cohen_d_from_cohen_textbook`*Cohen's d from Jacob Cohen's textbook (1988)*

Description

Calculates Cohen's d as described in Jacob Cohen's textbook (1988), Statistical Power Analysis for the Behavioral Sciences, 2nd Edition Cohen, J. (1988) [doi:10.4324/9780203771587](https://doi.org/10.4324/9780203771587)

Usage

```
cohen_d_from_cohen_textbook(  
  sample_1 = NULL,  
  sample_2 = NULL,  
  data = NULL,  
  iv_name = NULL,  
  dv_name = NULL  
)
```

Arguments

<code>sample_1</code>	a vector of values in the first of two samples
<code>sample_2</code>	a vector of values in the second of two samples
<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable
<code>dv_name</code>	name of the dependent variable

Value

the output will be a Cohen's d value (a numeric vector of length one)

Examples

```
cohen_d_from_cohen_textbook(1:10, 3:12)  
cohen_d_from_cohen_textbook(  
  data = mtcars, iv_name = "vs", dv_name = "mpg"  
)
```

cohen_d_over_n *Cohen's d as a function of sample size*

Description

Plot Cohen's d as sample size increases.

Usage

```
cohen_d_over_n(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  save_as_png = FALSE,
  png_name = NULL,
  xlab = NULL,
  ylab = NULL,
  width = 16,
  height = 9
)
```

Arguments

data	a data object (a data frame or a data.table)
iv_name	name of the independent variable (grouping variable)
dv_name	name of the dependent variable (measure variable of interest)
save_as_png	if save = TRUE, the plot will be saved as a PNG file.
png_name	name of the PNG file to be saved. By default, the name will be "cohen_d_over_n_" followed by a timestamp of the current time. The timestamp will be in the format, jan_01_2021_1300_10_000001, where "jan_01_2021" would indicate January 01, 2021; 1300 would indicate 13:00 (i.e., 1 PM); and 10_000001 would indicate 10.000001 seconds after the hour.
xlab	title of the x-axis for the histogram by group. If xlab = FALSE, the title will be removed. By default (i.e., if no input is given), dv_name will be used as the title.
ylab	title of the y-axis for the histogram by group. If ylab = FALSE, the title will be removed. By default (i.e., if no input is given), iv_name will be used as the title.
width	width of the plot to be saved. This argument will be directly entered as the width argument for the ggsave function within ggplot2 package (default = 16)
height	height of the plot to be saved. This argument will be directly entered as the height argument for the ggsave function within ggplot2 package (default = 9)

Value

the output will be a list of (1) ggplot object (histogram by group) and (2) a data.table with Cohen's d by sample size

Examples

```
## Not run:  
cohen_d_over_n(data = mtcars, iv_name = "am", dv_name = "mpg")  
  
## End(Not run)
```

cohen_d_torchiano	<i>Calculate Cohen's d and its confidence interval using the package 'effsize'</i>
-------------------	--

Description

To run this function, the following package(s) must be installed: Package 'effsize' v0.8.1 (or possibly a higher version) by Marco Torchiano (2020), <https://cran.r-project.org/package=effsize>

Usage

```
cohen_d_torchiano(  
  sample_1 = NULL,  
  sample_2 = NULL,  
  data = NULL,  
  iv_name = NULL,  
  dv_name = NULL,  
  ci_range = 0.95  
)
```

Arguments

sample_1	a vector of values in the first of two samples
sample_2	a vector of values in the second of two samples
data	a data object (a data frame or a data.table)
iv_name	name of the independent variable
dv_name	name of the dependent variable
ci_range	range of the confidence interval for Cohen's d (default = 0.95)

Examples

```
cohen_d_torchiano(1:10, 3:12)  
cohen_d_torchiano(  
  data = mtcars, iv_name = "vs", dv_name = "mpg", ci_range = 0.99)
```

cohen_d_to_r	<i>Convert Cohen's d to r</i>
--------------	-------------------------------

Description

Convert d (standardized mean difference or Cohen's d) to r (correlation), as illustrated in Borenstein et al. (2009, p. 48, ISBN: 978-0-470-05724-7)

Usage

```
cohen_d_to_r(d = NULL, n1 = NULL, n2 = NULL, d_var = NULL)
```

Arguments

d	Cohen's d (the input can be a vector of values)
n1	sample size in the first of two group (the input can be a vector of values)
n2	sample size in the second of two group (the input can be a vector of values)
d_var	(optional argument) variance of d (the input can be a vector of values). If this argument receives an input, variance of r will be returned as well.

Value

the output will be a vector of correlation values (and variances of r if the argument d_var received an input)

Examples

```
## Not run:
cohen_d_to_r(1)
cohen_d_to_r(d = 1:3)
cohen_d_to_r(d = 1:3, n1 = c(100, 200, 300), n2 = c(50, 250, 900))
cohen_d_to_r(1.1547)
cohen_d_to_r(d = 1.1547, d_var = .0550)
cohen_d_to_r(d = 1:2, d_var = 1:2)

## End(Not run)
```

combine_data_across_cols	<i>Combine data across columns</i>
--------------------------	------------------------------------

Description

Combine data across columns. If NA is the only value across all focal columns for given row(s), NA will be returned for those row(s).

Usage

```
combine_data_across_cols(data = NULL, cols = NULL)
```

Arguments

`data` a data object (a data frame or a data.table)
`cols` a character vector containing names of columns, across which to combine data

Value

the output will be a numeric or character vector.

Examples

```
dt <- data.frame(v1 = c(1, NA), v2 = c(NA, 2))
dt
combine_data_across_cols(data = dt, cols = c("v1", "v2"))
dt <- data.frame(v1 = c(1, 2, NA), v2 = c(NA, 4, 3))
dt
combine_data_across_cols(data = dt, cols = c("v1", "v2"))
dt <- data.frame(v1 = c(1, NA, NA), v2 = c(NA, 2, NA))
dt
combine_data_across_cols(data = dt, cols = c("v1", "v2"))
```

comma_sep_string_to_numbers

Convert a comma-separated string of numbers

Description

Convert a comma-separated string of numbers

Usage

```
comma_sep_string_to_numbers(string)
```

Arguments

`string` a character string consisting of numbers separated by commas

Value

a character string

Examples

```
comma_sep_string_to_numbers("1, 2, 3,4, 5 6")
```

compare_datasets	<i>Compare data sets</i>
------------------	--------------------------

Description

Compares whether or not data sets are identical

Usage

```
compare_datasets(dataset_1 = NULL, dataset_2 = NULL, dataset_list = NULL)
```

Arguments

dataset_1 a data object (a data frame or a data.table)
dataset_2 another data object (a data frame or a data.table)
dataset_list list of data objects (data.frame or data.table)

Value

the output will be a data.table showing differences in data sets

Examples

```
# catch differences in class attributes of the data sets
compare_datasets(
  dataset_1 = data.frame(a = 1:2, b = 3:4),
  dataset_2 = data.table::data.table(a = 1:2, b = 3:4))
# catch differences in number of columns
compare_datasets(
  dataset_1 = data.frame(a = 1:2, b = 3:4, c = 5:6),
  dataset_2 = data.frame(a = 1:2, b = 3:4))
# catch differences in number of rows
compare_datasets(
  dataset_1 = data.frame(a = 1:2, b = 3:4),
  dataset_2 = data.frame(a = 1:10, b = 11:20))
# catch differences in column names
compare_datasets(
  dataset_1 = data.frame(A = 1:2, B = 3:4),
  dataset_2 = data.frame(a = 1:2, b = 3:4))
# catch differences in values within corresponding columns
compare_datasets(
  dataset_1 = data.frame(a = 1:2, b = c(3, 400)),
  dataset_2 = data.frame(a = 1:2, b = 3:4))
compare_datasets(
  dataset_1 = data.frame(a = 1:2, b = 3:4, c = 5:6),
  dataset_2 = data.frame(a = 1:2, b = c(3, 4), c = c(5, 6)))
# check if data sets in a list are identical
compare_datasets(
  dataset_list = list(
```



```
dt1 = data.frame(a = 1:2, b = 3:4, c = 5:6),
dt2 = data.frame(a = 1:2, b = 3:4),
dt3 = data.frame(a = 1:2, b = 3:4, c = 5:6)))
```

compare_dependent_rs *Compare dependent correlations*

Description

Compares whether two dependent correlations from the same sample are significantly different each other.

Usage

```
compare_dependent_rs(
  data = NULL,
  var_1_name = NULL,
  var_2_name = NULL,
  var_3_name = NULL,
  one_tailed = FALSE,
  round_r = 3,
  round_p = 3,
  round_t = 2,
  print_summary = TRUE,
  return_dt = FALSE
)
```

Arguments

data	a data object (a data frame or a data.table)
var_1_name	name of the variable whose correlations with two other variables will be compared.
var_2_name	name of the first of the two variables whose correlations with var_1_name will be compared.
var_3_name	name of the second of the two variables whose correlations with var_1_name will be compared.
one_tailed	logical. Should the p value based on a one-tailed t-test? (default = FALSE)
round_r	number of decimal places to which to round correlation coefficients (default = 2)
round_p	number of decimal places to which to round p-values (default = 3)
round_t	number of decimal places to which to round the t-statistic (default = 2)
print_summary	logical. Should the summary be printed? (default = TRUE)
return_dt	logical. Should the function return a summary table as an output, as opposed to returning the output through the "invisible" function? (default = FALSE)

Details

Suppose that Variables A, B, and C are measured from a group of subjects. This function tests whether A is related to B differently than to C. Put differently, this function tests $H_0: r(A, B) = r(A, C)$

For more information on formulas used in this function, please refer to Steiger (1980) [doi:10.1037/00332909.87.2.245](https://doi.org/10.1037/00332909.87.2.245) and Chen & Popovich (2002) [doi:10.4135/9781412983808](https://doi.org/10.4135/9781412983808)

Value

the output will be a summary of the test comparing two dependent correlations

Examples

```
compare_dependent_rs(
  data = mtcars, var_1_name = "mpg", var_2_name = "hp", var_3_name = "wt")
```

compare_effect_sizes *Compare effect sizes*

Description

Compares effect sizes See p. 156 of Borenstein et al. (2009, ISBN: 978-0-470-05724-7).

Usage

```
compare_effect_sizes(
  effect_sizes = NULL,
  effect_size_variances = NULL,
  round_stats = TRUE,
  round_p = 3,
  round_se = 2,
  round_z = 2,
  pretty_round_p_value = TRUE
)
```

Arguments

`effect_sizes` a vector of estimated effect sizes
`effect_size_variances` a vector of variances of the effect sizes
`round_stats` logical. Should the statistics be rounded? (default = TRUE)
`round_p` number of decimal places to which to round p-values (default = 3)
`round_se` number of decimal places to which to round the standard errors of the difference (default = 2)
`round_z` number of decimal places to which to round the z-statistic (default = 2)
`pretty_round_p_value` logical. Should the p-values be rounded in a pretty format (i.e., lower threshold: "<.001"). By default, `pretty_round_p_value = TRUE`.

Examples

```
compare_effect_sizes(  
  effect_sizes = c(0.6111, 0.3241, 0.5),  
  effect_size_variances = c(.0029, 0.0033, 0.01))
```

compare_groups	<i>Compare groups</i>
----------------	-----------------------

Description

Compares groups by (1) creating histogram by group; (2) summarizing descriptive statistics by group; and (3) conducting pairwise comparisons (t-tests and Mann-Whitney tests).

Usage

```
compare_groups(  
  data = NULL,  
  iv_name = NULL,  
  dv_name = NULL,  
  sigfigs = 3,  
  stats = "basic",  
  cohen_d = TRUE,  
  cohen_d_w_ci = TRUE,  
  adjust_p = "holm",  
  bonferroni = NULL,  
  mann_whitney = TRUE,  
  t_test_stats = TRUE,  
  t_test_df_decimals = 1,  
  round_p = 3,  
  save_as_png = FALSE,  
  png_name = NULL,  
  xlab = NULL,  
  ylab = NULL,  
  x_limits = NULL,  
  x_breaks = NULL,  
  x_labels = NULL,  
  width = 5000,  
  height = 3600,  
  units = "px",  
  res = 300,  
  layout_matrix = NULL,  
  col_names_nicer = TRUE,  
  convert_dv_to_numeric = TRUE  
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable (grouping variable)
<code>dv_name</code>	name of the dependent variable (measure variable of interest)
<code>sigfigs</code>	number of significant digits to round to
<code>stats</code>	statistics to calculate for each group. If <code>stats = "basic"</code> , group size, mean, standard deviation, median, minimum, and maximum will be calculated. If <code>stats = "all"</code> , in addition to the aforementioned statistics, standard error, 95% confidence and prediction intervals, skewness, and kurtosis will also be calculated. The <code>stats</code> argument can also be a character vector with types of statistics to calculate. For example, entering <code>stats = c("mean", "median")</code> will calculate mean and median. By default, <code>stats = "basic"</code>
<code>cohen_d</code>	if <code>cohen_d = TRUE</code> , Cohen's d statistics will be included in the pairwise comparison data.table.
<code>cohen_d_w_ci</code>	if <code>cohen_d_w_ci = TRUE</code> , Cohen's d with 95% CI will be included in the output data.table.
<code>adjust_p</code>	the name of the method to use to adjust p-values. If <code>adjust_p = "holm"</code> , the Holm method will be used; if <code>adjust_p = "bonferroni"</code> , the Bonferroni method will be used. By default, <code>adjust_p = "holm"</code>
<code>bonferroni</code>	The use of this argument is deprecated. Use the 'adjust_p' argument instead. If <code>bonferroni = TRUE</code> , Bonferroni tests will be conducted for t-tests or Mann-Whitney tests.
<code>mann_whitney</code>	if <code>TRUE</code> , Mann-Whitney test results will be included in the pairwise comparison data.table. If <code>FALSE</code> , Mann-Whitney tests will not be performed.
<code>t_test_stats</code>	if <code>t_test_stats = FALSE</code> , t-test statistic and degrees of freedom will be excluded in the pairwise comparison data.table.
<code>t_test_df_decimals</code>	number of decimals for the degrees of freedom in t-tests (default = 1)
<code>round_p</code>	number of decimal places to which to round p-values (default = 3)
<code>save_as_png</code>	if <code>save = "all"</code> or if <code>save = TRUE</code> , the histogram by group, descriptive statistics by group, and pairwise comparison results will be saved as a PNG file.
<code>png_name</code>	name of the PNG file to be saved. By default, the name will be "compare_groups_results_" followed by a timestamp of the current time. The timestamp will be in the format, <code>jan_01_2021_1300_10_000001</code> , where "jan_01_2021" would indicate January 01, 2021; 1300 would indicate 13:00 (i.e., 1 PM); and 10_000001 would indicate 10.000001 seconds after the hour.
<code>xlab</code>	title of the x-axis for the histogram by group. If <code>xlab = FALSE</code> , the title will be removed. By default (i.e., if no input is given), <code>dv_name</code> will be used as the title.
<code>ylab</code>	title of the y-axis for the histogram by group. If <code>ylab = FALSE</code> , the title will be removed. By default (i.e., if no input is given), <code>iv_name</code> will be used as the title.
<code>x_limits</code>	a numeric vector with values of the endpoints of the x axis.
<code>x_breaks</code>	a numeric vector indicating the points at which to place tick marks on the x axis.

x_labels	a vector containing labels for the place tick marks on the x axis.
width	width of the PNG file (default = 4000)
height	height of the PNG file (default = 3000)
units	the units for the width and height arguments. Can be "px" (pixels), "in" (inches), "cm", or "mm". By default, units = "px".
res	The nominal resolution in ppi which will be recorded in the png file, if a positive integer. Used for units other than the default. If not specified, taken as 300 ppi to set the size of text and line widths.
layout_matrix	The layout argument for arranging plots and tables using the grid.arrange function.
col_names_nicer	if col_names_nicer = TRUE, column names will be converted from snake_case to an easier-to-eye format.
convert_dv_to_numeric	logical. Should the values in the dependent variable be converted to numeric for plotting the histograms? (default = TRUE)
holm	if holm = TRUE, the relevant p values will be adjusted using Holm method (also known as the Holm-Bonferroni or Bonferroni-Holm method)

Value

the output will be a list of (1) ggplot object (histogram by group) (2) a data.table with descriptive statistics by group; and (3) a data.table with pairwise comparison results. If save_as_png = TRUE, the plot and tables will be also saved on local drive as a PNG file.

Examples

```
## Not run:
compare_groups(data = iris, iv_name = "Species", dv_name = "Sepal.Length")
compare_groups(data = iris, iv_name = "Species", dv_name = "Sepal.Length",
x_breaks = 4:8)

## End(Not run)
```

compare_independent_rs

Compare independent correlations

Description

Compares whether two correlations from two independent samples are significantly different each other. See Field et al. (2012, ISBN: 978-1-4462-0045-2).

Usage

```
compare_independent_rs(
  r1 = NULL,
  n1 = NULL,
  r2 = NULL,
  n2 = NULL,
  one_tailed = FALSE,
  round_p = 3,
  round_z_diff = 2,
  round_r = 2,
  print_summary = TRUE,
  output_type = NULL
)
```

Arguments

<code>r1</code>	correlation in the first sample
<code>n1</code>	size of the first sample
<code>r2</code>	correlation in the second sample
<code>n2</code>	size of the first sample
<code>one_tailed</code>	logical. Should the p value based on a one-tailed t-test? (default = FALSE)
<code>round_p</code>	(only for displaying purposes) number of decimal places to which to round the p-value (default = 3)
<code>round_z_diff</code>	(only for displaying purposes) number of decimal places to which to round the z-score (default = 2)
<code>round_r</code>	(only for displaying purposes) number of decimal places to which to round correlation coefficients (default = 2)
<code>print_summary</code>	logical. Should the summary be printed? (default = TRUE)
<code>output_type</code>	type of the output. If <code>output_type = "z"</code> , the function's output will be the z-score of the difference between the two correlations. If <code>output_type = "p"</code> , the function's output will be the p-value associated with the z-score of the difference between the two correlations. By default, <code>output_type = NULL</code> , and the function will not return any value other than the printed summary.

Value

the output will be the results of a test comparing two independent correlations.

Examples

```
compare_independent_rs(r1 = .1, n1 = 100, r2 = .2, n2 = 200)
compare_independent_rs(
  r1 = .1, n1 = 100, r2 = .2, n2 = 200, one_tailed = TRUE)
compare_independent_rs(r1 = .506, n1 = 52, r2 = .381, n2 = 51)
```

contingency_table	<i>Contingency table</i>
-------------------	--------------------------

Description

Create a contingency table that takes two variables as inputs

Usage

```
contingency_table(  
  data = NULL,  
  row_var_name = NULL,  
  col_var_name = NULL,  
  row = NULL,  
  col = NULL,  
  output_type = "table"  
)
```

Arguments

data	a data object (a data frame or a data.table)
row_var_name	name of the variable whose values will fill the rows of the contingency table
col_var_name	name of the variable whose values will fill the columns of the contingency table
row	a vector whose values will fill the rows of the contingency table
col	a vector whose values will fill the columns of the contingency table
output_type	If output_type == "dt" the output will be a contingency table as a data.table object. If output_type == "table" the output will be a contingency table as a table object. If output_type == "df" the output will be a contingency table as a data.frame object. By default, output_type == "table".

Examples

```
contingency_table(  
  data = mtcars,  
  row_var_name = "am",  
  col_var_name = "cyl")  
contingency_table(row = mtcars$cyl, col = mtcars$am)  
contingency_table(mtcars, "am", "cyl", output_type = "dt")
```

`convert_cols_to_numeric`*Convert columns to numeric*

Description

Check whether each column in a `data.table` can be converted to numeric, and if so, convert every such column.

Usage

```
convert_cols_to_numeric(  
  data = NULL,  
  classes = "character",  
  warn_accuracy_loss = TRUE,  
  print_summary = TRUE,  
  silent = FALSE  
)
```

Arguments

<code>data</code>	a data object (a data frame or a <code>data.table</code>)
<code>classes</code>	a character vector specifying classes of columns that will be converted. For example, if <code>classes = "character"</code> , all columns of the class "character" will be converted—if they can be converted. The current version of the function only supports converting character columns to numeric.
<code>warn_accuracy_loss</code>	logical. whether to warn the user if converting character to numeric leads to loss of accuracy. (default = TRUE)
<code>print_summary</code>	If <code>print_summary = TRUE</code> , a summary of converted columns will be printed. (default = TRUE)
<code>silent</code>	If <code>silent = FALSE</code> , a message regarding conversion for a <code>data.frame</code> will be printed. If <code>silent = TRUE</code> , this message will be suppressed. By default, <code>silent = FALSE</code> .

Examples

```
data_frame_1 <- data.frame(a = c("1", "2"), b = c("1", "b"), c = 1:2)  
convert_cols_to_numeric(data = data_frame_1)  
data_table_1 <- data.table::data.table(  
  a = c("1", "2"), b = c("1", "b"), c = 1:2)  
convert_cols_to_numeric(data = data_table_1)
```

`convert_to_excel_formula`*Convert character to Excel formula*

Description

Convert elements of a character vector to Excel formulas to preserve the character (string) format when opened in an Excel file.

Usage

```
convert_to_excel_formula(vector = NULL)
```

Arguments

`vector` a character vector

Value

the output will be a character vector formatted as an Excel formula. For example, if an element in the input vector was ".500", this element will be converted to "=.500", which will show up as ".500" in Excel, rather than as "0.5"

Examples

```
## Not run:
# compare the two csv files below
# example 1
dt <- data.table::data.table(a = ".500")
data.table::fwrite(dt, "example1.csv") # the csv will show "0.5"
# example 2
dt <- data.table::data.table(a = convert_to_excel_formula(".500"))
data.table::fwrite(dt, "example2.csv") # the csv will show ".500"

## End(Not run)
```

`correlation_kim`*Estimate the correlation between two variables*

Description

Estimate the correlation between two variables

Usage

```
correlation_kim(  
  x = NULL,  
  y = NULL,  
  data = NULL,  
  x_var_name = NULL,  
  y_var_name = NULL,  
  ci_range = 0.95,  
  round_r = 2,  
  round_p = 3,  
  output_type = "summary"  
)
```

Arguments

x	a numeric vector of data values
y	a numeric vector of data values
data	(optional) a data object (a data frame or a data.table)
x_var_name	(optional) name of the first variable (if using a data set as an input)
y_var_name	(optional) name of the second variable (if using a data set as an input)
ci_range	range of the confidence interval for the correlation coefficient. If ci_range = FALSE, no confidence interval will be estimated. By default, ci_range = 0.95.
round_r	number of decimal places to which to round correlation coefficients (default = 2)
round_p	number of decimal places to which to round p-values (default = 3)
output_type	type of the output. If output_type = "dt", the function's output will be a data.table with the results from the correlation analysis. If output_type = "summary", the function's output will be a statement (a string) summarizing the results from the correlation analysis. By default, output_type = "summary"

Examples

```
## Not run:  
correlation_kim(x = 1:4, y = c(1, 3, 2, 4))  
correlation_kim(x = 1:4, y = c(1, 3, 2, 4), ci_range = FALSE)  
# output as a data table  
correlation_kim(x = 1:4, y = c(1, 3, 2, 4), output_type = "dt")  
  
## End(Not run)
```

correlation_matrix	<i>correlation matrix</i>
--------------------	---------------------------

Description

Creates a correlation matrix

Usage

```
correlation_matrix(  
  data = NULL,  
  var_names = NULL,  
  row_var_names = NULL,  
  col_var_names = NULL,  
  round_r = 2,  
  round_p = 3,  
  output_type = "r"  
)
```

Arguments

data	a data object (a data frame or a data.table)
var_names	names of the variables for which to calculate all pairwise correlations
row_var_names	names of the variables that will go on the rows of the correlation matrix
col_var_names	names of the variables that will go on the columns of the correlation matrix
round_r	number of decimal places to which to round correlation coefficients (default = 2)
round_p	number of decimal places to which to round p-values (default = 3)
output_type	which value should be filled in cells of the correlation matrix? If output_type = "r", correlation coefficients; if output_type = "p", p-values; if output_type = "rp", correlation coefficients with significance symbols based on p-values; if output_type = "n", sizes of the samples used to calculate the correlation coefficients

Value

the output will be a correlation matrix in a data.table format

Examples

```
correlation_matrix(data = mtcars, var_names = c("mpg", "cyl", "wt"))  
correlation_matrix(data = mtcars,  
  row_var_names = c("mpg", "cyl", "hp"), col_var_names = c("wt", "am"))
```

cum_percent_plot	<i>Cumulative percentage plot</i>
------------------	-----------------------------------

Description

Plots or tabulates cumulative percentages associated with elements in a vector

Usage

```
cum_percent_plot(vector, output_type = "plot")
```

Arguments

vector	a numeric vector
output_type	if output_type = "plot", return a cumulative percentage plot; if output_type = "dt", return a data.table with cumulative percentages. By default, output_type = "plot"

Examples

```
cum_percent_plot(c(1:100, NA, NA))
cum_percent_plot(mtcars$mpg)
cum_percent_plot(vector= mtcars$mpg, output_type = "dt")
```

desc_stats	<i>Descriptive statistics</i>
------------	-------------------------------

Description

Returns descriptive statistics for a numeric vector.

Usage

```
desc_stats(
  vector = NULL,
  output_type = "vector",
  sigfigs = 3,
  se_of_mean = FALSE,
  ci = FALSE,
  pi = FALSE,
  skewness = FALSE,
  kurtosis = FALSE,
  notify_na_count = NULL,
  print_dt = FALSE
)
```

Arguments

vector	a numeric vector
output_type	if output_type = "vector", return a vector of descriptive statistics; if output_type = "dt", return a data.table of descriptive statistics (default = "vector")
sigfigs	number of significant digits to round to (default = 3)
se_of_mean	logical. Should the standard errors around the mean be included in the descriptive stats? (default = FALSE)
ci	logical. Should 95% CI be included in the descriptive stats? (default = FALSE)
pi	logical. Should 95% PI be included in the descriptive stats? (default = FALSE)
skewness	logical. Should the skewness statistic be included in the descriptive stats? (default = FALSE)
kurtosis	logical. Should the kurtosis statistic be included in the descriptive stats? (default = FALSE)
notify_na_count	if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.
print_dt	if TRUE, print the descriptive stats data.table

Value

if output_type = "vector", the output will be a named numeric vector of descriptive statistics; if output_type = "dt", the output will be data.table of descriptive statistics.

Examples

```
desc_stats(1:100)
desc_stats(1:100, ci = TRUE, pi = TRUE, sigfigs = 2)
desc_stats(1:100, se_of_mean = TRUE,
ci = TRUE, pi = TRUE, sigfigs = 2,
skewness = TRUE, kurtosis = TRUE)
desc_stats(c(1:100, NA))
example_dt <- desc_stats(vector = c(1:100, NA), output_type = "dt")
example_dt
```

desc_stats_by_group *Descriptive statistics by group*

Description

Returns descriptive statistics by group

Usage

```
desc_stats_by_group(
  data = NULL,
  var_for_stats = NULL,
  grouping_vars = NULL,
  stats = "all",
  sigfigs = NULL,
  cols_to_round = NULL
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>var_for_stats</code>	name of the variable for which descriptive statistics will be calculated
<code>grouping_vars</code>	name(s) of grouping variables
<code>stats</code>	statistics to calculate. If <code>stats = "basic"</code> , group size, mean, standard deviation, median, minimum, and maximum will be calculated. If <code>stats = "all"</code> , in addition to the aforementioned statistics, standard error, 95% confidence and prediction intervals, skewness, and kurtosis will also be calculated. The <code>stats</code> argument can also be a character vector with types of statistics to calculate. For example, entering <code>stats = c("mean", "median")</code> will calculate mean and median. By default, <code>stats = "all"</code>
<code>sigfigs</code>	number of significant digits to round to
<code>cols_to_round</code>	names of columns whose values will be rounded

Value

the output will be a data.table showing descriptive statistics of the variable for each of the groups formed by the grouping variables.

Examples

```
desc_stats_by_group(data = mtcars, var_for_stats = "mpg",
  grouping_vars = c("vs", "am"))
desc_stats_by_group(data = mtcars, var_for_stats = "mpg",
  grouping_vars = c("vs", "am"), sigfigs = 3)
desc_stats_by_group(data = mtcars, var_for_stats = "mpg",
  grouping_vars = c("vs", "am"), stats = "basic", sigfigs = 2)
desc_stats_by_group(data = mtcars, var_for_stats = "mpg",
  grouping_vars = c("vs", "am"), stats = "basic", sigfigs = 2,
  cols_to_round = "all")
desc_stats_by_group(data = mtcars, var_for_stats = "mpg",
  grouping_vars = c("vs", "am"), stats = c("mean", "median"), sigfigs = 2,
  cols_to_round = "all")
```

`detach_user_installed_pkgs`*Detach all user-installed packages*

Description

Detach all user-installed packages

Usage

```
detach_user_installed_pkgs(exceptions = NULL, force = FALSE, keep_kim = TRUE)
```

Arguments

<code>exceptions</code>	a character vector of names of packages to keep attached
<code>force</code>	logical. Should a package be detached even though other attached packages depend on it? By default, <code>force = FALSE</code>
<code>keep_kim</code>	logical. If <code>keep_kim = FALSE</code> , Package 'kim' will be detached along with all other user-installed packages. If <code>keep_kim = TRUE</code> , Package 'kim' will not be detached. By default, <code>keep_kim = FALSE</code>

Examples

```
## Not run:  
detach_user_installed_pkgs()  
  
## End(Not run)
```

`duplicated_values`*Duplicated values in a vector*

Description

Return all duplicated values in a vector. This function is a copy of the earlier function, `find_duplicates`, in Package 'kim'

Usage

```
duplicated_values(vector = NULL, na.rm = TRUE, sigfigs = 2, output = "summary")
```

Arguments

vector	a vector whose elements will be checked for duplicates
na.rm	logical. If na.rm = TRUE, NA values in the vector will be removed before searching for duplicates. If na.rm = FALSE, NA values will be included in the search as potentially duplicated values. By default, na.rm = TRUE.
sigfigs	number of significant digits to round to in the percent column of the summary (default = 2)
output	type of output. If output = "summary", the function's output will be a data.table summarizing duplicated values and their counts. If output = "duplicated_values", the function's output will be a vector of duplicated values. If output = "non_duplicated_values", the function's output will be a vector of non-duplicated values (default = "summary")

Value

the output will be a data.table object (summary), a vector of duplicated values, or a vector non-duplicated values.

Examples

```
duplicated_values(mtcars$cyl)
duplicated_values(mtcars$cyl, output = "duplicated_values")
duplicated_values(vector = c(mtcars$cyl, 11:20, NA, NA))
duplicated_values(vector = c(mtcars$cyl, 11:20, NA, NA), na.rm = FALSE)
duplicated_values(vector = c(mtcars$cyl, 11:20, NA, NA),
na.rm = FALSE, sigfigs = 4, output = "duplicated_values")
```

excel_formula_convert *Excel formula, convert (to)*

Description

Alias for the 'convert_to_excel_formula' function. Convert elements of a character vector to Excel formulas to preserve the character (string) format when opened in an Excel file.

Usage

```
excel_formula_convert(vector = NULL)
```

Arguments

vector	a character vector
--------	--------------------

Value

the output will be a character vector formatted as an Excel formula. For example, if an element in the input vector was ".500", this element will be converted to=".500", which will show up as ".500" in Excel, rather than as "0.5"

Examples

```
## Not run:
# compare the two csv files below
# example 1
dt <- data.table::data.table(a = ".500")
data.table::fwrite(dt, "example1.csv") # the csv will show "0.5"
# example 2
dt <- data.table::data.table(a = excel_formula_convert(".500"))
data.table::fwrite(dt, "example2.csv") # the csv will show ".500"

## End(Not run)
```

exit_from_parent_function

Exit from a Parent Function

Description

Exit from a Parent Function

Usage

```
exit_from_parent_function(
  n = 1,
  silent = FALSE,
  message = "Exiting from a parent function"
)
```

Arguments

n	the number of generations to go back (default = 1)
silent	logical. If silent = TRUE, a message will be printed.
message	message to print

Examples

```
fn1 <- function() {
  print(1)
  print(2)
}
fn1()
fn2 <- function() {
  print(1)
  exit_from_parent_function()
  print(2)
}
fn2()
```

find_duplicates	<i>Find duplicated values in a vector</i>
-----------------	---

Description

Find duplicated values in a vector

Usage

```
find_duplicates(vector = NULL, na.rm = TRUE, sigfigs = 2, output = "summary")
```

Arguments

vector	a vector whose elements will be checked for duplicates
na.rm	logical. If na.rm = TRUE, NA values in the vector will be removed before searching for duplicates. If na.rm = FALSE, NA values will be included in the search as potentially duplicated values. By default, na.rm = TRUE.
sigfigs	number of significant digits to round to in the percent column of the summary (default = 2)
output	type of output. If output = "summary", the function's output will be a data.table summarizing duplicated values and their counts. If output = "duplicated_values", the function's output will be a vector of duplicated values. If output = "non_duplicated_values", the function's output will be a vector of non-duplicated values (default = "summary")

Value

the output will be a data.table object (summary), a vector of duplicated values, or a vector non-duplicated values.

Examples

```
find_duplicates(mtcars$cyl)
find_duplicates(mtcars$cyl, output = "duplicated_values")
find_duplicates(vector = c(mtcars$cyl, 11:20, NA, NA))
find_duplicates(vector = c(mtcars$cyl, 11:20, NA, NA), na.rm = FALSE)
find_duplicates(vector = c(mtcars$cyl, 11:20, NA, NA),
na.rm = FALSE, sigfigs = 4, output = "duplicated_values")
```

fisher_z_transform *Fisher's Z transformation*

Description

Perform Fisher's r-to-Z transformation for given correlation coefficient(s).

Usage

```
fisher_z_transform(r = NULL)
```

Arguments

r a (vector of) correlation coefficient(s)

Value

the output will be a vector of Z values which were transformed from the given r values.

Examples

```
fisher_z_transform(0.99)
fisher_z_transform(r = seq(0.1, 0.5, 0.1))
```

floodlight_2_by_continuous
Floodlight 2 by Continuous

Description

Conduct a floodlight analysis for 2 x Continuous design.

Usage

```
floodlight_2_by_continuous(  
  data = NULL,  
  iv_name = NULL,  
  dv_name = NULL,  
  mod_name = NULL,  
  covariate_name = NULL,  
  interaction_p_include = TRUE,  
  iv_level_order = NULL,  
  output = "reg_lines_plot",  
  jitter_x_percent = 0,  
  jitter_y_percent = 0,  
  dot_alpha = 0.5,
```

```

dot_size = 4,
interaction_p_value_font_size = 8,
jn_point_label_add = TRUE,
jn_point_font_size = 8,
jn_point_label_hjust = NULL,
lines_at_mod_extremes = FALSE,
interaction_p_vjust = -3,
plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt"),
legend_position = "right",
reg_line_types = c("solid", "dashed"),
jn_line_types = c("solid", "solid"),
jn_line_thickness = 1.5,
colors_for_iv = c("red", "blue"),
sig_region_color = "green",
sig_region_alpha = 0.08,
nonsig_region_color = "gray",
nonsig_region_alpha = 0.08,
x_axis_title = NULL,
y_axis_title = NULL,
legend_title = NULL,
round_decimals_int_p_value = 3,
line_of_fit_thickness = 1,
round_jn_point_labels = 2
)

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the binary independent variable
<code>dv_name</code>	name of the dependent variable
<code>mod_name</code>	name of the continuous moderator variable
<code>covariate_name</code>	name of the variables to control for
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?
<code>iv_level_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .
<code>output</code>	type of output (default = "reg_lines_plot"). Possible inputs: "interactions_pkg_results", "simple_effects_plot", "jn_points", "regions", "reg_lines_plot"
<code>jitter_x_percent</code>	horizontally jitter dots by a percentage of the range of x values
<code>jitter_y_percent</code>	vertically jitter dots by a percentage of the range of y values
<code>dot_alpha</code>	opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, <code>dot_alpha = 0.5</code>
<code>dot_size</code>	size of the dots (default = 4)

<code>interaction_p_value_font_size</code>	font size for the interaction p value (default = 8)
<code>jn_point_label_add</code>	logical. Should the labels for Johnson-Neyman point labels be added to the plot? (default = TRUE)
<code>jn_point_font_size</code>	font size for Johnson-Neyman point labels (default = 8)
<code>jn_point_label_hjust</code>	a vector of hjust values for Johnson-Neyman point labels. By default, the hjust value will be 0.5 for all the points.
<code>lines_at_mod_extremes</code>	logical. Should vertical lines be drawn at the observed extreme values of the moderator if those values lie in significant region(s)? (default = FALSE)
<code>interaction_p_vjust</code>	By how much should the label for the interaction p-value be adjusted vertically? By default, <code>interaction_p_vjust = -3</code>
<code>plot_margin</code>	margin for the plot By default <code>plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt")</code>
<code>legend_position</code>	position of the legend (default = "right"). If <code>legend_position = "none"</code> , the legend will be removed.
<code>reg_line_types</code>	types of the regression lines for the two levels of the independent variable. By default, <code>reg_line_types = c("solid", "dashed")</code>
<code>jn_line_types</code>	types of the lines for Johnson-Neyman points. By default, <code>jn_line_types = c("solid", "solid")</code>
<code>jn_line_thickness</code>	thickness of the lines at Johnson-Neyman points (default = 1.5)
<code>colors_for_iv</code>	colors for the two values of the independent variable (default = <code>c("red", "blue")</code>)
<code>sig_region_color</code>	color of the significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is statistically significant.
<code>sig_region_alpha</code>	opacity for <code>sig_region_color</code> . (0 = completely transparent, 1 = completely opaque). By default, <code>sig_region_alpha = 0.08</code>
<code>nonsig_region_color</code>	color of the non-significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is not statistically significant.
<code>nonsig_region_alpha</code>	opacity for <code>nonsig_region_color</code> . (0 = completely transparent, 1 = completely opaque). By default, <code>nonsig_region_alpha = 0.08</code>
<code>x_axis_title</code>	title of the x axis. By default, it will be set as input for <code>mod_name</code> . If <code>x_axis_title = FALSE</code> , it will be removed.

`y_axis_title` title of the y axis. By default, it will be set as input for `dv_name`. If `y_axis_title = FALSE`, it will be removed.

`legend_title` title of the legend. By default, it will be set as input for `iv_name`. If `legend_title = FALSE`, it will be removed.

`round_decimals_int_p_value`
To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)

`line_of_fit_thickness`
thickness of the lines of fit (default = 1)

`round_jn_point_labels`
To how many digits after the decimal point should the jn point labels be rounded? (default = 2)

Details

The following package(s) must be installed prior to running this function: Package 'interactions' v1.1.1 (or possibly a higher version) by Jacob A. Long (2020), <https://cran.r-project.org/package=interactions> See the following references: Spiller et al. (2013) [doi:10.1509/jmr.12.0420](https://doi.org/10.1509/jmr.12.0420) Kim (2021) [doi:10.5281/zenodo.4445388](https://doi.org/10.5281/zenodo.4445388)

Examples

```
# typical example
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec")
# add covariates
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  covariate_name = c("cyl", "hp"))
# adjust the jn point label positions
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  jn_point_label_hjust = c(1, 0))
# return regions of significance and nonsignificance
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  output = "regions")
# draw lines at the extreme values of the moderator
```

```
# if they are included in the significant region
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  lines_at_mod_extremes = TRUE)

# remove the labels for jn points
floodlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  jn_point_label_add = FALSE)
```

floodlight_2_by_continuous_logistic

Floodlight 2 by Continuous for a Logistic Regression

Description

Conduct a floodlight analysis for a logistic regression with a 2 x Continuous design involving a binary dependent variable.

Usage

```
floodlight_2_by_continuous_logistic(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  mod_name = NULL,
  interaction_p_include = TRUE,
  iv_level_order = NULL,
  dv_level_order = NULL,
  jn_points_disregard_threshold = NULL,
  output = "reg_lines_plot",
  num_of_spotlights = 20,
  jitter_x_percent = 0,
  jitter_y_percent = 5,
  dot_alpha = 0.3,
  dot_size = 6,
  interaction_p_value_font_size = 8,
  jn_point_font_size = 8,
  jn_point_label_hjust = NULL,
  interaction_p_vjust = -3,
  plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt"),
  legend_position = "right",
```

```

line_types_for_pred_values = c("solid", "dashed"),
line_thickness_for_pred_values = 2.5,
jn_line_types = c("solid", "solid"),
jn_line_thickness = 1.5,
sig_region_color = "green",
sig_region_alpha = 0.08,
nonsig_region_color = "gray",
nonsig_region_alpha = 0.08,
x_axis_title = NULL,
y_axis_title = NULL,
legend_title = NULL,
round_decimals_int_p_value = 3,
round_jn_point_labels = 2
)

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the binary independent variable
<code>dv_name</code>	name of the binary dependent variable
<code>mod_name</code>	name of the continuous moderator variable
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?
<code>iv_level_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .
<code>dv_level_order</code>	order of levels in the dependent variable. By default, it will be set as levels of the dependent variable ordered using R's base function <code>sort</code> .
<code>jn_points_disregard_threshold</code>	the Minimum Distance in the unit of the moderator variable that will be used for various purposes, such as (1) to disregard the second Johnson-Neyman point that is different from the first Johnson-Neyman (JN) point by less than the Minimum Distance; (2) to determine regions of significance, which will calculate the p-value of the IV's effect (the focal dummy variable's effect) on DV at a candidate JN point +/- the Minimum Distance. This input is hard to explain, but a user can enter a really low value for this argument (e.g., <code>jn_points_disregard_threshold = 0.1</code> for a moderator measured on a 100-point scale) or use the default. By default, <code>jn_points_disregard_threshold = range of the moderator / 10000</code> . For example, if the observed moderator values range from 1 to 7 (because it is a 7-point scale), then <code>jn_points_disregard_threshold = (7 - 1) / 10000 = 0.0006</code>
<code>output</code>	type of output (default = "reg_lines_plot"). Possible inputs: "interactions_pkg_results", "simple_effects_plot", "jn_points", "regions", "reg_lines_plot"
<code>num_of_spotlights</code>	How many spotlight analyses should be conducted to plot the predicted values at various values of the moderator? (default = 20)
<code>jitter_x_percent</code>	horizontally jitter dots by a percentage of the range of x values (default = 0)

jitter_y_percent	vertically jitter dots by a percentage of the range of y values (default = 5)
dot_alpha	opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, dot_alpha = 0.3
dot_size	size of the dots (default = 6)
interaction_p_value_font_size	font size for the interaction p value (default = 8)
jn_point_font_size	font size for Johnson-Neyman point labels (default = 8)
jn_point_label_hjust	a vector of hjust values for Johnson-Neyman point labels. By default, the hjust value will be 0.5 for all the points.
interaction_p_vjust	By how much should the label for the interaction p-value be adjusted vertically? By default, interaction_p_vjust = -3)
plot_margin	margin for the plot By default plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt")
legend_position	position of the legend (default = "right"). If legend_position = "none", the legend will be removed.
line_types_for_pred_values	types of the lines for plotting the predicted values By default, line_types_for_pred_values = c("solid", "dashed")
line_thickness_for_pred_values	thickness of the lines for plotting the predicted values (default = 2.5)
jn_line_types	types of the lines for Johnson-Neyman points. By default, jn_line_types = c("solid", "solid")
jn_line_thickness	thickness of the lines at Johnson-Neyman points (default = 1.5)
sig_region_color	color of the significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is statistically significant.
sig_region_alpha	opacity for sig_region_color. (0 = completely transparent, 1 = completely opaque). By default, sig_region_alpha = 0.08
nonsig_region_color	color of the non-significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is not statistically significant.
nonsig_region_alpha	opacity for nonsig_region_color. (0 = completely transparent, 1 = completely opaque). By default, nonsig_region_alpha = 0.08
x_axis_title	title of the x axis. By default, it will be set as input for mod_name. If x_axis_title = FALSE, it will be removed.

<code>y_axis_title</code>	title of the y axis. By default, it will be set as input for <code>dv_name</code> . If <code>y_axis_title = FALSE</code> , it will be removed.
<code>legend_title</code>	title of the legend. By default, it will be set as input for <code>iv_name</code> . If <code>legend_title = FALSE</code> , it will be removed.
<code>round_decimals_int_p_value</code>	To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)
<code>round_jn_point_labels</code>	To how many digits after the decimal point should the jn point labels be rounded? (default = 2)

Details

See the following reference(s): Spiller et al. (2013) [doi:10.1509/jmr.12.0420](https://doi.org/10.1509/jmr.12.0420) Kim (2023) <https://jinkim.science/docs/floodlight.pdf>

Examples

```
floodlight_2_by_continuous_logistic(
  data = mtcars,
  iv_name = "am",
  dv_name = "vs",
  mod_name = "mpg")
# adjust the number of spotlights
# (i.e., predict values at only 4 values of the moderator)
floodlight_2_by_continuous_logistic(
  data = mtcars,
  iv_name = "am",
  dv_name = "vs",
  mod_name = "mpg",
  num_of_spotlights = 4)
```

`floodlight_2_by_continuous_mlm_logistic`

Floodlight 2 by Continuous for a Multilevel Logistic Regression

Description

Conduct a floodlight analysis for a multilevel logistic regression with a 2 x Continuous design involving a binary dependent variable.

Usage

```
floodlight_2_by_continuous_mlm_logistic(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  mod_name = NULL,
  interaction_p_include = TRUE,
  iv_level_order = NULL,
  dv_level_order = NULL,
  jn_points_disregard_threshold = NULL,
  output = "reg_lines_plot",
  num_of_spotlights = 20,
  jitter_x_percent = 0,
  jitter_y_percent = 5,
  dot_alpha = 0.3,
  dot_size = 6,
  interaction_p_value_font_size = 8,
  jn_point_font_size = 8,
  jn_point_label_hjust = NULL,
  interaction_p_vjust = -3,
  plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt"),
  legend_position = "right",
  line_types_for_pred_values = c("solid", "dashed"),
  line_thickness_for_pred_values = 2.5,
  jn_line_types = c("solid", "solid"),
  jn_line_thickness = 1.5,
  sig_region_color = "green",
  sig_region_alpha = 0.08,
  nonsig_region_color = "gray",
  nonsig_region_alpha = 0.08,
  x_axis_title = NULL,
  y_axis_title = NULL,
  legend_title = NULL,
  round_decimals_int_p_value = 3,
  round_jn_point_labels = 2
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the binary independent variable
<code>dv_name</code>	name of the binary dependent variable
<code>mod_name</code>	name of the continuous moderator variable
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?
<code>iv_level_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .

<code>dv_level_order</code>	order of levels in the dependent variable. By default, it will be set as levels of the dependent variable ordered using R's base function <code>sort</code> .
<code>jn_points_disregard_threshold</code>	the Minimum Distance in the unit of the moderator variable that will be used for various purposes, such as (1) to disregard the second Johnson-Neyman point that is different from the first Johnson-Neyman (JN) point by less than the Minimum Distance; (2) to determine regions of significance, which will calculate the p-value of the IV's effect (the focal dummy variable's effect) on DV at a candidate JN point +/- the Minimum Distance. This input is hard to explain, but a user can enter a really low value for this argument (e.g., <code>jn_points_disregard_threshold = 0.1</code> for a moderator measured on a 100-point scale) or use the default. By default, <code>jn_points_disregard_threshold = range of the moderator / 10000</code> . For example, if the observed moderator values range from 1 to 7 (because it is a 7-point scale), then <code>jn_points_disregard_threshold = (7 - 1) / 10000 = 0.0006</code>
<code>output</code>	type of output (default = "reg_lines_plot"). Possible inputs: "interactions_pkg_results", "simple_effects_plot", "jn_points", "regions", "reg_lines_plot"
<code>num_of_spotlights</code>	How many spotlight analyses should be conducted to plot the predicted values at various values of the moderator? (default = 20)
<code>jitter_x_percent</code>	horizontally jitter dots by a percentage of the range of x values (default = 0)
<code>jitter_y_percent</code>	vertically jitter dots by a percentage of the range of y values (default = 5)
<code>dot_alpha</code>	opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, <code>dot_alpha = 0.3</code>
<code>dot_size</code>	size of the dots (default = 6)
<code>interaction_p_value_font_size</code>	font size for the interaction p value (default = 8)
<code>jn_point_font_size</code>	font size for Johnson-Neyman point labels (default = 8)
<code>jn_point_label_hjust</code>	a vector of <code>hjust</code> values for Johnson-Neyman point labels. By default, the <code>hjust</code> value will be 0.5 for all the points.
<code>interaction_p_vjust</code>	By how much should the label for the interaction p-value be adjusted vertically? By default, <code>interaction_p_vjust = -3</code>
<code>plot_margin</code>	margin for the plot By default <code>plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt")</code>
<code>legend_position</code>	position of the legend (default = "right"). If <code>legend_position = "none"</code> , the legend will be removed.
<code>line_types_for_pred_values</code>	types of the lines for plotting the predicted values By default, <code>line_types_for_pred_values = c("solid", "dashed")</code>

line_thickness_for_pred_values	thickness of the lines for plotting the predicted values (default = 2.5)
jn_line_types	types of the lines for Johnson-Neyman points. By default, <code>jn_line_types = c("solid", "solid")</code>
jn_line_thickness	thickness of the lines at Johnson-Neyman points (default = 1.5)
sig_region_color	color of the significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is statistically significant.
sig_region_alpha	opacity for <code>sig_region_color</code> . (0 = completely transparent, 1 = completely opaque). By default, <code>sig_region_alpha = 0.08</code>
nonsig_region_color	color of the non-significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is not statistically significant.
nonsig_region_alpha	opacity for <code>nonsig_region_color</code> . (0 = completely transparent, 1 = completely opaque). By default, <code>nonsig_region_alpha = 0.08</code>
x_axis_title	title of the x axis. By default, it will be set as input for <code>mod_name</code> . If <code>x_axis_title = FALSE</code> , it will be removed.
y_axis_title	title of the y axis. By default, it will be set as input for <code>dv_name</code> . If <code>y_axis_title = FALSE</code> , it will be removed.
legend_title	title of the legend. By default, it will be set as input for <code>iv_name</code> . If <code>legend_title = FALSE</code> , it will be removed.
round_decimals_int_p_value	To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)
round_jn_point_labels	To how many digits after the decimal point should the jn point labels be rounded? (default = 2)

Details

See the following reference(s): Spiller et al. (2013) [doi:10.1509/jmr.12.0420](https://doi.org/10.1509/jmr.12.0420) Kim (2023) <https://jinkim.science/docs/floodlight.pdf>

Examples

```
floodlight_2_by_continuous_logistic(
  data = mtcars,
  iv_name = "am",
  dv_name = "vs",
  mod_name = "mpg")
# adjust the number of spotlights
```

```
# (i.e., predict values at only 4 values of the moderator)
floodlight_2_by_continuous_logistic(
  data = mtcars,
  iv_name = "am",
  dv_name = "vs",
  mod_name = "mpg",
  num_of_spotlights = 4)
```

floodlight_for_contrasts

Floodlight Analyses for a Set of Contrasts

Description

Conduct a floodlight analysis for a set of contrasts with a continuous moderator variable.

Usage

```
floodlight_for_contrasts(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  mod_name = NULL,
  contrasts = NULL,
  contrasts_for_floodlight = NULL,
  covariate_name = NULL,
  interaction_p_include = TRUE,
  iv_category_order = NULL,
  heteroskedasticity_consistent_se = "HC4",
  round_r_squared = 3,
  round_f = 2,
  sigfigs = 2,
  jn_points_disregard_threshold = NULL,
  print_floodlight_plots = TRUE,
  output = "reg_lines_plot",
  jitter_x_percent = 0,
  jitter_y_percent = 0,
  dot_alpha = 0.5,
  dot_size = 4,
  interaction_p_value_font_size = 6,
  jn_point_font_size = 6,
  jn_point_label_hjust = NULL,
  interaction_p_vjust = -3,
  plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt"),
  legend_position = "right",
  line_of_fit_types = c("solid", "dashed"),
```

```

line_of_fit_thickness = 1.5,
jn_line_types = c("solid", "solid"),
jn_line_thickness = 1.5,
sig_region_color = "green",
sig_region_alpha = 0.08,
nonsig_region_color = "gray",
nonsig_region_alpha = 0.08,
x_axis_title = NULL,
y_axis_title = NULL,
legend_title = NULL,
round_decimals_int_p_value = 3,
round_jn_point_labels = 2
)

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the multicategorical independent variable; this variable must have three or more categories.
<code>dv_name</code>	name of the dependent variable
<code>mod_name</code>	name of the continuous moderator variable
<code>contrasts</code>	names of the contrast variables
<code>contrasts_for_floodlight</code>	names of the contrast variables for which floodlight analyses will be conducted
<code>covariate_name</code>	name of the variables to control for
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?
<code>iv_category_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .
<code>heteroskedasticity_consistent_se</code>	which kind of heteroskedasticity-consistent (robust) standard errors should be calculated? (default = "HC4")
<code>round_r_squared</code>	number of decimal places to which to round r-squared values (default = 3)
<code>round_f</code>	number of decimal places to which to round the f statistic for model comparison (default = 2)
<code>sigfigs</code>	number of significant digits to round to (for values in the regression tables, except for p values). By default <code>sigfigs = 2</code>
<code>jn_points_disregard_threshold</code>	the Minimum Distance in the unit of the moderator variable that will be used for various purposes, such as (1) to disregard the second Johnson-Neyman point that is different from the first Johnson-Neyman (JN) point by less than the Minimum Distance; (2) to determine regions of significance, which will calculate the p-value of the IV's effect (the focal dummy variable's effect) on DV at a candidate JN point +/- the Minimum Distance. This input is hard to explain, but a user can

enter a really low value for this argument (e.g., `jn_points_disregard_threshold = 0.1` for a moderator measured on a 100-point scale) or use the default. By default, `jn_points_disregard_threshold = range of the moderator / 10000`. For example, if the observed moderator values range from 1 to 7 (because it is a 7-point scale), then `jn_points_disregard_threshold = (7 - 1) / 10000 = 0.0006`

`print_floodlight_plots`
If `print_floodlight_plots = TRUE`, a floodlight plot for each dummy variable will be printed. By default, `print_floodlight_plots = TRUE`

`output`
output of the function (default = "all"). Possible inputs: "reg_models", "reg_tables", "reg_tables_rounded", "all"

`jitter_x_percent`
horizontally jitter dots by a percentage of the range of x values

`jitter_y_percent`
vertically jitter dots by a percentage of the range of y values

`dot_alpha`
opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, `dot_alpha = 0.5`

`dot_size`
size of the dots (default = 4)

`interaction_p_value_font_size`
font size for the interaction p value (default = 8)

`jn_point_font_size`
font size for Johnson-Neyman point labels (default = 6)

`jn_point_label_hjust`
a vector of `hjust` values for Johnson-Neyman point labels. By default, the `hjust` value will be 0.5 for all the points.

`interaction_p_vjust`
By how much should the label for the interaction p-value be adjusted vertically? By default, `interaction_p_vjust = -3`

`plot_margin`
margin for the plot By default `plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt")`

`legend_position`
position of the legend (default = "right"). If `legend_position = "none"`, the legend will be removed.

`line_of_fit_types`
types of the lines of fit for the two levels of the independent variable. By default, `line_of_fit_types = c("solid", "dashed")`

`line_of_fit_thickness`
thickness of the lines of fit (default = 1.5)

`jn_line_types`
types of the lines for Johnson-Neyman points. By default, `jn_line_types = c("solid", "solid")`

`jn_line_thickness`
thickness of the lines at Johnson-Neyman points (default = 1.5)

`sig_region_color`
color of the significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is statistically significant.

sig_region_alpha	opacity for sig_region_color. (0 = completely transparent, 1 = completely opaque). By default, sig_region_alpha = 0.08
nonsig_region_color	color of the non-significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is not statistically significant.
nonsig_region_alpha	opacity for nonsig_region_color. (0 = completely transparent, 1 = completely opaque). By default, nonsig_region_alpha = 0.08
x_axis_title	title of the x axis. By default, it will be set as input for mod_name. If x_axis_title = FALSE, it will be removed.
y_axis_title	title of the y axis. By default, it will be set as input for dv_name. If y_axis_title = FALSE, it will be removed.
legend_title	title of the legend. By default, it will be set as input for iv_name. If legend_title = FALSE, it will be removed.
round_decimals_int_p_value	To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)
round_jn_point_labels	To how many digits after the decimal point should the jn point labels be rounded? (default = 2)

Details

See the following reference, which covers a related topic: Hayes & Montoya (2017) [doi:10.1080/19312458.2016.1271116](https://doi.org/10.1080/19312458.2016.1271116)

Examples

```
## Not run:
# typical example
# copy and modify the 'mtcars' data
mtcars2 <- setDT(data.table::copy(mtcars))
# make sure the data table package is attached
mtcars2[, contrast_1 := fcase(cyl == 4, -2, cyl %in% c(6, 8), 1)]
mtcars2[, contrast_2 := fcase(cyl == 4, 0, cyl == 6, 1, cyl == 8, -1)]
floodlight_for_contrasts(
  data = mtcars2,
  iv_name = "cyl",
  dv_name = "mpg",
  mod_name = "qsec",
  contrasts = paste0("contrast_", 1:2),
  contrasts_for_floodlight = "contrast_2")

## End(Not run)
```

floodlight_multi_by_continuous

Floodlight Multicategorical by Continuous

Description

Conduct a floodlight analysis for a Multicategorical IV x Continuous Moderator design.

Usage

```
floodlight_multi_by_continuous(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  mod_name = NULL,
  coding = "indicator",
  baseline_category = NULL,
  covariate_name = NULL,
  interaction_p_include = TRUE,
  iv_category_order = NULL,
  heteroskedasticity_consistent_se = "HC4",
  round_r_squared = 3,
  round_f = 2,
  sigfigs = 2,
  jn_points_disregard_threshold = NULL,
  print_floodlight_plots = TRUE,
  output = "all",
  jitter_x_percent = 0,
  jitter_y_percent = 0,
  dot_alpha = 0.5,
  dot_size = 4,
  interaction_p_value_font_size = 8,
  jn_point_font_size = 8,
  jn_point_label_hjust = NULL,
  interaction_p_vjust = -3,
  plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt"),
  legend_position = "right",
  line_of_fit_types = c("solid", "dashed"),
  line_of_fit_thickness = 1.5,
  jn_line_types = c("solid", "solid"),
  jn_line_thickness = 1.5,
  colors_for_iv = c("red", "blue"),
  sig_region_color = "green",
  sig_region_alpha = 0.08,
  nonsig_region_color = "gray",
  nonsig_region_alpha = 0.08,
  x_axis_title = NULL,
```

```

    y_axis_title = NULL,
    legend_title = NULL,
    round_decimals_int_p_value = 3,
    round_jn_point_labels = 2
  )

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the multicategorical independent variable; this variable must have three or more categories.
<code>dv_name</code>	name of the dependent variable
<code>mod_name</code>	name of the continuous moderator variable
<code>coding</code>	name of the coding scheme to use; the current version of the function allows only the "indicator" coding scheme. By default, <code>coding = "indicator"</code>
<code>baseline_category</code>	value of the independent variable that will be the reference value against which other values of the independent variable will be compared
<code>covariate_name</code>	name of the variables to control for
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?
<code>iv_category_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .
<code>heteroskedasticity_consistent_se</code>	which kind of heteroskedasticity-consistent (robust) standard errors should be calculated? (default = "HC4")
<code>round_r_squared</code>	number of decimal places to which to round r-squared values (default = 3)
<code>round_f</code>	number of decimal places to which to round the f statistic for model comparison (default = 2)
<code>sigfigs</code>	number of significant digits to round to (for values in the regression tables, except for p values). By default <code>sigfigs = 2</code>
<code>jn_points_disregard_threshold</code>	the Minimum Distance in the unit of the moderator variable that will be used for various purposes, such as (1) to disregard the second Johnson-Neyman point that is different from the first Johnson-Neyman (JN) point by less than the Minimum Distance; (2) to determine regions of significance, which will calculate the p-value of the IV's effect (the focal dummy variable's effect) on DV at a candidate JN point +/- the Minimum Distance. This input is hard to explain, but a user can enter a really low value for this argument (e.g., <code>jn_points_disregard_threshold = 0.1</code> for a moderator measured on a 100-point scale) or use the default. By default, <code>jn_points_disregard_threshold = range of the moderator / 10000</code> . For example, if the observed moderator values range from 1 to 7 (because it is a 7-point scale), then <code>jn_points_disregard_threshold = (7 - 1) / 10000 = 0.0006</code>

<code>print_floodlight_plots</code>	If <code>print_floodlight_plots = TRUE</code> , a floodlight plot for each dummy variable will be printed. By default, <code>print_floodlight_plots = TRUE</code>
<code>output</code>	output of the function (default = "all"). Possible inputs: "reg_models", "reg_tables", "reg_tables_rounded", "all"
<code>jitter_x_percent</code>	horizontally jitter dots by a percentage of the range of x values
<code>jitter_y_percent</code>	vertically jitter dots by a percentage of the range of y values
<code>dot_alpha</code>	opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, <code>dot_alpha = 0.5</code>
<code>dot_size</code>	size of the dots (default = 4)
<code>interaction_p_value_font_size</code>	font size for the interaction p value (default = 8)
<code>jn_point_font_size</code>	font size for Johnson-Neyman point labels (default = 8)
<code>jn_point_label_hjust</code>	a vector of hjust values for Johnson-Neyman point labels. By default, the hjust value will be 0.5 for all the points.
<code>interaction_p_vjust</code>	By how much should the label for the interaction p-value be adjusted vertically? By default, <code>interaction_p_vjust = -3</code>
<code>plot_margin</code>	margin for the plot By default <code>plot_margin = ggplot2::unit(c(75, 7, 7, 7), "pt")</code>
<code>legend_position</code>	position of the legend (default = "right"). If <code>legend_position = "none"</code> , the legend will be removed.
<code>line_of_fit_types</code>	types of the lines of fit for the two levels of the independent variable. By default, <code>line_of_fit_types = c("solid", "dashed")</code>
<code>line_of_fit_thickness</code>	thickness of the lines of fit (default = 1.5)
<code>jn_line_types</code>	types of the lines for Johnson-Neyman points. By default, <code>jn_line_types = c("solid", "solid")</code>
<code>jn_line_thickness</code>	thickness of the lines at Johnson-Neyman points (default = 1.5)
<code>colors_for_iv</code>	colors for the two values of the independent variable (default = <code>c("red", "blue")</code>)
<code>sig_region_color</code>	color of the significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is statistically significant.
<code>sig_region_alpha</code>	opacity for <code>sig_region_color</code> . (0 = completely transparent, 1 = completely opaque). By default, <code>sig_region_alpha = 0.08</code>

nonsig_region_color	color of the non-significant region, i.e., range(s) of the moderator variable for which simple effect of the independent variable on the dependent variable is not statistically significant.
nonsig_region_alpha	opacity for nonsig_region_color. (0 = completely transparent, 1 = completely opaque). By default, nonsig_region_alpha = 0.08
x_axis_title	title of the x axis. By default, it will be set as input for mod_name. If x_axis_title = FALSE, it will be removed.
y_axis_title	title of the y axis. By default, it will be set as input for dv_name. If y_axis_title = FALSE, it will be removed.
legend_title	title of the legend. By default, it will be set as input for iv_name. If legend_title = FALSE, it will be removed.
round_decimals_int_p_value	To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)
round_jn_point_labels	To how many digits after the decimal point should the jn point labels be rounded? (default = 2)

Details

See the following reference: Hayes & Montoya (2017) doi:10.1080/19312458.2016.1271116 Williams (2004) on r-squared values when calculating robust standard errors <https://web.archive.org/web/20230627025457/https://www.stata.com/statalist/archive/2004-05/msg00107.html>

Examples

```
## Not run:
# typical example
floodlight_multi_by_continuous(
  data = mtcars,
  iv_name = "cyl",
  dv_name = "mpg",
  mod_name = "qsec")

## End(Not run)
```

forest_plot

Forest plot

Description

Create a forest plot using outputs from 'metafor' package

Usage

```
forest_plot(  
  estimates = NULL,  
  estimate_ci_ll = NULL,  
  estimate_ci_ul = NULL,  
  point_size_range = c(2, 10),  
  error_bar_size = 1,  
  error_bar_tip_height = 0.3,  
  weights = NULL,  
  diamond_x = NULL,  
  diamond_ci_ll = NULL,  
  diamond_ci_ul = NULL,  
  diamond_height = 1.2,  
  diamond_gap_height = 0.3,  
  diamond_l_tip_at_top_y = -0.5,  
  diamond_colors = "black",  
  study_labels = NULL,  
  diamond_labels = NULL,  
  diamond_label_size = 6,  
  diamond_label_hjust = 0,  
  diamond_label_fontface = "bold",  
  diamond_estimate_label_hjust = 0,  
  diamond_estimate_label_size = 6,  
  diamond_estimate_label_fontface = "bold",  
  round_estimates = 2,  
  x_axis_title = "Observed Outcome",  
  vline_size = 1,  
  vline_intercept = 0,  
  vline_type = "dotted",  
  study_label_hjust = 0,  
  study_label_begin_x = NULL,  
  study_label_begin_x_perc = 60,  
  study_label_size = 6,  
  study_label_fontface = "plain",  
  estimate_label_begin_x = NULL,  
  estimate_label_begin_x_perc = 25,  
  estimate_label_hjust = 0,  
  estimate_label_size = 6,  
  estimate_label_fontface = "plain",  
  x_axis_tick_marks = NULL,  
  x_axis_tick_mark_label_size = 6,  
  legend_position = "none",  
  plot_margin = NULL  
)
```

Arguments

estimates default = NULL

```
estimate_ci_ll default = NULL
estimate_ci_ul default = NULL
point_size_range
                default = c(2, 10)
error_bar_size default = 1
error_bar_tip_height
                default = 0.3
weights        default = NULL
diamond_x      default = NULL
diamond_ci_ll default = NULL
diamond_ci_ul default = NULL
diamond_height default = 1.2
diamond_gap_height
                default = 0.3
diamond_l_tip_at_top_y
                default = -0.5
diamond_colors default = "black"
study_labels   default = NULL
diamond_labels default = NULL
diamond_label_size
                default = 6
diamond_label_hjust
                default = 0
diamond_label_fontface
                default = "bold"
diamond_estimate_label_hjust
                default = 0
diamond_estimate_label_size
                default = 6
diamond_estimate_label_fontface
                default = "bold"
round_estimates
                default = 2
x_axis_title   default = "Observed Outcome"
vline_size     default = 1
vline_intercept
                default = 0
vline_type     default = "dotted"
study_label_hjust
                default = 0
study_label_begin_x
                default = NULL
study_label_begin_x_perc
                default = 60
```

```

study_label_size
    default = 6
study_label_fontface
    default = "plain"
estimate_label_begin_x
    default = NULL
estimate_label_begin_x_perc
    default = 25
estimate_label_hjust
    default = 0
estimate_label_size
    default = 6
estimate_label_fontface
    default = "plain"
x_axis_tick_marks
    default = NULL
x_axis_tick_mark_label_size
    default = 6
legend_position
    default = "none"
plot_margin    default = NULL

```

Examples

```

forest_plot(
  estimates = c(2, 3, 4),
  estimate_ci_ll = c(1, 2, 3),
  estimate_ci_ul = c(3, 4, 6),
  weights = 1:3,
  diamond_x = 2,
  diamond_labels = "RE",
  diamond_ci_ll = 1.8,
  diamond_ci_ul = 2.2,
  estimate_label_begin_x_perc = 40,
  x_axis_tick_marks = seq(-2, 6, 2))

```

geomean

Geometric mean

Description

Calculate the geometric mean of a numeric vector

Usage

```
geomean(x = NULL, zero_or_neg_convert_to = NA)
```


Arguments

`x` a numeric vector

`zero_or_neg_convert_to` the value to which zero or negative values will be converted to. If `zero_or_neg_convert_to == NA`, zero or negative values will be converted to NA values and thus be excluded when calculating the geometric mean. (default = NA)

Examples

```
## Not run:
geomean(c(1, 4))
geomean(c(1, 100))
geomean(c(1, 100, NA))
geomean(c(1, 100, NA, 0, -1, -2))
geomean(
  x = c(1, 100, NA, 0, -1, -2),
  zero_or_neg_convert_to = 1)
geomean(c(1, 100, NA, 1, 1, 1))

## End(Not run)
```

ggsave_quick

ggsave quick

Description

quickly save the current plot with a timestamp

Usage

```
ggsave_quick(
  name = NULL,
  file_name_extension = "png",
  timestamp = NULL,
  width = 16,
  height = 9
)
```

Arguments

`name` a character string of the png file name. By default, if no input is given (`name = NULL`), the file name will begin with "ggplot". If the desired output file name is "myplot.png", enter `name = "myplot"`, `timestamp = FALSE`

`file_name_extension` file name extension (default = "png"). If `file_name_extension = "svg"`, Package `svglite` needs to be installed.

timestamp	if <code>timestamp = TRUE</code> , a timestamp of the current time will be appended to the file name. The timestamp will be in the format, <code>jan_01_2021_1300_10_000001</code> , where "jan_01_2021" would indicate January 01, 2021; 1300 would indicate 13:00 (i.e., 1 PM); and 10_000001 would indicate 10.000001 seconds after the hour. By default, <code>timestamp</code> will be set as <code>TRUE</code> , if no input is given for the <code>name</code> argument, and as <code>FALSE</code> , if an input is given for the <code>name</code> argument.
width	width of the plot to be saved. This argument will be directly entered as the <code>width</code> argument for the <code>ggsave</code> function within <code>ggplot2</code> package (default = 16)
height	height of the plot to be saved. This argument will be directly entered as the <code>height</code> argument for the <code>ggsave</code> function within <code>ggplot2</code> package (default = 9)

Value

the output will be a `.png` image file in the working directory.

Examples

```
## Not run:
kim::histogram(rep(1:30, 3))
ggsave_quick()

## End(Not run)
```

histogram

Histogram

Description

Create a histogram based on the output of the `hist` function in the graphics package.

Usage

```
histogram(
  vector = NULL,
  breaks = NULL,
  counts = NULL,
  percent = FALSE,
  bin_fill_color = "green4",
  bin_border_color = "black",
  bin_border_thickness = 1,
  notify_na_count = NULL,
  x_axis_tick_marks = NULL,
  y_axis_tick_marks = NULL,
  cap_axis_lines = TRUE,
  x_axis_title = "Value",
  y_axis_title = NULL,
  y_axis_title_vjust = 0.85
)
```

Arguments

vector	a numeric vector
breaks	a numeric vector indicating breaks for the bins. By default, no input is required for this argument.
counts	a numeric vector containing counts for the bins (i.e., heights of the bins). By default, no input is required for this argument.
percent	logical. If percent = TRUE, percentages will be plotted rather than frequencies (default = FALSE).
bin_fill_color	color of the area inside each bin (default = "green4")
bin_border_color	color of the border around each bin (default = "black")
bin_border_thickness	thickness of the border around each bin (default = 1)
notify_na_count	if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.
x_axis_tick_marks	a vector of values at which to place tick marks on the x axis (e.g., setting x_axis_tick_marks = seq(0, 10, 5) will put tick marks at 0, 5, and 10.)
y_axis_tick_marks	a vector of values at which to place tick marks on the y axis (e.g., setting y_axis_tick_marks = seq(0, 10, 5) will put tick marks at 0, 5, and 10.)
cap_axis_lines	logical. Should the axis lines be capped at the outer tick marks? (default = FALSE)
x_axis_title	title for x axis (default = "Value")
y_axis_title	title for y axis (default = "Count" or "Percentage", depending on the value of percent)
y_axis_title_vjust	position of the y axis title (default = 0.85).

Value

the output will be a histogram, a ggplot object.

Examples

```

histogram(1:100)
histogram(c(1:100, NA))
histogram(vector = mtcars[["mpg"]])
histogram(vector = mtcars[["mpg"]], percent = TRUE)
histogram(vector = mtcars[["mpg"]],
x_axis_tick_marks = c(10, 25, 35), y_axis_title_vjust = 0.5,
y_axis_title = "Freq", x_axis_title = "Values of mpg")

```

histogram_by_group *Histogram by group*

Description

Creates histograms by group to compare distributions.

Usage

```
histogram_by_group(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  order_of_groups_top_to_bot = NULL,
  number_of_bins = 40,
  space_between_histograms = 0.15,
  draw_baseline = FALSE,
  xlab = NULL,
  ylab = NULL,
  x_limits = NULL,
  x_breaks = NULL,
  x_labels = NULL,
  sigfigs = 3,
  convert_dv_to_numeric = TRUE
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable
<code>dv_name</code>	name of the dependent variable
<code>order_of_groups_top_to_bot</code>	a character vector indicating the desired presentation order of levels in the independent variable (from the top to bottom). Omitting a group in this argument will remove the group in the set of histograms.
<code>number_of_bins</code>	number of bins for the histograms (default = 40)
<code>space_between_histograms</code>	space between histograms (minimum = 0, maximum = 1, default = 0.15)
<code>draw_baseline</code>	logical. Should the baseline and the trailing lines to either side of the histogram be drawn? (default = FALSE)
<code>xlab</code>	title of the x-axis for the histogram by group. If <code>xlab = FALSE</code> , the title will be removed. By default (i.e., if no input is given), <code>dv_name</code> will be used as the title.
<code>ylab</code>	title of the y-axis for the histogram by group. If <code>ylab = FALSE</code> , the title will be removed. By default (i.e., if no input is given), <code>iv_name</code> will be used as the title.

x_limits a numeric vector with values of the endpoints of the x axis.
x_breaks a numeric vector indicating the points at which to place tick marks on the x axis.
x_labels a vector containing labels for the place tick marks on the x axis.
sigfigs number of significant digits to round to (default = 3)
convert_dv_to_numeric logical. Should the values in the dependent variable be converted to numeric for plotting the histograms? (default = TRUE)

Details

The following package(s) must be installed prior to running this function: Package 'ggridges' v0.5.3 (or possibly a higher version) by Claus O. Wilke (2021), <https://cran.r-project.org/package=ggridges>

Value

the output will be a set of vertically arranged histograms (a ggplot object), i.e., one histogram for each level of the independent variable.

Examples

```

histogram_by_group(data = mtcars, iv_name = "cyl", dv_name = "mpg")
histogram_by_group(
  data = mtcars, iv_name = "cyl", dv_name = "mpg",
  order_of_groups_top_to_bot = c("8", "4"), number_of_bins = 10,
  space_between_histograms = 0.5
)
histogram_by_group(
  data = iris, iv_name = "Species", dv_name = "Sepal.Length", x_breaks = 4:8,
  x_limits = c(4, 8))
  
```

histogram_deprecated_1
Histogram

Description

Create a histogram

Usage

```

histogram_deprecated_1(
  vector = NULL,
  number_of_bins = 30,
  x_tick_marks = NULL,
  
```

```

y_tick_marks = NULL,
fill_color = "cyan4",
border_color = "black",
y_axis_title_vjust = 0.85,
x_axis_title = NULL,
y_axis_title = NULL,
cap_axis_lines = FALSE,
notify_na_count = NULL
)

```

Arguments

vector	a numeric vector
number_of_bins	number of bins for the histogram (default = 30)
x_tick_marks	a vector of values at which to place tick marks on the x axis (e.g., setting <code>x_tick_marks = seq(0, 10, 5)</code> will put tick marks at 0, 5, and 10.)
y_tick_marks	a vector of values at which to place tick marks on the y axis (e.g., setting <code>y_tick_marks = seq(0, 10, 5)</code> will put tick marks at 0, 5, and 10.)
fill_color	color for inside of the bins (default = "cyan4")
border_color	color for borders of the bins (default = "black")
y_axis_title_vjust	position of the y axis title (default = 0.85).
x_axis_title	title for x axis (default = "Value")
y_axis_title	title for y axis (default = "Count")
cap_axis_lines	logical. Should the axis lines be capped at the outer tick marks? (default = FALSE)
notify_na_count	if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.

Value

the output will be a histogram, a ggplot object.

Examples

```

histogram_deprecated_1(1:100)
histogram_deprecated_1(c(1:100, NA))
histogram_deprecated_1(vector = mtcars[["mpg"]])
histogram_deprecated_1(
  vector = mtcars[["mpg"]], x_tick_marks = seq(10, 36, 2))
histogram_deprecated_1(
  vector = mtcars[["mpg"]], x_tick_marks = seq(10, 36, 2),
  y_tick_marks = seq(0, 8, 2), y_axis_title_vjust = 0.5,
  y_axis_title = "Freq", x_axis_title = "Values of mpg")

```

histogram_from_hist *Histogram from hist function*

Description

Create a histogram based on the output of the hist function in the graphics package.

Usage

```
histogram_from_hist(
  vector = NULL,
  breaks = NULL,
  counts = NULL,
  percent = FALSE,
  bin_fill_color = "green4",
  bin_border_color = "black",
  bin_border_thickness = 1,
  notify_na_count = NULL,
  x_axis_tick_marks = NULL,
  y_axis_tick_marks = NULL,
  cap_axis_lines = TRUE,
  x_axis_title = "Value",
  y_axis_title = NULL,
  y_axis_title_vjust = 0.85
)
```

Arguments

vector	a numeric vector
breaks	a numeric vector indicating breaks for the bins. By default, no input is required for this argument.
counts	a numeric vector containing counts for the bins (i.e., heights of the bins). By default, no input is required for this argument.
percent	logical. If percent = TRUE, percentages will be plotted rather than frequencies (default = FALSE).
bin_fill_color	color of the area inside each bin (default = "green4")
bin_border_color	color of the border around each bin (default = "black")
bin_border_thickness	thickness of the border around each bin (default = 1)
notify_na_count	if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.
x_axis_tick_marks	a vector of values at which to place tick marks on the x axis (e.g., setting x_axis_tick_marks = seq(0, 10, 5) will put tick marks at 0, 5, and 10.)

`y_axis_tick_marks` a vector of values at which to place tick marks on the y axis (e.g., setting `y_axis_tick_marks = seq(0, 10, 5)` will put tick marks at 0, 5, and 10.)

`cap_axis_lines` logical. Should the axis lines be capped at the outer tick marks? (default = FALSE)

`x_axis_title` title for x axis (default = "Value")

`y_axis_title` title for y axis (default = "Count" or "Percentage", depending on the value of percent)

`y_axis_title_vjust` position of the y axis title (default = 0.85).

Value

the output will be a histogram, a ggplot object.

Examples

```

histogram_from_hist(1:100)
histogram_from_hist(c(1:100, NA))
histogram_from_hist(vector = mtcars[["mpg"]])
histogram_from_hist(vector = mtcars[["mpg"]], percent = TRUE)
histogram_from_hist(vector = mtcars[["mpg"]],
x_axis_tick_marks = c(10, 25, 35), y_axis_title_vjust = 0.5,
y_axis_title = "Freq", x_axis_title = "Values of mpg")

```

histogram_w_outlier_bins

Histogram with outlier bins

Description

Create a histogram with outlier bins

Usage

```

histogram_w_outlier_bins(
  vector = NULL,
  bin_cutoffs = NULL,
  outlier_bin_left = TRUE,
  outlier_bin_right = TRUE,
  x_tick_marks = NULL,
  x_tick_mark_labels = NULL,
  y_tick_marks = NULL,
  outlier_bin_fill_color = "coral",
  non_outlier_bin_fill_color = "cyan4",

```



```

border_color = "black",
y_axis_title_vjust = 0.85,
x_axis_title = NULL,
y_axis_title = NULL,
notify_na_count = NULL,
plot_proportion = TRUE,
plot_frequency = FALSE,
mean = TRUE,
ci = TRUE,
median = TRUE,
median_position = 15,
error_bar_size = 3
)

```

Arguments

vector a numeric vector

bin_cutoffs cutoff points for bins

outlier_bin_left logical. Should the leftmost bin treated as an outlier bin? (default = TRUE)

outlier_bin_right logical. Should the rightmost bin treated as an outlier bin? (default = TRUE)

x_tick_marks a vector of values at which to place tick marks on the x axis. Note that the first bar spans from 0.5 to 1.5, second bar from 1.5 to 2.5, ... nth bar from n - 0.5 to n + 0.5. See the example. By default, tick marks will be placed at every cutoff point for bins

x_tick_mark_labels a character vector to label tick marks. By default, the vector of cutoff points for bins will also be used as labels.

y_tick_marks a vector of values at which to place tick marks on the y axis (e.g., setting `y_tick_marks = seq(0, 10, 5)` will put tick marks at 0, 5, and 10.)

outlier_bin_fill_color color to fill inside of the outlier bins (default = "coral")

non_outlier_bin_fill_color color to fill inside of the non-outlier bins (default = "cyan4")

border_color color for borders of the bins (default = "black")

y_axis_title_vjust position of the y axis title (default = 0.85).

x_axis_title title for x axis (default = "Value"). If `x_axis_title = FALSE`, x axis title will be removed from the plot.

y_axis_title title for y axis. By default, it will be either "Proportion" or "Count".

notify_na_count if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.

plot_proportion	logical. Should proportions be plotted, as opposed to frequencies? (default = TRUE)
plot_frequency	logical. Should frequencies be plotted, as opposed to proportions? (default = FALSE). If plot_frequency = TRUE, plot_proportion will switch to be FALSE.
mean	logical. Should mean marked on the histogram? (default = TRUE)
ci	logical. Should 95% confidence interval marked on the histogram? (default = TRUE)
median	logical. Should median marked on the histogram? (default = TRUE)
median_position	position of the median label as a percentage of height of the tallest bin (default = 15)
error_bar_size	size of the error bars (default = 3)

Value

a ggplot object

Examples

```

histogram_w_outlier_bins(vector = 1:100, bin_cutoffs = seq(0, 100, 10))
histogram_w_outlier_bins(vector = 0:89, bin_cutoffs = seq(0, 90, 10),
x_tick_marks = seq(0.5, 9.5, 3), x_tick_mark_labels = seq(0, 90, 30))
histogram_w_outlier_bins(vector = 1:10, bin_cutoffs = seq(0, 10, 2.5))
histogram_w_outlier_bins(vector = 1:5, bin_cutoffs = seq(0, 10, 2.5))
histogram_w_outlier_bins(vector = 1:15, bin_cutoffs = c(5.52, 10.5))

```

holm_adjusted_p	<i>Holm-adjusted p-values</i>
-----------------	-------------------------------

Description

Adjust a vector of p-values using the method proposed by Holm

Usage

```
holm_adjusted_p(p = NULL)
```

Arguments

p a numeric vector of p-values

Details

See the following reference: Holm 1979 <https://www.jstor.org/stable/4615733> Manual for the 'p.adjust' function in the 'stats' package <https://stat.ethz.ch/R-manual/R-devel/library/stats/html/p.adjust.html>

Examples

```
holm_adjusted_p(c(.05, .01))
holm_adjusted_p(c(.05, .05, .05))
```

identical_all	<i>Check whether all inputs are identical</i>
---------------	---

Description

Check whether all inputs are identical

Usage

```
identical_all(...)
```

Arguments

... two or more R objects. If a vector or list is entered as an input, the function will test whether the vector's or list's elements are identical.

Value

the output will be TRUE if all inputs are identical or FALSE if not

Examples

```
identical_all(1:3, 1:3) # should return TRUE
identical_all(1:3, 1:3, 1:3, 1:3, 1:3) # should return TRUE
identical_all(1:3, 1:3, 1:3, 1:3, 1:3, 1:4) # should return FALSE
identical_all(1:10) # should return FALSE
identical_all(rep(1, 100)) # should return TRUE
identical_all(list(1, 1, 1)) # should return TRUE
identical_all(TRUE, FALSE) # should return FALSE
identical_all(FALSE, TRUE) # should return FALSE
```

id_across_datasets *ID across datasets*

Description

Create an ID column in each of the data sets. The ID values will span across the data sets.

Usage

```
id_across_datasets(  
  dt_list = NULL,  
  id_col_name = "id",  
  id_col_position = "first",  
  silent = FALSE  
)
```

Arguments

dt_list	a list of data.table objects
id_col_name	name of the column that will contain ID values. By default, id_col_name = "id".
id_col_position	position of the newly created ID column. If id_col_position = "first", the new ID column will be placed as the first column in respective data sets. If id_col_position = "last", the new ID column will be placed as the last column in respective data sets.
silent	If silent = TRUE, a summary of starting and ending ID values in each data set will not be printed. If silent = FALSE, a summary of starting and ending ID values in each data set will be printed. (default = FALSE)

Value

the output will be a list of data.table objects.

Examples

```
# running the examples below requires importing the data.table package.  
prep(data.table)  
id_across_datasets(  
  dt_list = list(setDT(copy(mtcars)), setDT(copy(iris))))  
id_across_datasets(  
  dt_list = list(setDT(copy(mtcars)), setDT(copy(iris)), setDT(copy(women))),  
  id_col_name = "newly_created_id_col",  
  id_col_position = "last")
```

`install_all_dependencies`*Install all dependencies for all functions*

Description

Install all dependencies for all functions in Package 'kim'.

Usage

```
install_all_dependencies()
```

Value

there will be no output from this function. Rather, dependencies of all functions in Package 'kim' will be installed.

Examples

```
## Not run:  
install_all_dependencies()  
  
## End(Not run)
```

`kurtosis`*Kurtosis*

Description

Calculate kurtosis of the sample using a formula for either the (1) biased estimator or (2) an unbiased estimator of the population kurtosis. Formulas were taken from DeCarlo (1997), [doi:10.1037/1082-989X.2.3.292](https://doi.org/10.1037/1082-989X.2.3.292)

Usage

```
kurtosis(vector = NULL, unbiased = TRUE)
```

Arguments

<code>vector</code>	a numeric vector
<code>unbiased</code>	logical. If <code>unbiased = TRUE</code> , the unbiased estimate of the population kurtosis will be calculated. If <code>unbiased = FALSE</code> , the biased estimate of the population kurtosis will be calculated. By default, <code>unbiased = TRUE</code> .

Value

a numeric value, i.e., kurtosis of the given vector

Examples

```
# calculate the unbiased estimator (e.g., kurtosis value that
# Excel 2016 will produce)
kim::kurtosis(c(1, 2, 3, 4, 5, 10))
# calculate the biased estimator (e.g., kurtosis value that
# R Package 'moments' will produce)
kim::kurtosis(c(1, 2, 3, 4, 5, 10), unbiased = FALSE)
# compare with kurtosis from 'moments' package
moments::kurtosis(c(1, 2, 3, 4, 5, 10))
```

lenu

lenu: Length of unique values

Description

Extract unique elements and get the length of those elements

Usage

```
lenu(x = NULL)
```

Arguments

x a vector or a data frame or an array or NULL.

Value

a vector, data frame, or array-like 'x' but with duplicate elements/rows removed.

Examples

```
unique(c(10, 3, 7, 10))
lenu(c(10, 3, 7, 10))
unique(c(10, 3, 7, 10, NA))
lenu(c(10, 3, 7, 10, NA))
lenu(c("b", "z", "b", "a", NA, NA, NA))
```

levene_test	<i>Levene's test</i>
-------------	----------------------

Description

Conduct Levene's test (i.e., test the null hypothesis that the variances in different groups are equal)

Usage

```
levene_test(  
  data = NULL,  
  dv_name = NULL,  
  iv_1_name = NULL,  
  iv_2_name = NULL,  
  round_f = 2,  
  round_p = 3,  
  output_type = "text"  
)
```

Arguments

data	a data object (a data frame or a data.table)
dv_name	name of the dependent variable
iv_1_name	name of the first independent variable
iv_2_name	name of the second independent variable
round_f	number of decimal places to which to round the F-statistic from Levene's test (default = 2)
round_p	number of decimal places to which to round the p-value from Levene's test (default = 3)
output_type	If output_type = "text", the output will be the results of Levene's test in a text format (i.e., character). If output_type = "list", the output will be the results of Levene's test in a list format (e.g., p value, F stat, etc. as a list). By default, output_type = "text"

Value

the output of the function depends on the input for output_type. By default, the output will be the results of Levene's test in a text format (i.e., character).

Examples

```
## Not run:  
levene_test(  
  data = mtcars, dv_name = "mpg",  
  iv_1_name = "vs", iv_2_name = "am")  
  
## End(Not run)
```

logistic_regression *Logistic regression*

Description

Conduct a logistic regression analysis

Usage

```
logistic_regression(
  data = NULL,
  formula = NULL,
  formula_1 = NULL,
  formula_2 = NULL,
  z_values_keep = FALSE,
  constant_row_clean = TRUE,
  odds_ratio_cols_combine = TRUE,
  round_b_and_se = 3,
  round_z = 3,
  round_p = 3,
  round_odds_ratio = 3,
  round_r_sq = 3,
  round_model_chi_sq = 3,
  pretty_round_p_value = TRUE,
  print_glm_default_summary = FALSE,
  print_summary_dt_list = TRUE,
  print_model_comparison = TRUE,
  output_type = "summary_dt_list"
)
```

Arguments

data	a data object (a data frame or a data.table)
formula	formula for estimating a single logistic regression model
formula_1	formula for estimating logistic regression model 1 of 2
formula_2	formula for estimating logistic regression model 2 of 2
z_values_keep	logical. Should the z values be kept in the table? (default = FALSE)
constant_row_clean	logical. Should the row for the constant be cleared except for b and standard error of b? (default = TRUE)
odds_ratio_cols_combine	logical. Should the odds ratio columns be combined? (default = TRUE)
round_b_and_se	number of decimal places to which to round b and standard error of b (default = 3)
round_z	number of decimal places to which to round z values (default = 3)

<code>round_p</code>	number of decimal places to which to round p-values (default = 3)
<code>round_odds_ratio</code>	number of decimal places to which to round odds ratios (default = 3)
<code>round_r_sq</code>	number of decimal places to which to round R-squared values (default = 3)
<code>round_model_chi_sq</code>	number of decimal places to which to round model chi-squared values (default = 3)
<code>pretty_round_p_value</code>	logical. Should the p-values be rounded in a pretty format (i.e., lower threshold: "<.001"). By default, <code>pretty_round_p_value</code> = TRUE.
<code>print_glm_default_summary</code>	logical. Should the default summary output of the glm objects be printed? (default = FALSE)
<code>print_summary_dt_list</code>	logical. Should the summaries of logistic regressions in a data table format be printed? (default = TRUE)
<code>print_model_comparison</code>	logical. Should the comparison of two logistic regression models be printed? (default = TRUE)
<code>output_type</code>	If <code>output_type</code> = "summary_dt_list" (default), the output of the function will be summaries of the two logistic regressions in a data.table format. If <code>output_type</code> = "glm_object_list", the output of the function will be the two glm objects estimating logistic regression models. If <code>output_type</code> = "glm_default_summary_list", the output of the function will be the R's default summary output for the two glm objects estimating logistic regression models. If <code>output_type</code> = "model_comparison_stats", the output of the function will be statistics from comparison of the two logistic regression models. If <code>output_type</code> = "all", the output of the function will be a list of the aforementioned outputs.

Value

the output will be a summary of logistic regression results, unless set otherwise by the `output_type` argument to the function.

Examples

```
logistic_regression(data = mtcars, formula = am ~ mpg)
logistic_regression(
  data = mtcars,
  formula_1 = am ~ mpg,
  formula_2 = am ~ mpg + wt)
```

```
logistic_regression_table
```

Logistic regression table

Description

Construct a table of logistic regression results from the given glm object estimating a logistic regression model.

Usage

```
logistic_regression_table(  
  logistic_reg_glm_object = NULL,  
  z_values_keep = FALSE,  
  constant_row_clean = TRUE,  
  odds_ratio_cols_combine = TRUE,  
  round_b_and_se = 3,  
  round_z = 3,  
  round_p = 3,  
  round_odds_ratio = 3,  
  round_r_sq = 3,  
  round_model_chi_sq = 3,  
  pretty_round_p_value = TRUE  
)
```

Arguments

```
logistic_reg_glm_object  
  a glm object estimating a logistic regression model  
z_values_keep  logical. Should the z values be kept in the table? (default = FALSE)  
constant_row_clean  
  logical. Should the row for the constant be cleared except for b and standard  
  error of b? (default = TRUE)  
odds_ratio_cols_combine  
  logical. Should the odds ratio columns be combined? (default = TRUE)  
round_b_and_se  number of decimal places to which to round b and standard error of b (default =  
  3)  
round_z        number of decimal places to which to round z values (default = 3)  
round_p        number of decimal places to which to round p-values (default = 3)  
round_odds_ratio  
  number of decimal places to which to round odds ratios (default = 3)  
round_r_sq     number of decimal places to which to round R-squared values (default = 3)  
round_model_chi_sq  
  number of decimal places to which to round model chi-squared values (default  
  = 3)
```

pretty_round_p_value

logical. Should the p-values be rounded in a pretty format (i.e., lower threshold: "<.001"). By default, pretty_round_p_value = TRUE.

Value

the output will be a summary of logistic regression results.

Examples

```
logistic_regression_table(logistic_reg_glm_object =
  glm(formula = am ~ mpg, family = binomial(), data = mtcars))
logistic_regression_table(logistic_reg_glm_object =
  glm(formula = am ~ mpg, family = binomial(), data = mtcars),
  z_values_keep = TRUE, constant_row_clean = FALSE,
  odds_ratio_cols_combine = FALSE)
```

logistic_reg_w_interaction

Logistic regression with an interaction term

Description

Conduct logistic regression for a model with an interaction between two predictor variables

Usage

```
logistic_reg_w_interaction(
  data = NULL,
  dv_name = NULL,
  iv_1_name = NULL,
  iv_2_name = NULL,
  round_p = 3,
  round_chi_sq = 2,
  dv_ordered_levels = NULL,
  iv_1_ordered_levels = NULL,
  iv_2_ordered_levels = NULL,
  one_line_summary_only = FALSE,
  p_value_interaction_only = FALSE,
  return_dt_w_binary = FALSE
)
```

Arguments

data	a data object (a data frame or a data.table)
dv_name	name of the dependent variable (must be a binary variable)
iv_1_name	name of the first independent variable

`iv_2_name` name of the second independent variable
`round_p` number of decimal places to which to round p-values (default = 3)
`round_chi_sq` number of decimal places to which to round chi square statistics (default = 2)
`dv_ordered_levels` a vector with the ordered levels of the dependent variable, the first and second elements of which will be coded as 0 and 1, respectively, to run logistic regression. E.g., `dv_ordered_levels = c("fail", "pass")`
`iv_1_ordered_levels` (only if the first independent variable is a binary variable) a vector with the ordered levels of the first independent variable, the first and second elements of which will be coded as 0 and 1, respectively, to run logistic regression. E.g., `iv_1_ordered_levels = c("control", "treatment")`
`iv_2_ordered_levels` (only if the second independent variable is a binary variable) a vector with the ordered levels of the first independent variable, the first and second elements of which will be coded as 0 and 1, respectively, to run logistic regression. E.g., `iv_2_ordered_levels = c("male", "female")`
`one_line_summary_only` logical. Should the output simply be a printout of a one-line summary on the interaction term? (default = FALSE)
`p_value_interaction_only` logical. Should the output simply be a p-value of the interaction term in the logistic regression model? (default = FALSE)
`return_dt_w_binary` logical. If `return_dt_w_binary = TRUE`, the function will return a `data.table` with binary variables coded as 0 or 1 (default = FALSE)

Value

the output will be a summary of logistic regression results, unless set otherwise by arguments to the function.

Examples

```
logistic_reg_w_interaction(data = mtcars, dv_name = "vs",
  iv_1_name = "mpg", iv_2_name = "am")
```

loglinear_analysis *Loglinear analysis*

Description

Conduct a loglinear analysis

Usage

```
loglinear_analysis(
  data = NULL,
  dv_name = NULL,
  iv_1_name = NULL,
  iv_2_name = NULL,
  iv_1_values = NULL,
  iv_2_values = NULL,
  output = "all",
  round_p = 3,
  round_chi_sq = 2,
  mosaic_plot = TRUE,
  report_as_field = FALSE
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>dv_name</code>	name of the dependent variable
<code>iv_1_name</code>	name of the first independent variable
<code>iv_2_name</code>	name of the second independent variable
<code>iv_1_values</code>	restrict all analyses to observations having these values for the first independent variable
<code>iv_2_values</code>	restrict all analyses to observations having these values for the second independent variable
<code>output</code>	type of the output. If <code>output_type = "all"</code> , the function will return a results summary and print a mosaic plot. (default = "all")
<code>round_p</code>	number of decimal places to which to round p-values (default = 3)
<code>round_chi_sq</code>	number of decimal places to which to round chi-squared test statistics (default = 2)
<code>mosaic_plot</code>	If <code>mosaic_plot = TRUE</code> , a mosaic plot will be printed (default = TRUE)
<code>report_as_field</code>	If <code>report_as_field = TRUE</code> , reports summary will follow the format suggested by Andy Field (2012) (ISBN: 978-1-4462-0045-2, p. 851)

Examples

```
loglinear_analysis(data = data.frame(Titanic), "Survived", "Sex", "Age")
```

log_odds_ratio	<i>Log odds ratio</i>
----------------	-----------------------

Description

Calculate log odds ratio (i.e., ln of odds ratio), as illustrated in Borenstein et al. (2009, p. 36, ISBN: 978-0-470-05724-7)

Usage

```
log_odds_ratio(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  contingency_table = NULL,
  ci = 0.95,
  var_include = FALSE,
  invert = FALSE
)
```

Arguments

data	a data object (a data frame or a data.table)
iv_name	name of the independent variable (grouping variable)
dv_name	name of the dependent variable (binary outcome)
contingency_table	a contingency table, which can be directly entered as an input for calculating the odds ratio
ci	width of the confidence interval. Input can be any value less than 1 and greater than or equal to 0. By default, ci = 0.95. If ci = TRUE, the default value of 0.95 will be used. If ci = FALSE, no confidence interval will be estimated.
var_include	logical. Should the output include variance of the log of odds ratio? (default = FALSE)
invert	logical. Whether the inverse of the odds ratio (i.e., 1 / odds ratio) should be returned.

Examples

```
## Not run:
log_odds_ratio(data = mtcars, iv_name = "vs", dv_name = "am")
log_odds_ratio(contingency_table = matrix(c(5, 10, 95, 90), nrow = 2))
log_odds_ratio(contingency_table = matrix(c(5, 10, 95, 90), nrow = 2),
  invert = TRUE)
log_odds_ratio(contingency_table = matrix(c(34, 39, 16, 11), nrow = 2))
log_odds_ratio(contingency_table = matrix(c(34, 39, 16, 11), nrow = 2),
  var_include = TRUE)
```

```
## End(Not run)
```

log_odds_ratio_to_d *Convert log odds ratio to Cohen's d*

Description

Convert log odds ratio to Cohen's d (standardized mean difference), as illustrated in Borenstein et al. (2009, p. 47, ISBN: 978-0-470-05724-7)

Usage

```
log_odds_ratio_to_d(log_odds_ratio = NULL, unname = TRUE)
```

Arguments

log_odds_ratio log odds ratio (the input can be a vector of values), which will be converted to Cohen's d

unname logical. Should the names from the input be removed? (default = TRUE)

Examples

```
## Not run:  
log_odds_ratio_to_d(log(1))  
log_odds_ratio_to_d(log(2))  
  
## End(Not run)
```

mad_remove_outliers *Remove outliers using the MAD method*

Description

Detect outliers in a numeric vector using the Median Absolute Deviation (MAD) method and remove or convert them. For more information on MAD, see Leys et al. (2013) [doi:10.1016/j.jesp.2013.03.013](https://doi.org/10.1016/j.jesp.2013.03.013)

Usage

```
mad_remove_outliers(  
  x = NULL,  
  threshold = 2.5,  
  constant = 1.4826,  
  convert_outliers_to = NA,  
  output_type = "converted_vector"  
)
```

Arguments

x	a numeric vector
threshold	the threshold value for determining outliers. If <code>threshold == 2.5</code> , the median plus or minus 2.5 times the MAD will be the cutoff values for determining outliers. In other words, values less than the median minus 2.5 times the MAD and values greater than the median plus 2.5 times the MAD will be considered outliers. By default, <code>threshold == 2.5</code>
constant	scale factor for the 'mad' function in the 'stats' package. It is the constant linked to the assumed distribution. In case of normality, <code>constant = 1.4826</code> . By default, <code>constant == 1.4826</code> .
convert_outliers_to	the value to which outliers will be converted. For example, if <code>convert_outliers_to = NA</code> , the outlier values will be converted to NA values. If <code>convert_outliers_to = 1000</code> , the outlier values will be converted to 1000. By default, <code>convert_outliers_to == NA</code> .
output_type	type of the output. If <code>output_type = "converted_vector"</code> , the function's output will be a vector with outliers converted to the value set by the argument <code>convert_outliers_to</code> . If <code>output_type = "outliers"</code> , the function's output will be outliers in the original vector as determined by the MAD method. If <code>output_type = "cutoff_values"</code> , the function's output will be the cutoff values for determining outliers. For example, if outliers will be values less than 0 and greater than 10, the cutoff values will be 0 and 10. If <code>output_type = "non_outlier_values"</code> , the function's output will be a vector consisting only of the values that are not outliers; here, the outliers will be removed from the vector, rather than being converted to NA values. By default, <code>output_type = "converted_vector"</code> .

Examples

```
## Not run:
mad_remove_outliers(x = c(1, 3, 3, 6, 8, 10, 10, 1000))
mad_remove_outliers(x = c(1, 3, 3, 6, 8, 10, 10, 1000, -10000))
# return the vector with the outlier converted to NA values
mad_remove_outliers(
  x = c(1, 3, 3, 6, 8, 10, 10, 1000, -10000),
  output_type = "converted_vector")
# return the cutoff values for determining outliers
mad_remove_outliers(
  x = c(1, 3, 3, 6, 8, 10, 10, 1000, -10000),
  output_type = "cutoff_values")
# return the outliers
mad_remove_outliers(
  x = c(1, 3, 3, 6, 8, 10, 10, 1000, -10000),
  output_type = "outliers")
mad_remove_outliers(
  x = c(1, 3, 3, 6, 8, 10, 10, 1000, -10000),
  output_type = "non_outlier_values")

## End(Not run)
```

mann_whitney	<i>Mann-Whitney U Test (Also called Wilcoxon Rank-Sum Test)</i>
--------------	---

Description

A nonparametric equivalent of the independent t-test

Usage

```
mann_whitney(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  iv_level_order = NULL,
  sigfigs = 3
)
```

Arguments

data	a data object (a data frame or a data.table)
iv_name	name of the independent variable (grouping variable)
dv_name	name of the dependent variable (measure variable of interest)
iv_level_order	order of levels in the independent variable. By default, it will be set as levels of the independent variable ordered using R's base function sort.
sigfigs	number of significant digits to round to

Value

the output will be a data.table object with all pairwise Mann-Whitney test results

Examples

```
mann_whitney(data = iris, iv_name = "Species", dv_name = "Sepal.Length")
```

matrix_prep_dt	<i>Prepare a two-column data.table that will be used to fill values in a matrix</i>
----------------	---

Description

Prepare a two-column data.table that will be used to fill values in a matrix

Usage

```
matrix_prep_dt(row_var_names = NULL, col_var_names = NULL)
```

Arguments

- row_var_names a vector of variable names, each of which will be header of a row in the eventual matrix
- col_var_names a vector of variable names, each of which will be header of a column in the eventual matrix

Examples

```
matrix_prep_dt(  
  row_var_names = c("mpg", "cyl"),  
  col_var_names = c("hp", "gear")  
)
```

mean_center	<i>Mean center</i>
-------------	--------------------

Description

Mean-center a variable, i.e., subtract the mean of a numeric vector from each value in the numeric vector

Usage

```
mean_center(x)
```

Arguments

- x a numeric vector; though not thoroughly tested, the function can accept a matrix as an input.

Examples

```
mean_center(1:5)  
mean_center(1:6)  
# if the input is a matrix  
matrix(1:9, nrow = 3)  
mean_center(matrix(1:9, nrow = 3))
```

mediation_analysis *Mediation analysis*

Description

Conducts a mediation analysis to estimate an independent variable's indirect effect on dependent variable through a mediator variable. The current version of the package only supports a simple mediation model consisting of one independent variable, one mediator variable, and one dependent variable.

Usage

```
mediation_analysis(  
  data = NULL,  
  iv_name = NULL,  
  mediator_name = NULL,  
  dv_name = NULL,  
  covariates_names = NULL,  
  robust_se = TRUE,  
  iterations = 1000,  
  sigfigs = 3,  
  output_type = "summary_dt",  
  silent = FALSE  
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable
<code>mediator_name</code>	name of the mediator variable
<code>dv_name</code>	name of the dependent variable
<code>covariates_names</code>	names of covariates to control for
<code>robust_se</code>	if TRUE, heteroskedasticity-consistent standard errors will be used in quasi-Bayesian simulations. By default, it will be set as FALSE if nonparametric bootstrap is used and as TRUE if quasi-Bayesian approximation is used.
<code>iterations</code>	number of bootstrap samples. The default is set at 1000, but consider increasing the number of samples to 5000, 10000, or an even larger number, if slower handling time is not an issue.
<code>sigfigs</code>	number of significant digits to round to
<code>output_type</code>	if <code>output_type = "summary_dt"</code> , return the summary data.table; if <code>output_type = "mediate_output"</code> , return the output from the <code>mediate</code> function in the 'mediate' package; if <code>output_type = "indirect_effect_p"</code> , return the p value associated with the indirect effect estimated in the mediation model (default = "summary_dt")

`silent` if `silent = FALSE`, mediation analysis summary, estimation method, sample size, and number of simulations will be printed; if `silent = TRUE`, nothing will be printed. (default = `FALSE`)

Details

This function requires installing Package 'mediation' v4.5.0 (or possibly a higher version) by Tingley et al. (2019), and uses the source code from a function in the package. <https://cran.r-project.org/package=mediation>

Value

if `output_type = "summary_dt"`, which is the default, the output will be a `data.table` showing a summary of mediation analysis results; if `output_type = "mediate_output"`, the output will be the output from the `mediate` function in the 'mediate' package; if `output_type = "indirect_effect_p"`, the output will be the p-value associated with the indirect effect estimated in the mediation model (a numeric vector of length one).

Examples

```
mediation_analysis(  
  data = mtcars, iv_name = "cyl",  
  mediator_name = "disp", dv_name = "mpg", iterations = 100  
)  
mediation_analysis(  
  data = iris, iv_name = "Sepal.Length",  
  mediator_name = "Sepal.Width", dv_name = "Petal.Length",  
  iterations = 100  
)
```

`merge_data_tables` *Merge data tables*

Description

Merge two `data.table` objects. If there are any duplicated ID values and column names across the two data tables, the cell values in the first `data.table` will remain intact and the cell values in the second `data.table` will be discarded for the resulting merged data table.

Usage

```
merge_data_tables(dt1 = NULL, dt2 = NULL, id = NULL, silent = TRUE)
```

Arguments

dt1	the first data.table which will remain intact
dt2	the second data.table which will be joined outside of (around) the first data.table. If there are any duplicated ID values and column names across the two data tables, the cell values in the first data.table will remain intact and the cell values in the second data.table will be discarded for the resulting merged data table.
id	name(s) of the column(s) that will contain the ID values in the two data tables. The name(s) of the ID column(s) must be identical in the two data tables.
silent	If silent = TRUE, no message will be printed regarding how many ID values and column names were duplicated. If silent = FALSE, messages will be printed regarding how many column names were duplicated. In cases where only one column was used as the 'id' column (which is the most common case), silent = FALSE will also print messages regarding how many input ID values were duplicated. By default, silent = FALSE.

Value

a data.table object, which merges (joins) the second data.table around the first data.table.

Examples

```
## Example 1: Typical Usage
data_1 <- data.table::data.table(
  id_col = c(4, 2, 1, 3),
  a = 3:6,
  b = 5:8,
  c = c("w", "x", "y", "z"))
data_2 <- data.table::data.table(
  id_col = c(1, 99, 4),
  e = 6:8,
  b = c("p", "q", "r"),
  d = c(TRUE, FALSE, FALSE))
# check the two example data tables
data_1
data_2
# check the result of merging the two data tables above and
# note how data_1 (the upper left portion) is intact in the resulting
# data table
merge_data_tables(dt1 = data_1, dt2 = data_2, id = "id_col")
# compare the result with above with the result from the `merge` function
merge(data_1, data_2, by = "id_col", all = TRUE)
## Example 2: Some values can be converted
data_3 <- data.table::data.table(
  id_col = 99,
  a = "abc",
  b = TRUE,
  c = TRUE)
data_1
data_3
merge_data_tables(data_1, data_3, id = "id_col")
```

```

# In the example above, note how the value of TRUE gets
# converted to 1 in the last row of Column 'b' in the resulting data table
## Example 3: A simpler case
data_4 <- data.table::data.table(
  id_col = c(5, 3),
  a = c("a", NA))
data_5 <- data.table::data.table(
  id_col = 1,
  a = 2)
# check the two example data tables
data_4
data_5
merge_data_tables(data_4, data_5, id = "id_col")
## Example 4: Merging data tables using multiple ID columns
data_6 <- data.table::data.table(
  id_col_1 = 3:1,
  id_col_2 = c("a", "b", "c"),
  id_col_3 = 4:6,
  a = 7:9,
  b = 10:12)
data_7 <- data.table::data.table(
  id_col_1 = c(3, 2),
  id_col_3 = c(3, 5),
  id_col_2 = c("a", "b"),
  c = 13:14,
  a = 15:16)
# check the example data sets
data_6
data_7
# merge data sets using the three id columns
suppressWarnings(merge_data_tables(
  dt1 = data_6,
  dt2 = data_7,
  id = c("id_col_1", "id_col_2", "id_col_3")))

```

merge_data_table_list *Merge a list of data tables*

Description

Successively merge a list of `data.table` objects in a recursive fashion. That is, merge the (second data table in the list) around the first data table in the list; then, around this resulting data table, merge the third data table in the list; and so on.

Usage

```
merge_data_table_list(dt_list = NULL, id = NULL, silent = TRUE)
```

Arguments

<code>dt_list</code>	a list of <code>data.table</code> objects
<code>id</code>	name(s) of the column(s) that will contain the ID values in the two data tables. The name(s) of the ID column(s) must be identical in the two data tables.
<code>silent</code>	If <code>silent = TRUE</code> , no message will be printed regarding how many ID values and column names were duplicated. If <code>silent = FALSE</code> , messages will be printed regarding how many column names were duplicated. In cases where only one column was used as the 'id' column (which is the most common case), <code>silent = FALSE</code> will also print messages regarding how many input ID values were duplicated. By default, <code>silent = FALSE</code> .

Details

If there are any duplicated ID values and column names across the data tables, the cell values in the earlier data table will remain intact and the cell values in the later data table will be discarded for the resulting merged data table in each recursion.

Value

a `data.table` object, which successively merges (joins) a data table around (i.e., outside) the previous data table in the list of data tables.

Examples

```
data_1 <- data.table::data.table(
  id_col = c(4, 2, 1, 3),
  a = 3:6,
  b = 5:8,
  c = c("w", "x", "y", "z"))
data_2 <- data.table::data.table(
  id_col = c(1, 4, 99),
  d = 6:8,
  b = c("p", "q", "r"),
  e = c(TRUE, FALSE, FALSE))
data_3 <- data.table::data.table(
  id_col = c(200, 3),
  f = 11:12,
  b = c(300, "abc"))
merge_data_table_list(
  dt_list = list(data_1, data_2, data_3), id = "id_col")
```

Description

Find modes of objects

Usage

```
modes_of_objects(...)
```

Arguments

```
...          R objects.
```

Value

the output will be a `data.table` listing objects and their mods.

Examples

```
modes_of_objects(  
TRUE, FALSE, 1L, 1:3, 1.1, c(1.2, 1.3), "abc", 1 + 2i, intToBits(1L))
```

`multiple_regression` *Multiple regression*

Description

Conduct multiple regression analysis and summarize the results in a `data.table`.

Usage

```
multiple_regression(  
  data = NULL,  
  formula = NULL,  
  vars_to_mean_center = NULL,  
  mean_center_vars = NULL,  
  sigfigs = NULL,  
  round_digits_after_decimal = NULL,  
  round_p = NULL,  
  pretty_round_p_value = TRUE,  
  return_table_upper_half = FALSE,  
  round_r_squared = 3,  
  round_f_stat = 2,  
  prettify_reg_table_col_names = TRUE,  
  silent = FALSE  
)
```

Arguments

`data` a data object (a data frame or a `data.table`)
`formula` a formula object for the regression equation

<code>vars_to_mean_center</code>	(deprecated) a character vector specifying names of variables that will be mean-centered before the regression model is estimated
<code>mean_center_vars</code>	a character vector specifying names of variables that will be mean-centered before the regression model is estimated
<code>sigfigs</code>	number of significant digits to round to
<code>round_digits_after_decimal</code>	round to nth digit after decimal (alternative to <code>sigfigs</code>)
<code>round_p</code>	number of decimal places to round p values (overrides all other rounding arguments)
<code>pretty_round_p_value</code>	logical. Should the p-values be rounded in a pretty format (i.e., lower threshold: "<.001"). By default, <code>pretty_round_p_value</code> = TRUE.
<code>return_table_upper_half</code>	logical. Should only the upper part of the table be returned? By default, <code>return_table_upper_half</code> = FALSE.
<code>round_r_squared</code>	number of digits after the decimal both r-squared and adjusted r-squared values should be rounded to (default 3)
<code>round_f_stat</code>	number of digits after the decimal the f statistic of the regression model should be rounded to (default 2)
<code>prettify_reg_table_col_names</code>	logical. Should the column names of the regression table be made pretty (e.g., change "std_beta" to "Std. Beta")? (Default = TRUE)
<code>silent</code>	If <code>silent</code> = FALSE, a message regarding mean-centered variables will be printed. If <code>silent</code> = TRUE, this message will be suppressed. By default, <code>silent</code> = FALSE.

Details

To include standardized beta(s) in the regression results table, the following package(s) must be installed prior to running the function: Package 'lm.beta' v1.5-1 (or possibly a higher version) by Stefan Behrendt (2014), <https://cran.r-project.org/package=lm.beta>

Value

the output will be a `data.table` showing multiple regression results.

Examples

```
multiple_regression(data = mtcars, formula = mpg ~ gear * cyl)
multiple_regression(
  data = mtcars, formula = mpg ~ gear * cyl,
  mean_center_vars = "gear",
  round_digits_after_decimal = 2)
```

noncentrality_parameter

Find noncentrality parameter

Description

Find noncentrality parameter

Usage

```
noncentrality_parameter(t_stat, df, initial_value = 0, ci = 0.95)
```

Arguments

t_stat	the t-statistic associated with the noncentrality parameters
df	degrees of freedom associated with the noncentrality parameters
initial_value	initial value of the noncentrality parameter for optimization (default = 0). Adjust this value if results look strange.
ci	width of the confidence interval associated with the noncentrality parameters (default = 0.95)

Examples

```
noncentrality_parameter(4.29, 9)
```

odds_ratio

Odds ratio

Description

Calculate odds ratio, as illustrated in Borenstein et al. (2009, pp. 33-36, ISBN: 978-0-470-05724-7)

Usage

```
odds_ratio(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  contingency_table = NULL,
  ci = 0.95,
  round_ci_limits = 2,
  invert = FALSE
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the independent variable (grouping variable)
<code>dv_name</code>	name of the dependent variable (binary outcome)
<code>contingency_table</code>	a contingency table, which can be directly entered as an input for calculating the odds ratio
<code>ci</code>	width of the confidence interval. Input can be any value less than 1 and greater than or equal to 0. By default, <code>ci = 0.95</code> . If <code>ci = TRUE</code> , the default value of 0.95 will be used. If <code>ci = FALSE</code> , no confidence interval will be estimated.
<code>round_ci_limits</code>	number of decimal places to which to round the limits of the confidence interval (default = 2)
<code>invert</code>	logical. Whether the inverse of the odds ratio (i.e., 1 / odds ratio) should be returned.

Examples

```
## Not run:
odds_ratio(data = mtcars, iv_name = "vs", dv_name = "am")
odds_ratio(data = mtcars, iv_name = "vs", dv_name = "am", ci = 0.9)
odds_ratio(contingency_table = matrix(c(5, 10, 95, 90), nrow = 2))
odds_ratio(contingency_table = matrix(c(5, 10, 95, 90), nrow = 2),
invert = TRUE)
odds_ratio(contingency_table = matrix(c(34, 39, 16, 11), nrow = 2))

## End(Not run)
```

```
order_rows_specifically_in_dt
```

Order rows specifically in a data table

Description

Order rows in a data.table in a specific order

Usage

```
order_rows_specifically_in_dt(
  dt = NULL,
  col_to_order_by = NULL,
  specific_order = NULL
)
```

Arguments

dt a data.table object
col_to_order_by a character value indicating the name of the column by which to order the data.table
specific_order a vector indicating a specific order of the values in the column by which to order the data.table.

Value

the output will be a data.table object whose rows will be ordered as specified.

Examples

```
order_rows_specifically_in_dt(mtcars, "carb", c(3, 2, 1, 4, 8, 6))
```

outlier	<i>Outlier</i>
---------	----------------

Description

Return outliers in a vector

Usage

```
outlier(x = NULL, iqr = 1.5, na.rm = TRUE, type = 7, unique_outliers = FALSE)
```

Arguments

x a numeric vector
iqr a nonnegative constant by which interquartile range (IQR) will be multiplied to build a "fence," outside which observations will be considered outliers. For example, if $iqr = 1.5$, $IQR * 1.5$ will be the "fence" outside which observations will be considered to be outliers. By default, $iqr = 1.5$.
na.rm logical. `na.rm` argument to be passed onto the 'quantile' function in the 'stats' package. If true, any NA and NaN's are removed from `x` before the quantiles are computed.
type type argument to be passed onto the 'quantile' function in the 'stats' package. An integer between 1 and 9 selecting one of the nine quantile algorithms detailed below to be used. Type '?stats::quantile' for details. By default, `type = 7`
unique_outliers logical. If `unique_outliers = TRUE`, the function will return the unique outlier values. If `unique_outliers = FALSE`, the function will return all the outlier values in the vector `x`. By default, `unique_outliers = FALSE`.

Value

the output will be a numeric vector with outliers removed.

Examples

```
# Example 1
outlier(c(1:10, 100))
# The steps below show how the outlier, 100, was obtained
# v1 is the vector of interest
v1 <- c(1:10, 100)
# quantile
stats::quantile(v1)
# first and third quartiles
q1 <- stats::quantile(v1, 0.25)
q3 <- stats::quantile(v1, 0.75)
# interquartile range
interquartile_range <- unname(q3 - q1)
# fence, using the default 1.5 as the factor to multiply the IQR
cutoff_low <- unname(q1 - 1.5 * interquartile_range)
cutoff_high <- unname(q3 + 1.5 * interquartile_range)
v1[v1 < cutoff_low | v1 > cutoff_high]
```

overlapping_interval *Find the overlapping interval of two ranges.*

Description

This function should be applied to cases where the two ranges are inclusive of both endpoints. For example, the function can work for a pair of ranges like [0, 1] and [3, 4] but not for pairs like [0, 1) and \((3, 5\)

Usage

```
overlapping_interval(
  interval_1_begin = NULL,
  interval_1_end = NULL,
  interval_2_begin = NULL,
  interval_2_end = NULL
)
```

Arguments

interval_1_begin a number at which the first interval begins (the left INCLUSIVE endpoint of interval 1)

interval_1_end a number at which the first interval ends (the right INCLUSIVE endpoint of interval 1)

interval_2_begin a number at which the second interval begins (the left INCLUSIVE endpoint of interval 2)

interval_2_end a number at which the second interval ends (the right INCLUSIVE endpoint of interval 2)

Value

the output will be NULL if there is no overlapping region or a vector of the endpoints of the overlapping interval.

Examples

```
overlapping_interval(1, 3, 2, 4)
overlapping_interval(1, 2.22, 2.22, 3)
```

p0	<i>Paste0</i>
----	---------------

Description

A shorthand for the function `paste0` Concatenate vectors after converting to character.

Usage

```
p0(..., collapse = NULL, recycle0 = FALSE)
```

Arguments

... one or more R objects, to be converted to character vectors. This is the same argument that would be used in the `paste0` function.

collapse an optional character string to separate the results. Not `NA_character_`. This is the same argument that would be used in the `paste0` function.

recycle0 logical indicating if zero-length character arguments should lead to the zero-length character(0) after the sep-phase (which turns into "" in the collapse-phase, i.e., when collapse is not NULL). This is the same argument that would be used in the `paste0` function.

Examples

```
paste0("a", "b")
p0("a", "b")
```

package_list_default *Packages - List the default packages*

Description

List the default packages in R

Usage

```
package_list_default(package_type = c("base", "recommended"))
```

Arguments

package_type a vector of package types. By default, package_type = c("base", "recommended")

Examples

```
package_list_default()
package_list_default(package_type = "base")
```

parallel_analysis *Parallel analysis*

Description

Conducts a parallel analysis to determine how many factors to retain in a factor analysis.

Usage

```
parallel_analysis(
  data = NULL,
  names_of_vars = NULL,
  iterations = NULL,
  percentile_for_eigenvalue = 95,
  line_types = c("dashed", "solid"),
  colors = c("red", "blue"),
  eigenvalue_random_label_x_pos = NULL,
  eigenvalue_random_label_y_pos = NULL,
  unadj_eigenvalue_label_x_pos = NULL,
  unadj_eigenvalue_label_y_pos = NULL,
  label_offset_percent = 2,
  label_size = 6,
  dot_size = 5,
  line_thickness = 1.5,
  y_axis_title_vjust = 0.8,
  title_text_size = 26,
  axis_text_size = 22
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>names_of_vars</code>	names of the variables
<code>iterations</code>	number of random data sets. If no input is entered, this value will be set as 30 * number of variables.
<code>percentile_for_eigenvalue</code>	percentile used in estimating bias (default = 95).
<code>line_types</code>	types of the lines connecting eigenvalues. By default, <code>line_types = c("dashed", "solid")</code>
<code>colors</code>	size of the dots denoting eigenvalues (default = 5).
<code>eigenvalue_random_label_x_pos</code>	(optional) x coordinate of the label for eigenvalues from randomly generated data.
<code>eigenvalue_random_label_y_pos</code>	(optional) y coordinate of the label for eigenvalues from randomly generated data.
<code>unadj_eigenvalue_label_x_pos</code>	(optional) x coordinate of the label for unadjusted eigenvalues
<code>unadj_eigenvalue_label_y_pos</code>	(optional) y coordinate of the label for unadjusted eigenvalues
<code>label_offset_percent</code>	How much should labels for the eigenvalue curves be offset, as a percentage of the plot's x and y range? (default = 2)
<code>label_size</code>	size of the labels for the eigenvalue curves (default = 6).
<code>dot_size</code>	size of the dots denoting eigenvalues (default = 5).
<code>line_thickness</code>	thickness of the eigenvalue curves (default = 1.5).
<code>y_axis_title_vjust</code>	position of the y axis title as a proportion of the range (default = 0.8).
<code>title_text_size</code>	size of the plot title (default = 26).
<code>axis_text_size</code>	size of the text on the axes (default = 22).

Details

The following package(s) must be installed prior to running the function: Package 'paran' v1.5.2 (or possibly a higher version) by Alexis Dinno (2018), <https://cran.r-project.org/package=paran>

Examples

```
parallel_analysis(
  data = mtcars, names_of_vars = c("disp", "hp", "drat"))
# parallel_analysis(
# data = mtcars, names_of_vars = c("carb", "vs", "gear", "am"))
```

percentile_rank	<i>Percentile rank</i>
-----------------	------------------------

Description

Calculate percentile rank of each value in a vector

Usage

```
percentile_rank(vector)
```

Arguments

vector	a numeric vector
--------	------------------

Examples

```
percentile_rank(1:5)  
percentile_rank(1:10)  
percentile_rank(1:100)
```

pivot_table	<i>Pivot Table</i>
-------------	--------------------

Description

Create a pivot table.

Usage

```
pivot_table(  
  data = NULL,  
  row_names = NULL,  
  col_names = NULL,  
  function_as_character = NULL,  
  sigfigs = 3,  
  output = "dt",  
  remove_col_names = TRUE  
)
```

Arguments

data	a data object (a data frame or a data.table)
row_names	names of variables for constructing rows
col_names	names of variables for constructing columns independent variables
function_as_character	function to perform for each cell in the pivot table
sigfigs	number of significant digits to which to round values in the pivot table (default = 3)
output	type of output. If output = "dt", the function's output will be a pivot table in a data.table format. If output = "subsets", the function's output will be a list of data tables that are subsets representing each cell in the pivot table. By default, output = "dt"
remove_col_names	logical. Should the column names (i.e., v1, v2, ...) be removed in the data table output?

Value

the output will be a contingency table in a data.table format

Examples

```

pivot_table(
  data = mtcars, col_names = "am", row_names = c("cyl", "vs"),
  function_as_character = "mean(mpg)")
pivot_table(
  data = mtcars, col_names = "am", row_names = c("cyl", "vs"),
  function_as_character = "sum(mpg < 17)")
pivot_table(
  data = mtcars, col_names = "am", row_names = c("cyl", "vs"),
  function_as_character =
    "round(sum(mpg < 17) / sum(!is.na(mpg)) * 100, 0)")

```

plot_group_means

Plot group means

Description

Creates a plot of sample means and error bars by group.

Usage

```

plot_group_means(
  data = NULL,
  dv_name = NULL,
  iv_name = NULL,

```

```

na.rm = TRUE,
error_bar = "ci",
error_bar_range = 0.95,
error_bar_tip_width = 0.13,
error_bar_thickness = 1,
error_bar_caption = TRUE,
lines_connecting_means = TRUE,
line_types = NULL,
line_thickness = 1,
line_size = NULL,
dot_size = 3,
position_dodge = 0.13,
legend_position = "right",
y_axis_title_vjust = 0.85
)

```

Arguments

data	a data object (a data frame or a data.table)
dv_name	name of the dependent variable
iv_name	name(s) of the independent variable(s). Up to two independent variables can be supplied.
na.rm	logical. If na.rm = TRUE, NA values in independent and dependent variables will be removed before calculating group means.
error_bar	if error_bar = "se"; error bars will be +/-1 standard error, if error_bar = "ci" error bars will be a confidence interval; if error_bar = "pi", error bars will be a prediction interval
error_bar_range	width of the confidence or prediction interval (default = 0.95 for 95 percent confidence or prediction interval). This argument will not apply when error_bar = "se"
error_bar_tip_width	graphically, width of the segments at the end of error bars (default = 0.13)
error_bar_thickness	thickness of the error bars (default = 1)
error_bar_caption	should a caption be included to indicate the width of the error bars? (default = TRUE).
lines_connecting_means	logical. Should lines connecting means within each group be drawn? (default = TRUE)
line_types	types of the lines connecting means (default = NULL) If the second IV has two levels, then by default, line_types = c("solid", "dashed")
line_thickness	thickness of the lines connecting group means (default = 1)
line_size	Deprecated. Use the 'linewidth' argument instead. (default = 1)
dot_size	size of the dots indicating group means (default = 3)

`position_dodge` by how much should the group means and error bars be horizontally offset from each other so as not to overlap? (default = 0.13)

`legend_position`
position of the legend: "none", "top", "right", "bottom", "left", "none" (default = "right")

`y_axis_title_vjust`
position of the y axis title (default = 0.85). If default is used, `y_axis_title_vjust = 0.85`, the y axis title will be positioned at 85% of the way up from the bottom of the plot.

Value

by default, the output will be a ggplot object. If `output = "table"`, the output will be a `data.table` object.

Examples

```
plot_group_means(data = mtcars, dv_name = "mpg", iv_name = c("vs", "am"))
plot_group_means(
  data = mtcars, dv_name = "mpg", iv_name = c("vs", "am"),
  error_bar = "se"
)
plot_group_means(
  data = mtcars, dv_name = "mpg", iv_name = c("vs", "am"),
  error_bar = "pi", error_bar_range = 0.99
)
```

 pm

Paste for message

Description

Combines the base functions `paste0` and `message`

Usage

```
pm(..., collapse = NULL)
```

Arguments

`...` one or more R objects, to be converted to character vectors. Input(s) to this argument will be passed onto the `paste0` function.

`collapse` an optional character string to separate the results. Not `NA_character_`. Input(s) to this argument will be passed onto the `paste0` function.

Value

there will be no output from this function. Rather, a message will be generated from the arguments.

Examples

```
pm("hello", 123)
pm(c("hello", 123), collapse = ", ")
```

population_variance *Population variance of a vector*

Description

Calculates the population variance, rather than the sample variance, of a vector

Usage

```
population_variance(vector, na.rm = TRUE)
```

Arguments

vector	a numeric vector
na.rm	if TRUE, NA values will be removed before calculation

Examples

```
population_variance(1:4)
var(1:4)
```

prep *Prepare package(s) for use*

Description

Installs, loads, and attaches package(s). If package(s) are not installed, installs them prior to loading and attaching.

Usage

```
prep(
  ...,
  pkg_names_as_object = FALSE,
  silent_if_successful = FALSE,
  silent_load_pkgs = NULL
)
```

Arguments

`...` names of packages to load and attach, separated by commas, e.g., "ggplot2", `data.table`. The input can be any number of packages, whose names may or may not be wrapped in quotes.

`pkg_names_as_object`
logical. If `pkg_names_as_object = TRUE`, the input will be evaluated as one object containing package names. If `pkg_names_as_object = FALSE`, the input will be considered as literal packages names (default = `FALSE`).

`silent_if_successful`
logical. If `silent_if_successful = TRUE`, no message will be printed if preparation of package(s) is successful. If `silent_if_successful = FALSE`, a message indicating which package(s) were successfully loaded and attached will be printed (default = `FALSE`).

`silent_load_pkgs`
a character vector indicating names of packages to load silently (i.e., suppress messages that get printed when loading the packaged). By default, `silent_load_pkgs = NULL`

Value

there will be no output from this function. Rather, packages given as inputs to the function will be installed, loaded, and attached.

Examples

```
prep(data.table)
prep("data.table", silent_if_successful = TRUE)
prep("base", utils, ggplot2, "data.table")
pkgs <- c("ggplot2", "data.table")
prep(pkgs, pkg_names_as_object = TRUE)
prep("data.table", silent_load_pkgs = "data.table")
```

`pretty_round_p_value` *Pretty round p-value*

Description

Round p-values to the desired number of decimals and remove leading 0s before the decimal.

Usage

```
pretty_round_p_value(
  p_value_vector = NULL,
  round_digits_after_decimal = 3,
  include_p_equals = FALSE
)
```

Arguments

`p_value_vector` one number or a numeric vector
`round_digits_after_decimal`
 how many digits after the decimal point should the p-value be rounded to?
`include_p_equals`
 if TRUE, output will be a string of mathematical expression including "p", e.g.,
 "p < .01" (default = FALSE)

Value

the output will be a character vector with p values, e.g., a vector of strings like "< .001" (or "p < .001").

Examples

```
pretty_round_p_value(0.0495, 3)
pretty_round_p_value(
  p_value_vector = 0.049,
  round_digits_after_decimal = 2, include_p_equals = FALSE)
pretty_round_p_value(c(0.0015, 0.0014, 0.0009), include_p_equals = TRUE)
```

pretty_round_r	<i>Pretty round r</i>
----------------	-----------------------

Description

Round correlation coefficients in APA style (7th Ed.)

Usage

```
pretty_round_r(r = NULL, round_digits_after_decimal = 2)
```

Arguments

`r` a (vector of) correlation coefficient(s)
`round_digits_after_decimal`
 how many digits after the decimal point should the p-value be rounded to? (default = 2)

Value

the output will be a character vector of correlation coefficient(s).

Examples

```
pretty_round_r(r = -0.123)
pretty_round_r(c(-0.12345, 0.45678), round_digits_after_decimal = 3)
pretty_round_r(c(-0.12, 0.45), round_digits_after_decimal = 4)
```

```
print_loop_progress  print loop progress
```

Description

Print current progress inside a loop (e.g., for loop or lapply)

Usage

```
print_loop_progress(
  iteration_number = NULL,
  iteration_start = 1,
  iteration_end = NULL,
  text_before = "",
  percent = 1,
  output_method = "cat"
)
```

Arguments

<code>iteration_number</code>	current number of iteration
<code>iteration_start</code>	iteration number at which the loop begins (default = 1)
<code>iteration_end</code>	iteration number at which the loop ends.
<code>text_before</code>	text to add before "Loop Progress..." By default, it is set to be blank, i.e., <code>text_before = ""</code>
<code>percent</code>	if <code>percent = 1</code> , progress level will be printed at every 1 percent progress (default = 1)
<code>output_method</code>	if <code>output_method = "cat"</code> , progress level will be printed using the 'cat' function; if <code>output_method = "return"</code> , progress level will be returned as the output of the function (default = "cat")

Examples

```
for (i in seq_len(250)) {
  Sys.sleep(0.001)
  print_loop_progress(
    iteration_number = i,
    iteration_end = 250)
}
unlist(lapply(seq_len(7), function (i) {
  Sys.sleep(0.1)
  print_loop_progress(
    iteration_number = i,
    iteration_end = 7)
  return(i)
})))
```

proportion_of_values_in_vector
Proportion of given values in a vector

Description

Proportion of given values in a vector

Usage

```
proportion_of_values_in_vector(  
  values = NULL,  
  vector = NULL,  
  na.exclude = TRUE,  
  output_type = "proportion",  
  silent = FALSE,  
  conf.level = 0.95,  
  correct_yates = TRUE  
)
```

Arguments

values	a set of values that will count as successes (hits)
vector	a numeric or character vector containing successes (hits) and failures (misses)
na.exclude	if TRUE, NA values will be removed both from vector and values before calculation (default = TRUE).
output_type	By default, output_type = "proportion". If output_type = "proportion", the function will return the calculated proportion; if output_type = "se", the function will return the standard error of the sample proportion; if output_type = "dt", the function will return the the data table of proportion and confidence intervals.
silent	If silent = TRUE, no message will be printed regarding number of NA values or confidence interval. (default = FALSE)
conf.level	confidence level of the returned confidence interval. Input to this argument will be passed onto the conf.level argument in the prop.test function from the default stats package.
correct_yates	a logical indicating whether Yates' continuity correction should be applied where possible (default = TRUE). Input to this argument will be passed onto the correct argument in the prop.test function from the default stats package.

Examples

```
proportion_of_values_in_vector(  
  values = 2:3, vector = c(rep(1:3, each = 10), rep(NA, 10))  
)
```

```

proportion_of_values_in_vector(
  values = 2:3, vector = c(rep(1:3, each = 10), rep(NA, 10)),
  output_type = "se"
)
proportion_of_values_in_vector(
  values = 2:3, vector = c(rep(1:3, each = 10), rep(NA, 10)),
  conf.level = 0.99
)
proportion_of_values_in_vector(
  values = c(2:3, NA), vector = c(rep(1:3, each = 10), rep(NA, 10)),
  na.exclude = FALSE
)

```

q_stat_test_homo_r *Q statistic for testing homogeneity of correlations*

Description

Calculate the Q statistic to test for homogeneity of correlation coefficients. See p. 235 of the book Hedges & Olkin (1985), *Statistical Methods for Meta-Analysis* (ISBN: 0123363802).

Usage

```
q_stat_test_homo_r(z = NULL, n = NULL)
```

Arguments

z	a vector of z values
n	a vector of sample sizes which will be used to calculate the weights, which in turn will be used to calculate the weighted z.

Value

the output will be a weighted z value.

Examples

```

q_stat_test_homo_r(1:3, c(100, 200, 300))
q_stat_test_homo_r(z = c(1:3, NA), n = c(100, 200, 300, NA))

```

read_csv	<i>Read a csv file</i>
----------	------------------------

Description

Read a csv file

Usage

```
read_csv(name = NULL, head = FALSE, dirname = NULL, ...)
```

Arguments

name	a character string of the csv file name without the ".csv" extension. For example, if the csv file to read is "myfile.csv", enter name = "myfile"
head	logical. if head = TRUE, prints the first five rows of the data set.
dirname	a character string of the directory containing the csv file, e.g., dirname = "c:/Users/Documents"
...	optional arguments for the fread function from the data.table package. Any arguments for data.table's fread function can be used, e.g., fill = TRUE, nrows = 100

Value

the output will be a data.table object, that is, an output from the data.table function, fread

Examples

```
## Not run:  
mydata <- read_csv("myfile")  
  
## End(Not run)
```

read_sole_csv	<i>Read the sole csv file in the working directory</i>
---------------	--

Description

Read the sole csv file in the working directory

Usage

```
read_sole_csv(head = FALSE, ...)
```

Arguments

head logical. if head = TRUE, prints the first five rows of the data set.

... optional arguments for the fread function from the data.table package. Any arguments for data.table's fread function can be used, e.g., fill = TRUE, nrows = 100

Value

the output will be a data.table object, that is, an output from the data.table function, fread

Examples

```
mydata <- read_sole_csv()
mydata <- read_sole_csv(head = TRUE)
mydata <- read_sole_csv(fill = TRUE, nrows = 5)
```

regex_match	<i>Regular expression matches</i>
-------------	-----------------------------------

Description

Returns elements of a character vector that match the given regular expression

Usage

```
regex_match(regex = NULL, vector = NULL, silent = FALSE, perl = FALSE)
```

Arguments

regex a regular expression provided, a default theme will be used.

vector a character vector in which to search for regular expression matches, or a data table whose column names will be searched

silent logical. If silent = FALSE, a report on regular expression matches will be printed. If silent = TRUE, the report on regular expression matches will not be printed. By default, silent = FALSE

perl logical. Should Perl-compatible regexps be used?

Examples

```
regex_match("p$", names(mtcars))

colnames_ending_with_p <- regex_match("p$", names(mtcars))
```

`rel_pos_of_value_in_vector`*Find relative position of a value in a vector*

Description

Find relative position of a value in a vector that may or may not contain the value

Usage

```
rel_pos_of_value_in_vector(value = NULL, vector = NULL)
```

Arguments

value	a value whose relative position is to be searched in a vector
vector	a numeric vector

Value

a number indicating the relative position of the value in the vector

Examples

```
rel_pos_of_value_in_vector(value = 3, vector = c(2, 4))  
rel_pos_of_value_in_vector(value = 3, vector = c(2, 6))  
rel_pos_of_value_in_vector(value = 3, vector = 1:3)
```

`rel_value_of_pos_in_vector`*Find relative value of a position in a vector*

Description

Find relative value of a position in a vector

Usage

```
rel_value_of_pos_in_vector(vector = NULL, position = NULL)
```

Arguments

vector	a numeric vector
position	position of a vector

Value

a number indicating the relative value of the position in the vector

Examples

```
rel_value_of_pos_in_vector(vector = c(0, 100), position = 1.5)
rel_value_of_pos_in_vector(vector = 2:4, position = 2)
rel_value_of_pos_in_vector(vector = c(2, 4, 6), position = 2.5)
```

remove_from_vector	<i>Remove from a vector</i>
--------------------	-----------------------------

Description

Remove certain values from a vector

Usage

```
remove_from_vector(values = NULL, vector = NULL, silent = FALSE)
```

Arguments

values	a single value or a vector of values which will be removed from the target vector
vector	a character or numeric vector
silent	if silent = FALSE, a summary of values removed will be printed; if silent = TRUE, such summary will not be printed. By default, silent = FALSE

Value

the output will be a vector with the given values removed.

Examples

```
remove_from_vector(values = 1, vector = 1:3)
remove_from_vector(values = NA, vector = c(1:3, NA))
remove_from_vector(values = c(1, NA), vector = c(1:3, NA))
remove_from_vector(values = 1:5, vector = 1:10)
```

```
remove_user_installed_pkgs
```

Remove all user installed packages

Description

Remove all user installed packages

Usage

```
remove_user_installed_pkgs(  
  exceptions = NULL,  
  type_of_pkg_to_keep = c("base", "recommended"),  
  keep_kim = FALSE  
)
```

Arguments

`exceptions` a character vector of names of packages to keep

`type_of_pkg_to_keep`
a character vector indicating types of packages to keep. The default, `type_of_pkg_to_keep = c("base", "recommended")`, keeps all base and recommended packages that come with R when R is installed.

`keep_kim` logical. If `keep_kim = FALSE`, Package 'kim' will be removed along with all other user-installed packages. If `keep_kim = TRUE`, Package 'kim' will not be removed. By default, `keep_kim = FALSE`

Examples

```
## Not run:  
remove_user_installed_pkgs()  
  
## End(Not run)
```

```
repeated_measures_anova
```

Repeated-Measures ANOVA

Description

Conduct a repeated-measures analysis of variance (ANOVA). This analysis will be appropriate for within-subjects experimental design.

Usage

```
repeated_measures_anova(
  data = NULL,
  p_col_name = NULL,
  measure_vars = NULL,
  histograms = TRUE,
  round_w = 2,
  round_epsilon = 2,
  round_df_model = 2,
  round_df_error = 2,
  round_f = 2,
  round_ges = 2
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>p_col_name</code>	name of the column identifying participants
<code>measure_vars</code>	names of the columns containing repeated measures (within-subjects variables)
<code>histograms</code>	logical. If <code>histograms = TRUE</code> , histograms of the repeated measures will be plotted. If <code>histograms = FALSE</code> , no histograms will be plotted.
<code>round_w</code>	number of decimal places to which to round W statistic from Mauchly's test (default = 2)
<code>round_epsilon</code>	number of decimal places to which to round the epsilon statistic from Greenhouse-Geisser or Huynh-Feldt correction (default = 2)
<code>round_df_model</code>	number of decimal places to which to round the corrected degrees of freedom for model (default = 2)
<code>round_df_error</code>	number of decimal places to which to round the corrected degrees of freedom for error (default = 2)
<code>round_f</code>	number of decimal places to which to round the F statistic (default = 2)
<code>round_ges</code>	number of decimal places to which to round generalized eta-squared (default = 2)

Details

The following package(s) must be installed prior to running the function: Package 'ez' v4.4-0 (or possibly a higher version) by Michael A Lawrence (2016), <https://cran.r-project.org/package=ez>

Examples

```
## Not run:
repeated_measures_anova(
  data = mtcars, p_col_name = "cyl", measure_vars = c("wt", "qsec"))

## End(Not run)
```

replace_values_in_dt *Replace values in a data table*

Description

Replace values in a data.table

Usage

```
replace_values_in_dt(  
  data = NULL,  
  old_values = NULL,  
  new_values = NULL,  
  silent = FALSE  
)
```

Arguments

data	a data object (a data frame or a data.table)
old_values	a vector of old values that need to be replaced
new_values	a new value or a vector of new values that will replace the old values
silent	If silent = FALSE, a message will be printed regarding how many values were replaced. If silent = TRUE, no message will be printed regarding how many values were replaced. (default = FALSE)

Examples

```
replace_values_in_dt(data = mtcars, old_values = 21.0, new_values = 888)  
replace_values_in_dt(data = mtcars, old_values = c(0, 1), new_values = 999)  
replace_values_in_dt(  
  data = mtcars, old_values = c(0, 1), new_values = 990:991)  
replace_values_in_dt(  
  data = data.table::data.table(a = NA_character_, b = NA_character_),  
  old_values = NA, new_values = "")
```

robust_regression *Robust regression (bootstrapped regression)*

Description

Estimate coefficients in a multiple regression model by bootstrapping.

Usage

```
robust_regression(  
  data = NULL,  
  formula = NULL,  
  sigfigs = NULL,  
  round_digits_after_decimal = NULL,  
  iterations = 1000  
)
```

Arguments

data	a data object (a data frame or a data.table)
formula	a formula object for the regression equation
sigfigs	number of significant digits to round to
round_digits_after_decimal	round to nth digit after decimal (alternative to sigfigs)
iterations	number of bootstrap samples. The default is set at 1000, but consider increasing the number of samples to 5000, 10000, or an even larger number, if slower handling time is not an issue.

Details

The following package(s) must be installed prior to running this function: Package 'boot' v1.3-26 (or possibly a higher version) by Canty & Ripley (2021), <https://cran.r-project.org/package=boot>

Examples

```
## Not run:  
robust_regression(  
  data = mtcars, formula = mpg ~ cyl * hp,  
  iterations = 100  
)  
  
## End(Not run)
```

round_flexibly

Round flexibly

Description

Round numbers to a flexible number of significant digits. "Flexible" rounding refers to rounding all numbers to the highest level of precision seen among numbers that would have resulted from the 'signif()' function in base R. The usage examples of this function demonstrate flexible rounding (see below).

Usage

```
round_flexibly(x = NULL, sigfigs = 3)
```

Arguments

`x` a numeric vector

`sigfigs` number of significant digits to flexibly round to. By default, `sigfigs = 3`.

Value

the output will be a numeric vector with values rounded to the highest level of precision seen among numbers that result from the 'signif()' function in base R.

Examples

```
# Example 1
# First, observe results from the 'signif' function:
c(0.00012345, pi)
signif(c(0.00012345, pi), 3)
# In the result above, notice how info is lost on some digits
# (e.g., 3.14159265 becomes 3.140000).
# In contrast, flexible rounding retains the lost info in the digits
round_flexibly(x = c(0.00012345, pi), sigfigs = 3)

# Example 2
# Again, first observe results from the 'signif' function:
c(0.12345, 1234, 0.12, 1.23, .01)
signif(c(0.12345, 1234, 0.12, 1.23, .01), 3)
# In the result above, notice how info is lost on some digits
# (e.g., 1234 becomes 1230.000).
# In contrast, flexible rounding retains the lost info in the digits.
# Specifically, in the example below, 0.12345 rounded to 3 significant
# digits (default) is signif(0.12345, 3) = 0.123 (3 decimal places).
# Because this 3 decimal places is the highest precision seen among
# all numbers, all other numbers will also be rounded to 3 decimal places.
round_flexibly(
c(0.12345, 1234, 0.12, 1.23, .01))

# Example 3
# If the input is a character vector, the original input will be returned.
round_flexibly(c("a", "b", "c"))

# Example 4
# If the input is a list (e.g., a data.frame) that contains at least
# one numeric vector, the numeric vector element(s) will be rounded
# flexibly.
round_flexibly(data.frame(a = c(1.2345, 123.45), b = c("a", "b")))

# Example 5
# If the input is a matrix, all numbers will be rounded flexibly
round_flexibly(matrix(
```

```
c(1.23, 2.345, 3.4567, 4.56789), ncol = 2), sigfigs = 3)
```

scatterplot

Scatterplot

Description

Creates a scatter plot and calculates a correlation between two variables.

Usage

```
scatterplot(  
  data = NULL,  
  x_var_name = NULL,  
  y_var_name = NULL,  
  dot_label_var_name = NULL,  
  weight_var_name = NULL,  
  alpha = 1,  
  annotate_stats = TRUE,  
  annotate_y_pos = 5,  
  annotated_stats_color = "green4",  
  annotated_stats_font_size = 6,  
  annotated_stats_font_face = "bold",  
  line_of_fit_type = "lm",  
  ci_for_line_of_fit = FALSE,  
  line_of_fit_color = "blue",  
  line_of_fit_thickness = 1,  
  dot_color = "black",  
  x_axis_label = NULL,  
  y_axis_label = NULL,  
  dot_size = 2,  
  dot_label_size = NULL,  
  dot_size_range = c(3, 12),  
  jitter_x_percent = 0,  
  jitter_y_percent = 0,  
  jitter_x_y_percent = 0,  
  cap_axis_lines = TRUE,  
  color_dots_by = NULL,  
  png_name = NULL,  
  save_as_png = FALSE,  
  width = 16,  
  height = 9  
)
```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>x_var_name</code>	name of the variable that will go on the x axis
<code>y_var_name</code>	name of the variable that will go on the y axis
<code>dot_label_var_name</code>	name of the variable that will be used to label individual observations
<code>weight_var_name</code>	name of the variable by which to weight the individual observations for calculating correlation and plotting the line of fit
<code>alpha</code>	opacity of the dots (0 = completely transparent, 1 = completely opaque)
<code>annotate_stats</code>	if TRUE, the correlation and p-value will be annotated at the top of the plot (default = TRUE)
<code>annotate_y_pos</code>	position of the annotated stats, expressed as a percentage of the range of y values by which the annotated stats will be placed above the maximum value of y in the data set (default = 5). If <code>annotate_y_pos = 5</code> , and the minimum and maximum y values in the data set are 0 and 100, respectively, the annotated stats will be placed at 5% of the y range $(100 - 0)$ above the maximum y value, $y = 0.05 * (100 - 0) + 100 = 105$.
<code>annotated_stats_color</code>	color of the annotated stats (default = "green4").
<code>annotated_stats_font_size</code>	font size of the annotated stats (default = 6).
<code>annotated_stats_font_face</code>	font face of the annotated stats (default = "bold").
<code>line_of_fit_type</code>	if <code>line_of_fit_type = "lm"</code> , a regression line will be fit; if <code>line_of_fit_type = "loess"</code> , a local regression line will be fit; if <code>line_of_fit_type = "none"</code> , no line will be fit
<code>ci_for_line_of_fit</code>	if <code>ci_for_line_of_fit = TRUE</code> , confidence interval for the line of fit will be shaded
<code>line_of_fit_color</code>	color of the line of fit (default = "blue")
<code>line_of_fit_thickness</code>	thickness of the line of fit (default = 1)
<code>dot_color</code>	color of the dots (default = "black")
<code>x_axis_label</code>	alternative label for the x axis
<code>y_axis_label</code>	alternative label for the y axis
<code>dot_size</code>	size of the dots on the plot (default = 2)
<code>dot_label_size</code>	size for dots' labels on the plot. If no input is entered for this argument, it will be set as <code>dot_label_size = 5</code> by default. If the plot is to be weighted by some variable, this argument will be ignored, and dot sizes will be determined by the argument <code>dot_size_range</code>

<code>dot_size_range</code>	minimum and maximum size for dots on the plot when they are weighted
<code>jitter_x_percent</code>	horizontally jitter dots by a percentage of the range of x values.
<code>jitter_y_percent</code>	vertically jitter dots by a percentage of the range of y values
<code>jitter_x_y_percent</code>	horizontally and vertically jitter dots by a percentage of the range of x and y values.
<code>cap_axis_lines</code>	logical. Should the axis lines be capped at the outer tick marks? (default = TRUE)
<code>color_dots_by</code>	name of the variable that will determine colors of the dots
<code>png_name</code>	name of the PNG file to be saved. By default, the name will be "scatterplot_" followed by a timestamp of the current time. The timestamp will be in the format, jan_01_2021_1300_10_000001, where "jan_01_2021" would indicate January 01, 2021; 1300 would indicate 13:00 (i.e., 1 PM); and 10_000001 would indicate 10.000001 seconds after the hour.
<code>save_as_png</code>	if save = TRUE, the plot will be saved as a PNG file.
<code>width</code>	width of the plot to be saved. This argument will be directly entered as the width argument for the ggsave function within ggplot2 package (default = 16)
<code>height</code>	height of the plot to be saved. This argument will be directly entered as the height argument for the ggsave function within ggplot2 package (default = 9)

Details

If a weighted correlation is to be calculated, the following package(s) must be installed prior to running the function: Package 'weights' v1.0 (or possibly a higher version) by John Pasek (2018), <https://cran.r-project.org/package=weights>

Value

the output will be a scatter plot, a ggplot object.

Examples

```
## Not run:
scatterplot(data = mtcars, x_var_name = "wt", y_var_name = "mpg")
scatterplot(
  data = mtcars, x_var_name = "wt", y_var_name = "mpg",
  dot_label_var_name = "hp", weight_var_name = "drat",
  annotate_stats = TRUE)
scatterplot(
  data = mtcars, x_var_name = "wt", y_var_name = "mpg",
  dot_label_var_name = "hp", weight_var_name = "cyl",
  dot_label_size = 7, annotate_stats = TRUE)

## End(Not run)
```

score_scale_items	<i>Score scale items</i>
-------------------	--------------------------

Description

Score items in a scale (e.g., Likert scale items) by computing the sum or mean of the items.

Usage

```
score_scale_items(
  item_list = NULL,
  reverse_item_list = NULL,
  operation = "mean",
  na.rm = FALSE,
  na_summary = TRUE,
  reverse_code_minuend = NULL
)
```

Arguments

item_list	a list of scale items (i.e., list of vectors of ratings) to code normally (as opposed to reverse coding).
reverse_item_list	a list of scale items to reverse code.
operation	if operation = "mean", mean of the scale items will be calculated; if operation = "sum", sum of the scale items will be calculated (default = "mean").
na.rm	logical. The na.rm argument that will be passed onto the base R's rowMeans or rowSums function (default = FALSE).
na_summary	logical. If na_summary = TRUE a summary of NA values will be printed; if na_summary = FALSE the summary will not be printed (default = TRUE).
reverse_code_minuend	required for reverse coding; the number from which to subtract item ratings when reverse-coding. For example, if the items to reverse code are measured on a 7-point scale, enter reverse_code_minuend = 8.

Examples

```
score_scale_items(item_list = list(1:5, rep(3, 5)),
  reverse_item_list = list(rep(5, 5)), reverse_code_minuend = 6)
score_scale_items(item_list = list(c(1, 1), c(1, 5)),
  reverse_item_list = list(c(5, 3)),
  reverse_code_minuend = 6, na_summary = FALSE)
score_scale_items(item_list = list(c(1, 1), c(1, 5)),
  reverse_item_list = list(c(5, 1)),
  reverse_code_minuend = 6, operation = "sum")
score_scale_items(item_list = list(1:5, rep(3, 5)))
score_scale_items(item_list = list(c(1, NA, 3), c(NA, 2, 3)))
score_scale_items(item_list = list(c(1, NA, 3), c(NA, 2, 3)), na.rm = TRUE)
```

setup_r_env	<i>Set up R environment</i>
-------------	-----------------------------

Description

Set up R environment by (1) clearing the console; (2) removing all objects in the global environment; (3) setting the working directory to the active document (in RStudio only); (4) unloading and loading the kim package.

Usage

```
setup_r_env(  
  clear_console = TRUE,  
  clear_global_env = TRUE,  
  setwd_to_active_doc = TRUE,  
  prep_kim = TRUE  
)
```

Arguments

`clear_console` if TRUE, clear the console (default = TRUE)
`clear_global_env` if TRUE, remove all objects in the global environment (default = TRUE)
`setwd_to_active_doc` if TRUE, set the working directory to the active document in RStudio (default = TRUE)
`prep_kim` if TRUE, unload and load the kim package (default = TRUE)

Examples

```
## Not run:  
setup_r_env()  
  
## End(Not run)
```

setwd_to_active_doc	<i>Set working directory to active document in RStudio</i>
---------------------	--

Description

Set working directory to location of the active document in RStudio

Usage

```
setwd_to_active_doc()
```


Value

there will be no output from this function. Rather, the working directory will be set as location of the active document.

Examples

```
## Not run:  
setwd_to_active_doc()  
  
## End(Not run)
```

se_of_mean	<i>Standard error of the mean</i>
------------	-----------------------------------

Description

Standard error of the mean

Usage

```
se_of_mean(vector, na.rm = TRUE, notify_na_count = NULL)
```

Arguments

vector	a numeric vector
na.rm	if TRUE, NA values will be removed before calculation
notify_na_count	if TRUE, notify how many observations were removed due to missing values. By default, NA count will be printed only if there are any NA values.

Value

the output will be a numeric vector of length one, which will be the standard error of the mean for the given numeric vector.

Examples

```
se_of_mean(c(1:10, NA))
```

se_of_percentage *Standard Error (SE) of a percentage*

Description

Calculate the standard error of a percentage. See Fowler, Jr. (2014, p. 34, ISBN: 978-1-4833-1240-8)

Usage

```
se_of_percentage(percent = NULL, n = NULL)
```

Arguments

percent	a vector of percentages; each of the percentage values must be between 0 and 100
n	a vector of sample sizes; number of observations used to calculate each of the percentage values

Examples

```
se_of_percentage(percent = 40, n = 50)  
se_of_percentage(percent = 50, n = 10)
```

se_of_proportion *Standard Error (SE) of a proportion*

Description

Calculate the standard error of a proportion. See Anderson and Finn (1996, p. 364, ISBN: 978-1-4612-8466-6)

Usage

```
se_of_proportion(p = NULL, n = NULL)
```

Arguments

p	a vector of proportions; each of the proportion values must be between 0 and 1
n	a vector of sample sizes; number of observations used to calculate each of the percentage values

Examples

```
se_of_proportion(p = 0.56, n = 400)  
se_of_proportion(p = 0.5, n = 10)
```

 simple_effects_analysis

Simple Effects Analysis

Description

Conduct a simple effects analysis to probe a two-way interaction effect. See Field et al. (2012, ISBN: 978-1-4462-0045-2).

Usage

```
simple_effects_analysis(
  data = NULL,
  dv_name = NULL,
  iv_1_name = NULL,
  iv_2_name = NULL,
  iv_1_levels = NULL,
  iv_2_levels = NULL,
  print_contrast_table = "weights_sums_and_products",
  output = NULL
)
```

Arguments

data	a data object (a data frame or a data.table)
dv_name	name of the dependent variable (DV)
iv_1_name	name of the first independent variable (IV1), whose main effects will be examined in the first set of contrasts
iv_2_name	name of the second independent variable (IV2), whose simple effects at each level of IV1 will be examined in the second set of contrasts
iv_1_levels	ordered levels of IV1
iv_2_levels	ordered levels of IV2
print_contrast_table	If print_contrast_table = "weights_sums_and_products", contrasts' weights, sums of the weights and products will be printed. If print_contrast_table = "weights_only", only the contrasts will be printed.
output	output can be one of the following: "lm_object", "table", "weights_only", "weights_sums_and_products", "all" By default, output = NULL, and there will be no output from the function other than the tables of simple effects and contrasts which will be printed on the console by default.

Value

By default, the function will print a table of contrasts and a table of simple effects.

Examples

```
two_way_anova(
  data = mtcars, dv_name = "mpg", iv_1_name = "vs",
  iv_2_name = "am", iterations = 100, plot = TRUE)
simple_effects_analysis(
  data = mtcars, dv_name = "mpg", iv_1_name = "vs",
  iv_2_name = "am")
```

 skewness

Skewness

Description

Calculate skewness using one of three formulas: (1) the traditional Fisher-Pearson coefficient of skewness; (2) the adjusted Fisher-Pearson standardized moment coefficient; (3) the Pearson 2 skewness coefficient. Formulas were taken from Doane & Seward (2011), [doi:10.1080/10691898.2011.11889611](https://doi.org/10.1080/10691898.2011.11889611)

Usage

```
skewness(vector = NULL, type = "adjusted")
```

Arguments

vector	a numeric vector
type	a character string indicating the type of skewness to calculate. If type = "adjusted", the adjusted Fisher-Pearson standardized moment coefficient will be calculated. If type = "traditional", the traditional Fisher-Pearson coefficient of skewness will be calculated. If type = "pearson_2", the Pearson 2 skewness coefficient will be calculated. By default, type = "adjusted".

Value

a numeric value, i.e., skewness of the given vector

Examples

```
# calculate the adjusted Fisher-Pearson standardized moment coefficient
kim::skewness(c(1, 2, 3, 4, 5, 10))
# calculate the traditional Fisher-Pearson coefficient of skewness
kim::skewness(c(1, 2, 3, 4, 5, 10), type = "traditional")
# compare with skewness from 'moments' package
moments::skewness(c(1, 2, 3, 4, 5, 10))
# calculate the Pearson 2 skewness coefficient
kim::skewness(c(1, 2, 3, 4, 5, 10), type = "pearson_2")
```

`spotlight_2_by_continuous`*Spotlight 2 by Continuous*

Description

Conduct a spotlight analysis for a 2 x Continuous design. See Spiller et al. (2013) [doi:10.1509/jmr.12.0420](https://doi.org/10.1509/jmr.12.0420)

Usage

```
spotlight_2_by_continuous(  
  data = NULL,  
  iv_name = NULL,  
  dv_name = NULL,  
  mod_name = NULL,  
  logistic = NULL,  
  covariate_name = NULL,  
  focal_values = NULL,  
  interaction_p_include = TRUE,  
  iv_level_order = NULL,  
  output_type = "plot",  
  colors = c("red", "blue"),  
  dot_size = 3,  
  observed_dots = FALSE,  
  reg_lines = FALSE,  
  reg_line_size = 1,  
  lines_connecting_est_dv = TRUE,  
  lines_connecting_est_dv_size = 1,  
  estimated_dv_dot_shape = 15,  
  estimated_dv_dot_size = 6,  
  error_bar = "ci",  
  error_bar_range = 0.95,  
  error_bar_tip_width = NULL,  
  error_bar_tip_width_percent = 8,  
  error_bar_thickness = 1,  
  error_bar_offset = NULL,  
  error_bar_offset_percent = 8,  
  simp_eff_bracket_leg_ht = NULL,  
  simp_eff_bracket_leg_ht_perc = 2,  
  simp_eff_bracket_offset = NULL,  
  simp_eff_bracket_offset_perc = 1,  
  simp_eff_bracket_color = "black",  
  simp_eff_bracket_line_size = 1,  
  simp_eff_text_offset = NULL,  
  simp_eff_text_offset_percent = 7,  
  simp_eff_text_hjust = 0.5,
```

```

simp_eff_text_part_1 = "Simple Effect\n",
simp_eff_text_color = "black",
simp_eff_font_size = 5,
interaction_p_value_x = NULL,
interaction_p_value_y = NULL,
interaction_p_value_font_size = 6,
interaction_p_value_vjust = -1,
interaction_p_value_hjust = 0.5,
x_axis_breaks = NULL,
x_axis_limits = NULL,
x_axis_tick_mark_labels = NULL,
y_axis_breaks = NULL,
y_axis_limits = NULL,
x_axis_space_left_perc = 10,
x_axis_space_right_perc = 30,
y_axis_tick_mark_labels = NULL,
x_axis_title = NULL,
y_axis_title = NULL,
legend_title = NULL,
legend_position = "right",
y_axis_title_vjust = 0.85,
round_decimals_int_p_value = 3,
jitter_x_percent = 0,
jitter_y_percent = 0,
dot_alpha = 0.2,
reg_line_alpha = 0.5,
jn_point_font_size = 6,
reg_line_types = c("solid", "dashed"),
caption = NULL,
plot_margin = ggplot2::unit(c(60, 30, 7, 7), "pt"),
silent = FALSE
)

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>iv_name</code>	name of the binary independent variable (IV)
<code>dv_name</code>	name of the dependent variable (DV)
<code>mod_name</code>	name of the continuous moderator variable (MOD)
<code>logistic</code>	logical. Should logistic regressions be conducted, rather than ordinary least squares regressions? By default, ordinary least squares regressions will be conducted.
<code>covariate_name</code>	name(s) of the variable(s) to control for in estimating conditional values of the DV.
<code>focal_values</code>	focal values of the moderator variable at which to estimate IV's effect on DV.
<code>interaction_p_include</code>	logical. Should the plot include a p-value for the interaction term?

<code>iv_level_order</code>	order of levels in the independent variable for legend. By default, it will be set as levels of the independent variable ordered using R's base function <code>sort</code> .
<code>output_type</code>	type of output (default = "plot"). Other possible values include "spotlight_results", "dt_for_plotting", "modified_dt"
<code>colors</code>	set colors for the two levels of the independent variable By default, <code>colors = c("red", "blue")</code> .
<code>dot_size</code>	size of the observed_dots (default = 3)
<code>observed_dots</code>	logical. If <code>observed_dots = TRUE</code> , the observed values of all IV, DV, and MOD combinations will be plotted as dots. On top of these dots the spotlight analysis plot will be laid. If <code>observed_dots = FALSE</code> , these dots will not be plotted. By default, <code>observed_dots = FALSE</code> .
<code>reg_lines</code>	logical. If <code>reg_lines = TRUE</code> , the regression lines from regressing DV on MOD at each value of IV will be plotted. If <code>reg_lines = FALSE</code> , these regression lines will not be plotted. By default, <code>observed_dots = FALSE</code> .
<code>reg_line_size</code>	thickness of the regression lines (default = 1).
<code>lines_connecting_est_dv</code>	logical. Should lines connecting the estimated values of DV be drawn? (default = TRUE)
<code>lines_connecting_est_dv_size</code>	thickness of the lines connecting the estimated values of DV (default = 1).
<code>estimated_dv_dot_shape</code>	ggplot value for shape of the dots at estimated values of DV (default = 15, a square shape).
<code>estimated_dv_dot_size</code>	size of the dots at estimated values of DV (default = 6).
<code>error_bar</code>	if <code>error_bar = "se"</code> ; error bars will be +/- 1 standard error, if <code>error_bar = "ci"</code> error bars will be a confidence interval. By default, <code>error_bar = "ci"</code> .
<code>error_bar_range</code>	width of the confidence interval (default = 0.95 for a 95 percent confidence interval). This argument will not apply when <code>error_bar = "se"</code>
<code>error_bar_tip_width</code>	graphically, width of the segments at the end of error bars (default = 0.13)
<code>error_bar_tip_width_percent</code>	(default)
<code>error_bar_thickness</code>	thickness of the error bars (default = 1)
<code>error_bar_offset</code>	(default)
<code>error_bar_offset_percent</code>	(default)
<code>simp_eff_bracket_leg_ht</code>	(default)
<code>simp_eff_bracket_leg_ht_perc</code>	(default)

`simp_eff_bracket_offset`
(default)

`simp_eff_bracket_offset_perc`
(default)

`simp_eff_bracket_color`
(default)

`simp_eff_bracket_line_size`
(default)

`simp_eff_text_offset`
(default)

`simp_eff_text_offset_percent`
(default)

`simp_eff_text_hjust`
(default)

`simp_eff_text_part_1`
The first part of the text for labeling simple effects. By default, `simp_eff_text_part_1`
= "Simple Effect\n"

`simp_eff_text_color`
color for the text indicating p-values of simple effects (default = "black").

`simp_eff_font_size`
font size of the text indicating p-values of simple effects (default = 5).

`interaction_p_value_x`
(default)

`interaction_p_value_y`
(default)

`interaction_p_value_font_size`
font size for the interaction p value (default = 6)

`interaction_p_value_vjust`
(default)

`interaction_p_value_hjust`
(default)

`x_axis_breaks` (default)

`x_axis_limits` (default)

`x_axis_tick_mark_labels`
(default)

`y_axis_breaks` (default)

`y_axis_limits` (default)

`x_axis_space_left_perc`
(default)

`x_axis_space_right_perc`
(default)

`y_axis_tick_mark_labels`
(default)

x_axis_title	title of the x axis. By default, it will be set as input for mod_name. If x_axis_title = FALSE, it will be removed.
y_axis_title	title of the y axis. By default, it will be set as input for dv_name. If y_axis_title = FALSE, it will be removed.
legend_title	title of the legend. By default, it will be set as input for iv_name. If legend_title = FALSE, it will be removed.
legend_position	position of the legend (default = "right"). If legend_position = "none", the legend will be removed.
y_axis_title_vjust	position of the y axis title (default = 0.85). If default is used, y_axis_title_vjust = 0.85, the y axis title will be positioned at 85% of the way up from the bottom of the plot.
round_decimals_int_p_value	To how many digits after the decimal point should the p value for the interaction term be rounded? (default = 3)
jitter_x_percent	horizontally jitter dots by a percentage of the range of x values
jitter_y_percent	vertically jitter dots by a percentage of the range of y values
dot_alpha	opacity of the dots (0 = completely transparent, 1 = completely opaque). By default, dot_alpha = 0.2
reg_line_alpha	(default)
jn_point_font_size	(default)
reg_line_types	types of the regression lines for the two levels of the independent variable. By default, reg_line_types = c("solid", "dashed")
caption	(default)
plot_margin	margin for the plot By default plot_margin = ggplot2::unit(c(60, 30, 7, 7), "pt")
silent	If silent = FALSE, (various) messages will be printed. If silent = TRUE, the messages will be suppressed. By default, silent = FALSE.

Examples

```
spotlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec")
# control for variables
spotlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
```

```

mod_name = "qsec",
covariate_name = c("cyl", "hp"))
# control for variables and adjust simple effect labels
spotlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  covariate_name = c("cyl", "hp"),
  reg_lines = TRUE,
  observed_dots = TRUE,
  error_bar_offset_percent = 3,
  error_bar_tip_width_percent = 3,
  simp_eff_text_offset_percent = 3,
  simp_eff_bracket_leg_ht_perc = 2,
  dot_alpha = 0.2,
  simp_eff_text_part_1 = "")
# spotlight at specific values
spotlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "mpg",
  mod_name = "qsec",
  covariate_name = c("cyl", "hp"),
  focal_values = seq(15, 22, 1),
  reg_lines = TRUE,
  observed_dots = TRUE,
  dot_alpha = 0.2,
  simp_eff_text_part_1 = "",
  simp_eff_font_size = 4,
  error_bar_offset_percent = 3,
  error_bar_tip_width_percent = 3,
  simp_eff_text_offset_percent = 3,
  simp_eff_bracket_leg_ht_perc = 1,
  x_axis_breaks = seq(15, 22, 1))
# spotlight for logistic regression
spotlight_2_by_continuous(
  data = mtcars,
  iv_name = "am",
  dv_name = "vs",
  mod_name = "drat",
  logistic = TRUE)

```

standardize

Standardize

Description

Standardize (i.e., normalize, obtain z-scores, or obtain the standard scores)

Usage

```
standardize(x = NULL)
```

Arguments

x a numeric vector

Value

the output will be a vector of the standard scores of the input.

Examples

```
standardize(1:10)
```

```
standardized_regression  
                          Standardized Regression
```

Description

This function standardizes all variables for a regression analysis (i.e., dependent variable and all independent variables) and then conducts a regression with the standardized variables.

Usage

```
standardized_regression(  
  data = NULL,  
  formula = NULL,  
  reverse_code_vars = NULL,  
  sigfigs = NULL,  
  round_digits_after_decimal = NULL,  
  round_p = 3,  
  pretty_round_p_value = TRUE,  
  return_table_upper_half = FALSE,  
  round_r_squared = 3,  
  round_f_stat = 2,  
  prettify_reg_table_col_names = TRUE  
)
```

Arguments

data a data object (a data frame or a data.table)
formula a formula object for the regression equation
reverse_code_vars names of binary variables to reverse code

sigfigs number of significant digits to round to
round_digits_after_decimal
 round to nth digit after decimal (alternative to sigfigs)
round_p number of decimal places to which to round p-values (default = 3)
pretty_round_p_value
 logical. Should the p-values be rounded in a pretty format (i.e., lower threshold: "<.001"). By default, pretty_round_p_value = TRUE.
return_table_upper_half
 logical. Should only the upper part of the table be returned? By default, return_table_upper_half = FALSE.
round_r_squared
 number of digits after the decimal both r-squared and adjusted r-squared values should be rounded to (default 3)
round_f_stat number of digits after the decimal the f statistic of the regression model should be rounded to (default 2)
prettify_reg_table_col_names
 logical. Should the column names of the regression table be made pretty (e.g., change "std_beta" to "Std. Beta")? (Default = TRUE)

Value

the output will be a data.table showing multiple regression results.

Examples

```

standardized_regression(data = mtcars, formula = mpg ~ gear * cyl)
standardized_regression(
  data = mtcars, formula = mpg ~ gear + gear:am + disp * cyl,
  round_digits_after_decimal = 3)
  
```

start_kim

Start kim

Description

Start kim (update kim; attach default packages; set working directory, etc.) This function requires installing Package 'remotes' v2.4.2 (or possibly a higher version) by Csardi et al. (2021), <https://cran.r-project.org/package=remotes>

Usage

```
start_kim(
  update = TRUE,
  upgrade_other_pkg = FALSE,
  setup_r_env = TRUE,
  default_packages = c("data.table", "ggplot2"),
  silent_load_pkgs = c("data.table", "ggplot2")
)
```

Arguments

update If `update = "force"`, force updating the package 'kim'. If `update = TRUE`, compares the currently installed package 'kim' with the most recent version on GitHub and, if the version on GitHub is more recent, ask the user to confirm the update. If confirmed, then update the package. If `update = FALSE`, skip updating the package. By default, `update = "force"`

upgrade_other_pkg input for the upgrade argument to be passed on to `remotes::install_github`. One of "default", "ask", "always", "never", TRUE, or FALSE. "default" respects the value of the `R_REMOTES_UPGRADE` environment variable if set, and falls back to "ask" if unset. "ask" prompts the user for which out of date packages to upgrade. For non-interactive sessions "ask" is equivalent to "always". TRUE and FALSE correspond to "always" and "never" respectively. By default, `upgrade_other_pkg = FALSE`.

setup_r_env logical. If `update = TRUE`, runs the function `setup_r_env` in the package "kim". Type `?kim::setup_r_env` to learn more. By default, `setup_r_env = TRUE`

default_packages a vector of names of packages to load and attach. By default, `default_packages = c("data.table", "ggplot2")`

silent_load_pkgs a character vector indicating names of packages to load silently (i.e., suppress messages that get printed when loading the packages). By default, `silent_load_pkgs = c("data.table", "ggplot2")`

Examples

```
## Not run:
start_kim()
start_kim(default_packages = c("dplyr", "ggplot2"))
start_kim(update = TRUE, setup_r_env = FALSE)

## End(Not run)
```

su	<i>su: Sorted unique values</i>
----	---------------------------------

Description

Extract unique elements and sort them

Usage

```
su(x = NULL, na.last = TRUE, decreasing = FALSE)
```

Arguments

x	a vector or a data frame or an array or NULL.
na.last	an argument to be passed onto the 'sort' function (in base R) for controlling the treatment of NA values. If na.last = TRUE, NA values in the data are put last; if na.last = FALSE, NA values are put first; if na.last = NA, NA values are removed. By default, na.last = TRUE
decreasing	logical. Should the sort be increasing or decreasing? An argument to be passed onto the 'sort' function (in base R). By default, decreasing = FALSE

Value

a vector, data frame, or array-like 'x' but with duplicate elements/rows removed.

Examples

```
su(c(10, 3, 7, 10, NA))
su(c("b", "z", "b", "a", NA, NA, NA))
```

tabulate_vector	<i>Tabulate vector</i>
-----------------	------------------------

Description

Shows frequency and proportion of unique values in a table format

Usage

```
tabulate_vector(
  vector = NULL,
  na.rm = TRUE,
  sort_by_decreasing_count = NULL,
  sort_by_increasing_count = NULL,
  sort_by_decreasing_value = NULL,
```

```

    sort_by_increasing_value = NULL,
    total_included = TRUE,
    sigfigs = NULL,
    round_digits_after_decimal = NULL,
    output_type = "dt"
  )

```

Arguments

vector a character or numeric vector

na.rm if TRUE, NA values will be removed before calculating frequencies and proportions.

sort_by_decreasing_count if TRUE, the output table will be sorted in the order of decreasing frequency.

sort_by_increasing_count if TRUE, the output table will be sorted in the order of increasing frequency.

sort_by_decreasing_value if TRUE, the output table will be sorted in the order of decreasing value.

sort_by_increasing_value if TRUE, the output table will be sorted in the order of increasing value.

total_included if TRUE, the output table will include a row for total counts.

sigfigs number of significant digits to round to

round_digits_after_decimal round to nth digit after decimal (alternative to sigfigs)

output_type if output_type = "df", return a data.frame. By default, output_type = "dt", which will return a data.table.

Value

if output_type = "dt", which is the default, the output will be a data.table showing the count and proportion (percent) of each element in the given vector; if output_type = "df", the output will be a data.frame showing the count and proportion (percent) of each value in the given vector.

Examples

```

tabulate_vector(c("a", "b", "b", "c", "c", "c", NA))
tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_increasing_count = TRUE
)
tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_decreasing_value = TRUE
)
tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_increasing_value = TRUE
)
tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  sigfigs = 4
)

```

```

tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  round_digits_after_decimal = 1
)
tabulate_vector(c("a", "b", "b", "c", "c", "c", NA),
  output_type = "df"
)

```

tau_squared

Tau-squared (between-studies variance for meta analysis)

Description

Calculate tau-squared, the between-studies variance (the variance of the effect size parameters across the population of studies), as illustrated in Borenstein et al. (2009, pp. 72-73, ISBN: 978-0-470-05724-7).

Usage

```
tau_squared(effect_sizes = NULL, effect_size_variances = NULL)
```

Arguments

```

effect_sizes    effect sizes (e.g., standardized mean differences)
effect_size_variances
                within-study variances

```

Details

Negative values of tau-squared are converted to 0 in the output (see Cheung, 2013; <https://web.archive.org/web/202305122255>).

Examples

```

## Not run:
tau_squared(effect_sizes = c(1, 2), effect_size_variances = c(3, 4))
# a negative tau squared value is converted to 0:
tau_squared(effect_sizes = c(1.1, 1.4), effect_size_variances = c(1, 4))

## End(Not run)

```

`theme_kim`*Theme Kim*

Description

A custom ggplot theme

Usage

```
theme_kim(  
  legend_position = "none",  
  legend_spacing_y = 1,  
  legend_key_size = 3,  
  base_size = 20,  
  axis_tick_font_size = 20,  
  axis_title_font_size = 24,  
  y_axis_title_vjust = 0.85,  
  axis_title_margin_size = 24,  
  cap_axis_lines = FALSE  
)
```

Arguments

`legend_position` position of the legend (default = "none")

`legend_spacing_y` vertical spacing of the legend keys in the unit of "cm" (default = 1)

`legend_key_size` size of the legend keys in the unit of "lines" (default = 3)

`base_size` base font size

`axis_tick_font_size` font size for axis tick marks

`axis_title_font_size` font size for axis title

`y_axis_title_vjust` position of the y axis title (default = 0.85). If default is used, `y_axis_title_vjust = 0.85`, the y axis title will be positioned at 85% of the way up from the bottom of the plot.

`axis_title_margin_size` size of the margin between axis title and the axis line

`cap_axis_lines` logical. Should the axis lines be capped at the outer tick marks? (default = FALSE)

Details

If a axis lines are to be capped at the ends, the following package(s) must be installed prior to running the function: Package 'lemon' v0.4.4 (or possibly a higher version) by Edwards et al. (2020), <https://cran.r-project.org/package=lemon>

Value

a ggplot object; there will be no meaningful output from this function. Instead, this function should be used with another ggplot object, e.g., `ggplot(mtcars , aes(x = disp, y = mpg)) + theme_kim()`

Examples

```
prep(ggplot2)
ggplot2::ggplot(mtcars, aes(x = cyl, y = mpg)) +
  geom_point() + theme_kim()
```

top_median_or_bottom	<i>Top, median, or bottom</i>
----------------------	-------------------------------

Description

Indicates whether each value in a vector belongs to top, median, or bottom

Usage

```
top_median_or_bottom(vector)
```

Arguments

vector a numeric vector

Value

a character vector indicating whether each element in a vector belongs to "top", "median", or "bottom"

Examples

```
top_median_or_bottom(c(1, 2, 3, NA))
top_median_or_bottom(c(1, 2, 2, NA))
top_median_or_bottom(c(1, 1, 2, NA))
```

tv	<i>Tabulate vector</i>
----	------------------------

Description

Shows frequency and proportion of unique values in a table format. This function is a copy of the earlier function, `tabulate_vector`, in Package 'kim'

Usage

```
tv(
  vector = NULL,
  na.rm = FALSE,
  sort_by_decreasing_count = NULL,
  sort_by_increasing_count = NULL,
  sort_by_decreasing_value = NULL,
  sort_by_increasing_value = NULL,
  total_included = TRUE,
  sigfigs = NULL,
  round_digits_after_decimal = NULL,
  output_type = "dt"
)
```

Arguments

<code>vector</code>	a character or numeric vector
<code>na.rm</code>	if TRUE, NA values will be removed before calculating frequencies and proportions. By default, FALSE.
<code>sort_by_decreasing_count</code>	if TRUE, the output table will be sorted in the order of decreasing frequency.
<code>sort_by_increasing_count</code>	if TRUE, the output table will be sorted in the order of increasing frequency.
<code>sort_by_decreasing_value</code>	if TRUE, the output table will be sorted in the order of decreasing value.
<code>sort_by_increasing_value</code>	if TRUE, the output table will be sorted in the order of increasing value.
<code>total_included</code>	if TRUE, the output table will include a row for total counts.
<code>sigfigs</code>	number of significant digits to round to
<code>round_digits_after_decimal</code>	round to nth digit after decimal (alternative to <code>sigfigs</code>)
<code>output_type</code>	if <code>output_type = "df"</code> , return a data.frame. By default, <code>output_type = "dt"</code> , which will return a data.table.

Value

if `output_type = "dt"`, which is the default, the output will be a `data.table` showing the count and proportion (percent) of each element in the given vector; if `output_type = "df"`, the output will be a `data.frame` showing the count and proportion (percent) of each value in the given vector.

Examples

```
tv(c("a", "b", "b", "c", "c", "c", NA))
tv(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_increasing_count = TRUE
)
tv(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_decreasing_value = TRUE
)
tv(c("a", "b", "b", "c", "c", "c", NA),
  sort_by_increasing_value = TRUE
)
tv(c("a", "b", "b", "c", "c", "c", NA),
  sigfigs = 4
)
tv(c("a", "b", "b", "c", "c", "c", NA),
  round_digits_after_decimal = 1
)
tv(c("a", "b", "b", "c", "c", "c", NA),
  output_type = "df"
)
```

two_way_anova

Two-way ANOVA

Description

Conduct a two-way analysis of variance (ANOVA).

Usage

```
two_way_anova(
  data = NULL,
  dv_name = NULL,
  iv_1_name = NULL,
  iv_2_name = NULL,
  iv_1_values = NULL,
  iv_2_values = NULL,
  sigfigs = 3,
  robust = FALSE,
  iterations = 2000,
  plot = FALSE,
  error_bar = "ci",
```

```

    error_bar_range = 0.95,
    error_bar_tip_width = 0.13,
    error_bar_thickness = 1,
    error_bar_caption = TRUE,
    line_thickness = 1,
    dot_size = 3,
    position_dodge = 0.13,
    legend_position = "right",
    output = "anova_table",
    png_name = NULL,
    width = 7000,
    height = 4000,
    units = "px",
    res = 300,
    layout_matrix = NULL
)

```

Arguments

<code>data</code>	a data object (a data frame or a data.table)
<code>dv_name</code>	name of the dependent variable
<code>iv_1_name</code>	name of the first independent variable
<code>iv_2_name</code>	name of the second independent variable
<code>iv_1_values</code>	restrict all analyses to observations having these values for the first independent variable
<code>iv_2_values</code>	restrict all analyses to observations having these values for the second independent variable
<code>sigfigs</code>	number of significant digits to which to round values in anova table (default = 3)
<code>robust</code>	if TRUE, conduct a robust ANOVA in addition.
<code>iterations</code>	number of bootstrap samples for robust ANOVA. The default is set at 2000, but consider increasing the number of samples to 5000, 10000, or an even larger number, if slower handling time is not an issue.
<code>plot</code>	if TRUE, print a plot and enable returning an output.
<code>error_bar</code>	if <code>error_bar = "se"</code> ; error bars will be +/-1 standard error; if <code>error_bar = "ci"</code> error bars will be a confidence interval
<code>error_bar_range</code>	width of the confidence interval (default = 0.95 for 95 percent confidence interval). This argument will not apply when <code>error_bar = "se"</code>
<code>error_bar_tip_width</code>	graphically, width of the segments at the end of error bars (default = 0.13)
<code>error_bar_thickness</code>	thickness of the error bars (default = 1)
<code>error_bar_caption</code>	should a caption be included to indicate the width of the error bars? (default = TRUE).

<code>line_thickness</code>	thickness of the lines connecting group means, (default = 1)
<code>dot_size</code>	size of the dots indicating group means (default = 3)
<code>position_dodge</code>	by how much should the group means and error bars be horizontally offset from each other so as not to overlap? (default = 0.13)
<code>legend_position</code>	position of the legend: "none", "top", "right", "bottom", "left", "none" (default = "right")
<code>output</code>	output type can be one of the following: "anova_table", "group_stats", "plot", "robust_anova_results", "robust_anova_post_hoc_results", "robust_anova_post_hoc", "all"
<code>png_name</code>	name of the PNG file to be saved. If <code>png_name = TRUE</code> , the name will be "two_way_anova_" followed by a timestamp of the current time. The timestamp will be in the format, <code>jan_01_2021_1300_10_000001</code> , where "jan_01_2021" would indicate January 01, 2021; 1300 would indicate 13:00 (i.e., 1 PM); and 10_000001 would indicate 10.000001 seconds after the hour.
<code>width</code>	width of the PNG file (default = 7000)
<code>height</code>	height of the PNG file (default = 4000)
<code>units</code>	the units for the width and height arguments. Can be "px" (pixels), "in" (inches), "cm", or "mm". By default, <code>units = "px"</code> .
<code>res</code>	The nominal resolution in ppi which will be recorded in the png file, if a positive integer. Used for units other than the default. If not specified, taken as 300 ppi to set the size of text and line widths.
<code>layout_matrix</code>	The layout argument for arranging plots and tables using the <code>grid.arrange</code> function.

Details

The following package(s) must be installed prior to running this function: Package 'car' v3.0.9 (or possibly a higher version) by Fox et al. (2020), <https://cran.r-project.org/package=car>

If robust ANOVA is to be conducted, the following package(s) must be installed prior to running the function: Package 'WRS2' v1.1-1 (or possibly a higher version) by Mair & Wilcox (2021), <https://cran.r-project.org/package=WRS2>

Value

by default, the output will be "anova_table"

Examples

```
two_way_anova(
  data = mtcars, dv_name = "mpg", iv_1_name = "vs",
  iv_2_name = "am", iterations = 100)
anova_results <- two_way_anova(
  data = mtcars, dv_name = "mpg", iv_1_name = "vs",
  iv_2_name = "am", output = "all")
anova_results
```

t_test_pairwise	<i>t-tests, pairwise</i>
-----------------	--------------------------

Description

Conducts a t-test for every possible pairwise comparison with Holm or Bonferroni correction

Usage

```
t_test_pairwise(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  sigfigs = 3,
  cohen_d = TRUE,
  cohen_d_w_ci = TRUE,
  adjust_p = "holm",
  bonferroni = NULL,
  mann_whitney = TRUE,
  t_test_stats = FALSE,
  t_test_df_decimals = 1,
  sd = FALSE,
  round_p = 3,
  anova = TRUE,
  round_f = 2
)
```

Arguments

data	a data object (a data frame or a data.table)
iv_name	name of the independent variable
dv_name	name of the dependent variable
sigfigs	number of significant digits to round to
cohen_d	if cohen_d = TRUE, Cohen's d statistics will be included in the output data.table.
cohen_d_w_ci	if cohen_d_w_ci = TRUE, Cohen's d with 95% CI will be included in the output data.table.
adjust_p	the name of the method to use to adjust p-values. If adjust_p = "holm", the Holm method will be used; if adjust_p = "bonferroni", the Bonferroni method will be used. By default, adjust_p = "holm"
bonferroni	The use of this argument is deprecated. Use the 'adjust_p' argument instead. If bonferroni = TRUE, Bonferroni tests will be conducted for t-tests or Mann-Whitney tests.
mann_whitney	if TRUE, Mann-Whitney test results will be included in the output data.table. If FALSE, Mann-Whitney tests will not be performed.

<code>t_test_stats</code>	if <code>t_test_stats = TRUE</code> , t-test statistic and degrees of freedom will be included in the output <code>data.table</code> .
<code>t_test_df_decimals</code>	number of decimals for the degrees of freedom in t-tests (default = 1)
<code>sd</code>	if <code>sd = TRUE</code> , standard deviations will be included in the output <code>data.table</code> .
<code>round_p</code>	number of decimal places to which to round p-values (default = 3)
<code>anova</code>	Should a one-way ANOVA be conducted and reported? (default = TRUE)
<code>round_f</code>	number of decimal places to which to round the f statistic (default = 2)

Value

the output will be a `data.table` showing results of all pairwise comparisons between levels of the independent variable.

Examples

```
## Not run:
t_test_pairwise(data = iris, iv_name = "Species", dv_name = "Sepal.Length")
t_test_pairwise(data = iris, iv_name = "Species",
dv_name = "Sepal.Length", t_test_stats = TRUE, sd = TRUE)
t_test_pairwise(data = iris, iv_name = "Species", dv_name = "Sepal.Length",
mann_whitney = FALSE)

## End(Not run)
```

und

*Undocumented functions***Description**

A collection of miscellaneous functions lacking documentations

Usage

```
und(fn, ...)
```

Arguments

<code>fn</code>	name of the function
<code>...</code>	arguments for the function

Value

the output will vary by function

Examples

```
# correlation
und(corr_text, x = 1:5, y = c(1, 2, 2, 2, 3))
# mean center
und(mean_center, 1:10)
# compare results with base function
scale(1:10, scale = TRUE)
# find the modes
und(mode, c(3, 3, 3, 1, 2, 2))
# return values that are not outliers
und(outlier_rm, c(12:18, 100))
kim::outlier(c(1:10, 100))
```

unload_user_installed_pkgs

Unload all user-installed packages

Description

Unload all user-installed packages

Usage

```
unload_user_installed_pkgs(exceptions = NULL, force = FALSE, keep_kim = TRUE)
```

Arguments

exceptions	a character vector of names of packages to keep loaded
force	logical. Should a package be unloaded even though other attached packages depend on it? By default, force = FALSE
keep_kim	logical. If keep_kim = FALSE, Package 'kim' will be detached along with all other user-installed packages. If keep_kim = TRUE, Package 'kim' will not be detached. By default, keep_kim = FALSE

Examples

```
## Not run:
unload_user_installed_pkgs()

## End(Not run)
```

update_kim	<i>Update the package 'kim'</i>
------------	---------------------------------

Description

Updates the current package 'kim' by installing the most recent version of the package from GitHub. This function requires installing Package 'remotes' v2.4.2 (or possibly a higher version) by Csardi et al. (2021), <https://cran.r-project.org/package=remotes>

Usage

```
update_kim(force = TRUE, upgrade_other_pkg = FALSE, confirm = TRUE)
```

Arguments

force	logical. If force = TRUE, force installing the update. If force = FALSE, do not force installing the update. By default, force = TRUE.
upgrade_other_pkg	input for the upgrade argument to be passed on to <code>remotes::install_github</code> . One of "default", "ask", "always", "never", TRUE, or FALSE. "default" respects the value of the <code>R_REMOTES_UPGRADE</code> environment variable if set, and falls back to "ask" if unset. "ask" prompts the user for which out of date packages to upgrade. For non-interactive sessions "ask" is equivalent to "always". TRUE and FALSE correspond to "always" and "never" respectively. By default, <code>upgrade_other_pkg = FALSE</code> .
confirm	logical. If confirm = TRUE, the user will need to confirm the update. If confirm = FALSE, the confirmation step will be skipped. By default, confirm = TRUE.

Value

there will be no output from this function. Rather, executing this function will update the current 'kim' package by installing the most recent version of the package from GitHub.

Examples

```
## Not run:  
if (interactive()) {update_kim()}  
  
## End(Not run)
```

 var_of_log_odds_ratio_to_var_of_d

Convert variance of log odds ratio to variance of d

Description

Convert the variance of a log odds ratio to the variance of a Cohen'd (standardized mean difference), as illustrated in Borenstein et al. (2009, p. 47, ISBN: 978-0-470-05724-7)

Usage

```
var_of_log_odds_ratio_to_var_of_d(var_of_log_odds_ratio = NULL)
```

Arguments

var_of_log_odds_ratio
the variance of a log odds ratio (the input can be a vector of values)

Examples

```
## Not run:
var_of_log_odds_ratio_to_var_of_d(1)

## End(Not run)
```

 var_of_percentage *Variance of a percentage*

Description

Calculate the variance of a percentage. See Fowler, Jr. (2014, p. 34, ISBN: 978-1-4833-1240-8)

Usage

```
var_of_percentage(percent = NULL, n = NULL)
```

Arguments

percent a vector of percentages; each of the percentage values must be between 0 and 100

n a vector of sample sizes; number of observations used to calculate each of the percentage values

Examples

```
var_of_percentage(percent = 40, n = 50)
var_of_percentage(percent = 50, n = 10)
```

var_of_proportion *Variance of a proportion*

Description

Calculate the variance of a proportion. See Anderson and Finn (1996, p. 364, ISBN: 978-1-4612-8466-6)

Usage

```
var_of_proportion(p = NULL, n = NULL)
```

Arguments

p a vector of proportions; each of the proportion values must be between 0 and 1

n a vector of sample sizes; number of observations used to calculate each of the percentage values

Examples

```
var_of_proportion(p = 0.56, n = 400)
var_of_proportion(p = 0.5, n = 100)
var_of_proportion(p = 0.4, n = 50)
var_of_proportion(p = c(0.5, 0.9), n = c(100, 200))
```

vlookup *Vlookup*

Description

Look up values in a reference data.table and return values associated with the looked-up values contained in the reference data.table

Usage

```
vlookup(
  lookup_values = NULL,
  reference_dt = NULL,
  col_name_for_lookup_values = NULL,
  col_name_for_output_values = NULL
)
```

Arguments

lookup_values a vector of values to look up

reference_dt a data.table containing the values to look up as well as values associated with the looked-up values that need to be returned.

col_name_for_lookup_values
in the reference data.table, name of the column containing lookup_values.

col_name_for_output_values
in the reference data.table, name of the column containing values to return (i.e., values associated with the looked-up values that will be the function's output)

Examples

```
vlookup(lookup_values = c(2.620, 2.875), reference_dt = mtcars[1:9, ],
        col_name_for_lookup_values = "wt", col_name_for_output_values = "qsec")
```

weighted_mean_effect_size

Estimate the mean effect size in a meta analysis

Description

Estimate the mean effect size in a meta analysis, as illustrated in Borenstein et al. (2009, pp. 73-74, ISBN: 978-0-470-05724-7)

Usage

```
weighted_mean_effect_size(
  effect_sizes = NULL,
  effect_size_variances = NULL,
  ci = 0.95,
  one_tailed = FALSE,
  random_vs_fixed = "random"
)
```

Arguments

effect_sizes effect sizes (e.g., standardized mean differences)

effect_size_variances
within-study variances

ci width of the confidence interval (default = 0.95)

one_tailed logical. If one_tailed = FALSE, a two-tailed p-value will be calculated. If one_tailed = TRUE, a one-tailed p-value will be calculated (default = FALSE)

random_vs_fixed
If random_vs_fixed = "random", the summary effect will be calculated under the random-effects model (default = "random").

Examples

```
## Not run:
weighted_mean_effect_size(
  effect_sizes = c(1, 2), effect_size_variances = c(3, 4))
weighted_mean_effect_size(
  effect_sizes = c(0.095, 0.277, 0.367, 0.664, 0.462, 0.185),
  effect_size_variances = c(0.033, 0.031, 0.050, 0.011, 0.043, 0.023))
# if effect sizes have a variance of 0, they will be excluded from
# the analysis
weighted_mean_effect_size(
  effect_sizes = c(1.1, 1.2, 1.3, 1.4),
  effect_size_variances = c(1, 0, 0, 4))

## End(Not run)
```

weighted_mean_r	<i>Weighted mean correlation</i>
-----------------	----------------------------------

Description

Calculate the weighted mean correlation coefficient for a given correlations and sample sizes. This function uses the Hedges-Olkin Method with random effects. See Field (2001) [doi:10.1037/1082-989X.6.2.161](https://doi.org/10.1037/1082-989X.6.2.161)

Usage

```
weighted_mean_r(r = NULL, n = NULL, ci = 0.95, sigfigs = 3, silent = FALSE)
```

Arguments

<code>r</code>	a (vector of) correlation coefficient(s)
<code>n</code>	a (vector of) sample size(s)
<code>ci</code>	width of the confidence interval. Input can be any value less than 1 and greater than or equal to 0. By default, <code>ci = 0.95</code> . If <code>ci = TRUE</code> , the default value of 0.95 will be used. If <code>ci = FALSE</code> , no confidence interval will be estimated.
<code>sigfigs</code>	number of significant digits to round to (default = 3)
<code>silent</code>	logical. If <code>silent = FALSE</code> , a message regarding the weighted mean correlation and its p-value and CI will be printed. If <code>silent = TRUE</code> , this message will be suppressed. By default, <code>silent = FALSE</code> .

Value

the output will be a list of vector of correlation coefficient(s).

Examples

```
weighted_mean_r(r = c(0.2, 0.4), n = c(100, 100))
weighted_mean_r(r = c(0.2, 0.4), n = c(100, 20000))
# example consistent with using MedCalc
weighted_mean_r(
  r = c(0.51, 0.48, 0.3, 0.21, 0.6, 0.46, 0.22, 0.25),
  n = c(131, 129, 155, 121, 111, 119, 112, 145))
```

 weighted_z

Weighted z

Description

Calculate the weighted z (for calculating weighted mean correlation). See p. 231 of the book Hedges & Olkin (1985), *Statistical Methods for Meta-Analysis* (ISBN: 0123363802).

Usage

```
weighted_z(z = NULL, n = NULL)
```

Arguments

z	a vector of z values
n	a vector of sample sizes which will be used to calculate the weights, which in turn will be used to calculate the weighted z.

Value

the output will be a weighted z value.

Examples

```
weighted_z(1:3, c(100, 200, 300))
weighted_z(z = c(1:3, NA), n = c(100, 200, 300, NA))
```

 wilcoxon_rank_sum_test

Wilcoxon Rank-Sum Test (Also called the Mann-Whitney U Test)

Description

A nonparametric equivalent of the independent t-test

Usage

```
wilcoxon_rank_sum_test(
  data = NULL,
  iv_name = NULL,
  dv_name = NULL,
  sigfigs = 3
)
```

Arguments

data	a data object (a data frame or a data.table)
iv_name	name of the independent variable (grouping variable)
dv_name	name of the dependent variable (measure variable of interest)
sigfigs	number of significant digits to round to

Value

the output will be a data.table object with all pairwise Wilcoxon rank-sum test results

Examples

```
wilcoxon_rank_sum_test(
  data = iris, iv_name = "Species", dv_name = "Sepal.Length")
```

write_csv	<i>Write to a csv file</i>
-----------	----------------------------

Description

Write to a csv file

Usage

```
write_csv(data = NULL, name = NULL, timestamp = NULL)
```

Arguments

data	a data object (a data frame or a data.table)
name	a character string of the csv file name without the ".csv" extension. For example, if the csv file to write to is "myfile.csv", enter name = "myfile"
timestamp	logical. Should the timestamp be appended to the file name?

Value

the output will be a .csv file in the working directory, that is, an output from the data.table function, fwrite

Examples

```
## Not run:
write_csv(mtcars, "mtcars_from_write_csv")
write_csv(mtcars)

## End(Not run)
```

z_score	<i>z_score</i>
---------	----------------

Description

Calculate z-scores (i.e., standardize or obtain the standard scores)

Usage

```
z_score(x = NULL, na.rm = TRUE)
```

Arguments

x	a numeric vector
na.rm	logical. If na.rm = TRUE, NA values in the vector will be removed before calculating z-scores (default = TRUE).

Value

the output will be a vector of z-scores.

Examples

```
z_score(1:10)
```

z_to_r_transform	<i>Z to r transformation (Inverse of Fisher's Z transformation)</i>
------------------	---

Description

Perform the Z-to-r transformation (i.e., the inverse of Fisher's r-to-Z transformation) for given Z value(s).

Usage

```
z_to_r_transform(z = NULL)
```

Arguments

z	a (vector of) Z values
---	------------------------

Value

the output will be a vector of correlation coefficient(s) that are the result(s) of the Z-to-r transformation.

Examples

```
z_to_r_transform(2.646652)  
z_to_r_transform(z = -3:3)
```

Index

akaike_weights, 5

barplot_for_counts, 5
binomial_test, 6
bracket, 7

capitalize, 9
change_var_names, 9
check_modes, 10
check_req_pkg, 11
chi_squared_test, 11
chi_squared_test_pairwise, 12
clean_data_from_qualtrics, 14
coefficient_of_variation, 15
cohen_d, 16
cohen_d_borenstein, 17
cohen_d_for_one_sample, 18
cohen_d_from_cohen_textbook, 19
cohen_d_over_n, 20
cohen_d_to_r, 22
cohen_d_torchiano, 21
combine_data_across_cols, 22
comma_sep_string_to_numbers, 23
compare_datasets, 24
compare_dependent_rs, 25
compare_effect_sizes, 26
compare_groups, 27
compare_independent_rs, 29
contingency_table, 31
convert_cols_to_numeric, 32
convert_to_excel_formula, 33
correlation_kim, 33
correlation_matrix, 35
cum_percent_plot, 36

desc_stats, 36
desc_stats_by_group, 37
detach_user_installed_pkgs, 39
duplicated_values, 39

excel_formula_convert, 40

exit_from_parent_function, 41

find_duplicates, 42
fisher_z_transform, 43
floodlight_2_by_continuous, 43
floodlight_2_by_continuous_logistic, 47
floodlight_2_by_continuous_mlm_logistic, 50
floodlight_for_contrasts, 54
floodlight_multi_by_continuous, 58
forest_plot, 61

geomean, 64
ggsave_quick, 65

histogram, 66
histogram_by_group, 68
histogram_deprecated_1, 69
histogram_from_hist, 71
histogram_w_outlier_bins, 72
holm_adjusted_p, 74

id_across_datasets, 76
identical_all, 75
install_all_dependencies, 77

kurtosis, 77

lenu, 78
levene_test, 79
log_odds_ratio, 86
log_odds_ratio_to_d, 87
logistic_reg_w_interaction, 83
logistic_regression, 80
logistic_regression_table, 82
loglinear_analysis, 84

mad_remove_outliers, 87
mann_whitney, 89
matrix_prep_dt, 89

- mean_center, 90
- mediation_analysis, 91
- merge_data_table_list, 94
- merge_data_tables, 92
- modes_of_objects, 95
- multiple_regression, 96

- noncentrality_parameter, 98

- odds_ratio, 98
- order_rows_specifically_in_dt, 99
- outlier, 100
- overlapping_interval, 101

- p0, 102
- package_list_default, 103
- parallel_analysis, 103
- percentile_rank, 105
- pivot_table, 105
- plot_group_means, 106
- pm, 108
- population_variance, 109
- prep, 109
- pretty_round_p_value, 110
- pretty_round_r, 111
- print_loop_progress, 112
- proportion_of_values_in_vector, 113

- q_stat_test_homo_r, 114

- read_csv, 115
- read_sole_csv, 115
- regex_match, 116
- rel_pos_of_value_in_vector, 117
- rel_value_of_pos_in_vector, 117
- remove_from_vector, 118
- remove_user_installed_pkgs, 119
- repeated_measures_anova, 119
- replace_values_in_dt, 121
- robust_regression, 121
- round_flexibly, 122

- scatterplot, 124
- score_scale_items, 127
- se_of_mean, 129
- se_of_percentage, 130
- se_of_proportion, 130
- setup_r_env, 128
- setwd_to_active_doc, 128
- simple_effects_analysis, 131

- skewness, 132
- spotlight_2_by_continuous, 133
- standardize, 138
- standardized_regression, 139
- start_kim, 140
- su, 142

- t_test_pairwise, 151
- tabulate_vector, 142
- tau_squared, 144
- theme_kim, 145
- top_median_or_bottom, 146
- tv, 147
- two_way_anova, 148

- und, 152
- unload_user_installed_pkgs, 153
- update_kim, 154

- var_of_log_odds_ratio_to_var_of_d, 155
- var_of_percentage, 155
- var_of_proportion, 156
- vlookup, 156

- weighted_mean_effect_size, 157
- weighted_mean_r, 158
- weighted_z, 159
- wilcoxon_rank_sum_test, 159
- write_csv, 160

- z_score, 161
- z_to_r_transform, 161