

Package ‘paws.developer.tools’

February 8, 2023

Title 'Amazon Web Services' Developer Tools Services

Version 0.2.0

Description Interface to 'Amazon Web Services' developer tools services, including version control, continuous integration and deployment, and more <<https://aws.amazon.com/products/developer-tools/>>.

License Apache License (>= 2.0)

URL <https://github.com/paws-r/paws>

BugReports <https://github.com/paws-r/paws/issues>

Imports paws.common (>= 0.5.4)

Suggests testthat

Encoding UTF-8

RoxygenNote 7.2.2

Collate 'cloud9_service.R' 'cloud9_interfaces.R' 'cloud9_operations.R'
'cloudcontrolapi_service.R' 'cloudcontrolapi_interfaces.R'
'cloudcontrolapi_operations.R' 'codeartifact_service.R'
'codeartifact_interfaces.R' 'codeartifact_operations.R'
'codebuild_service.R' 'codebuild_interfaces.R'
'codebuild_operations.R' 'codecommit_service.R'
'codecommit_interfaces.R' 'codecommit_operations.R'
'codedeploy_service.R' 'codedeploy_interfaces.R'
'codedeploy_operations.R' 'codeguruprofiler_service.R'
'codeguruprofiler_interfaces.R' 'codeguruprofiler_operations.R'
'codegurureviewer_service.R' 'codegurureviewer_interfaces.R'
'codegurureviewer_operations.R' 'codepipeline_service.R'
'codepipeline_interfaces.R' 'codepipeline_operations.R'
'codestar_service.R' 'codestar_interfaces.R'
'codestar_operations.R' 'codestarconnections_service.R'
'codestarconnections_interfaces.R'
'codestarconnections_operations.R'
'codestarnotifications_service.R'
'codestarnotifications_interfaces.R'
'codestarnotifications_operations.R' 'devopsguru_service.R'

'devopsguru_interfaces.R' 'devopsguru_operations.R'
 'drs_service.R' 'drs_interfaces.R' 'drs_operations.R'
 'fis_service.R' 'fis_interfaces.R' 'fis_operations.R'
 'wellarchitected_service.R' 'wellarchitected_interfaces.R'
 'wellarchitected_operations.R' 'xray_service.R'
 'xray_interfaces.R' 'xray_operations.R'

NeedsCompilation no

Author David Kretch [aut],
 Adam Banker [aut],
 Dyfan Jones [cre],
 Amazon.com, Inc. [cph]

Maintainer Dyfan Jones <dyfan.r.jones@gmail.com>

Repository CRAN

Date/Publication 2023-02-08 12:40:08 UTC

R topics documented:

cloud9	2
cloudcontrolapi	5
codeartifact	7
codebuild	11
codecommit	14
codedeploy	21
codeguruprofiler	25
codegurureviewer	27
codepipeline	29
codestar	33
codestarconnections	36
codestarnotifications	38
devopsguru	41
drs	43
fis	45
wellarchitected	47
xray	49

Index 52

Description

Cloud9

Cloud9 is a collection of tools that you can use to code, build, run, test, debug, and release software in the cloud.

For more information about Cloud9, see the [Cloud9 User Guide](#).

Cloud9 supports these operations:

- `create_environment_ec2`: Creates an Cloud9 development environment, launches an Amazon EC2 instance, and then connects from the instance to the environment.
- `create_environment_membership`: Adds an environment member to an environment.
- `delete_environment`: Deletes an environment. If an Amazon EC2 instance is connected to the environment, also terminates the instance.
- `delete_environment_membership`: Deletes an environment member from an environment.
- `describe_environment_memberships`: Gets information about environment members for an environment.
- `describe_environments`: Gets information about environments.
- `describe_environment_status`: Gets status information for an environment.
- `list_environments`: Gets a list of environment identifiers.
- `list_tags_for_resource`: Gets the tags for an environment.
- `tag_resource`: Adds tags to an environment.
- `untag_resource`: Removes tags from an environment.
- `update_environment`: Changes the settings of an existing environment.
- `update_environment_membership`: Changes the settings of an existing environment member for an environment.

Usage

```
cloud9(config = list())
```

Arguments

<code>config</code>	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none">• access_key_id: AWS access key ID• secret_access_key: AWS secret access key• session_token: AWS temporary session token• profile: The name of a profile to use. If not given, then the default profile is used.• anonymous: Set anonymous credentials.• endpoint: The complete URL to use for the constructed client.• region: The AWS Region used in instantiating the client.• close_connection: Immediately close all HTTP connections.• timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.• s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
---------------------	--

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cloud9(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

create_environment_ec2	Creates an Cloud9 development environment, launches an Amazon Elastic Compute C
create_environment_membership	Adds an environment member to an Cloud9 development environment
delete_environment	Deletes an Cloud9 development environment
delete_environment_membership	Deletes an environment member from an Cloud9 development environment
describe_environment_memberships	Gets information about environment members for an Cloud9 development environmen
describe_environments	Gets information about Cloud9 development environments
describe_environment_status	Gets status information for an Cloud9 development environment
list_environments	Gets a list of Cloud9 development environment identifiers
list_tags_for_resource	Gets a list of the tags associated with an Cloud9 development environment
tag_resource	Adds tags to an Cloud9 development environment
untag_resource	Removes tags from an Cloud9 development environment
update_environment	Changes the settings of an existing Cloud9 development environment
update_environment_membership	Changes the settings of an existing environment member for an Cloud9 development e

Examples

```
## Not run:
svc <- cloud9()
```

```
#
svc$create_environment_ec2(
  name = "my-demo-environment",
  automaticStopTimeMinutes = 60L,
  description = "This is my demonstration environment.",
  instanceType = "t2.micro",
  ownerArn = "arn:aws:iam::123456789012:user/MyDemoUser",
  subnetId = "subnet-6300cd1b"
)

## End(Not run)
```

cloudcontrolapi	<i>AWS Cloud Control API</i>
-----------------	------------------------------

Description

For more information about Amazon Web Services Cloud Control API, see the [Amazon Web Services Cloud Control API User Guide](#).

Usage

```
cloudcontrolapi(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- cloudcontrolapi(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)

```

Operations

cancel_resource_request	Cancels the specified resource operation request
create_resource	Creates the specified resource
delete_resource	Deletes the specified resource
get_resource	Returns information about the current state of the specified resource
get_resource_request_status	Returns the current status of a resource operation request
list_resource_requests	Returns existing resource operation requests
list_resources	Returns information about the specified resources
update_resource	Updates the specified property values in the resource

Examples

```

## Not run:
svc <- cloudcontrolapi()
svc$cancel_resource_request(
  Foo = 123
)

## End(Not run)

```

`codeartifact`*CodeArtifact*

Description

CodeArtifact is a fully managed artifact repository compatible with language-native package managers and build tools such as npm, Apache Maven, pip, and dotnet. You can use CodeArtifact to share packages with development teams and pull packages. Packages can be pulled from both public and CodeArtifact repositories. You can also create an upstream relationship between a CodeArtifact repository and another repository, which effectively merges their contents from the point of view of a package manager client.

CodeArtifact Components

Use the information in this guide to help you work with the following CodeArtifact components:

- **Repository:** A CodeArtifact repository contains a set of **package versions**, each of which maps to a set of assets, or files. Repositories are polyglot, so a single repository can contain packages of any supported type. Each repository exposes endpoints for fetching and publishing packages using tools like the npm CLI, the Maven CLI (`mvn`), Python CLIs (`pip` and `twine`), and NuGet CLIs (`nuget` and `dotnet`).
- **Domain:** Repositories are aggregated into a higher-level entity known as a *domain*. All package assets and metadata are stored in the domain, but are consumed through repositories. A given package asset, such as a Maven JAR file, is stored once per domain, no matter how many repositories it's present in. All of the assets and metadata in a domain are encrypted with the same customer master key (CMK) stored in Key Management Service (KMS).

Each repository is a member of a single domain and can't be moved to a different domain.

The domain allows organizational policy to be applied across multiple repositories, such as which accounts can access repositories in the domain, and which public repositories can be used as sources of packages.

Although an organization can have multiple domains, we recommend a single production domain that contains all published artifacts so that teams can find and share packages across their organization.

- **Package:** A *package* is a bundle of software and the metadata required to resolve dependencies and install the software. CodeArtifact supports **npm**, **PyPI**, **Maven**, and **NuGet** package formats.

In CodeArtifact, a package consists of:

- A *name* (for example, `webpack` is the name of a popular npm package)
- An optional namespace (for example, `@types` in `@types/node`)
- A set of versions (for example, `1.0.0`, `1.0.1`, `1.0.2`, etc.)
- Package-level metadata (for example, npm tags)

- **Package version:** A version of a package, such as `@types/node 12.6.9`. The version number format and semantics vary for different package formats. For example, npm package versions must conform to the **Semantic Versioning specification**. In CodeArtifact, a package version consists of the version identifier, metadata at the package version level, and a set of assets.

- **Upstream repository:** One repository is *upstream* of another when the package versions in it can be accessed from the repository endpoint of the downstream repository, effectively merging the contents of the two repositories from the point of view of a client. CodeArtifact allows creating an upstream relationship between two repositories.
- **Asset:** An individual file stored in CodeArtifact associated with a package version, such as an npm .tgz file or Maven POM and JAR files.

CodeArtifact supports these operations:

- [associate_external_connection](#): Adds an existing external connection to a repository.
- [copy_package_versions](#): Copies package versions from one repository to another repository in the same domain.
- [create_domain](#): Creates a domain
- [create_repository](#): Creates a CodeArtifact repository in a domain.
- [delete_domain](#): Deletes a domain. You cannot delete a domain that contains repositories.
- [delete_domain_permissions_policy](#): Deletes the resource policy that is set on a domain.
- [delete_package_versions](#): Deletes versions of a package. After a package has been deleted, it can be republished, but its assets and metadata cannot be restored because they have been permanently removed from storage.
- [delete_repository](#): Deletes a repository.
- [delete_repository_permissions_policy](#): Deletes the resource policy that is set on a repository.
- [describe_domain](#): Returns a `DomainDescription` object that contains information about the requested domain.
- [describe_package](#): Returns a `PackageDescription` object that contains details about a package.
- [describe_package_version](#): Returns a `PackageVersionDescription` object that contains details about a package version.
- [describe_repository](#): Returns a `RepositoryDescription` object that contains detailed information about the requested repository.
- [dispose_package_versions](#): Disposes versions of a package. A package version with the status `Disposed` cannot be restored because they have been permanently removed from storage.
- [disassociate_external_connection](#): Removes an existing external connection from a repository.
- [get_authorization_token](#): Generates a temporary authorization token for accessing repositories in the domain. The token expires the authorization period has passed. The default authorization period is 12 hours and can be customized to any length with a maximum of 12 hours.
- [get_domain_permissions_policy](#): Returns the policy of a resource that is attached to the specified domain.
- [get_package_version_asset](#): Returns the contents of an asset that is in a package version.
- [get_package_version_readme](#): Gets the readme file or descriptive text for a package version.

- `get_repository_endpoint`: Returns the endpoint of a repository for a specific package format. A repository has one endpoint for each package format:
 - maven
 - npm
 - nuget
 - pypi
- `get_repository_permissions_policy`: Returns the resource policy that is set on a repository.
- `list_domains`: Returns a list of DomainSummary objects. Each returned DomainSummary object contains information about a domain.
- `list_packages`: Lists the packages in a repository.
- `list_package_version_assets`: Lists the assets for a given package version.
- `list_package_version_dependencies`: Returns a list of the direct dependencies for a package version.
- `list_package_versions`: Returns a list of package versions for a specified package in a repository.
- `list_repositories`: Returns a list of repositories owned by the Amazon Web Services account that called this method.
- `list_repositories_in_domain`: Returns a list of the repositories in a domain.
- `put_domain_permissions_policy`: Attaches a resource policy to a domain.
- `put_package_origin_configuration`: Sets the package origin configuration for a package, which determine how new versions of the package can be added to a specific repository.
- `put_repository_permissions_policy`: Sets the resource policy on a repository that specifies permissions to access it.
- `update_package_versions_status`: Updates the status of one or more versions of a package.
- `update_repository`: Updates the properties of a repository.

Usage

```
codeartifact(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client.
--------	---

- **close_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codeartifact(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

associate_external_connection	Adds an existing external connection to a repository
copy_package_versions	Copies package versions from one repository to another repository in the same domain
create_domain	Creates a domain
create_repository	Creates a repository
delete_domain	Deletes a domain
delete_domain_permissions_policy	Deletes the resource policy set on a domain
delete_package_versions	Deletes one or more versions of a package
delete_repository	Deletes a repository
delete_repository_permissions_policy	Deletes the resource policy that is set on a repository
describe_domain	Returns a <code>DomainDescription</code> object that contains information about the requested domain
describe_package	Returns a <code>PackageDescription</code> object that contains information about the requested package
describe_package_version	Returns a <code>PackageVersionDescription</code> object that contains information about the requested package version
describe_repository	Returns a <code>RepositoryDescription</code> object that contains detailed information about the repository

disassociate_external_connection	Removes an existing external connection from a repository
dispose_package_versions	Deletes the assets in package versions and sets the package versions' status to Disposed
get_authorization_token	Generates a temporary authorization token for accessing repositories in the domain
get_domain_permissions_policy	Returns the resource policy attached to the specified domain
get_package_version_asset	Returns an asset (or file) that is in a package
get_package_version_readme	Gets the readme file or descriptive text for a package version
get_repository_endpoint	Returns the endpoint of a repository for a specific package format
get_repository_permissions_policy	Returns the resource policy that is set on a repository
list_domains	Returns a list of DomainSummary objects for all domains owned by the Amazon Web Services account
list_packages	Returns a list of PackageSummary objects for packages in a repository that match the specified filters
list_package_version_assets	Returns a list of AssetSummary objects for assets in a package version
list_package_version_dependencies	Returns the direct dependencies for a package version
list_package_versions	Returns a list of PackageVersionSummary objects for package versions in a repository
list_repositories	Returns a list of RepositorySummary objects
list_repositories_in_domain	Returns a list of RepositorySummary objects
list_tags_for_resource	Gets information about Amazon Web Services tags for a specified Amazon Resource Name
put_domain_permissions_policy	Sets a resource policy on a domain that specifies permissions to access it
put_package_origin_configuration	Sets the package origin configuration for a package
put_repository_permissions_policy	Sets the resource policy on a repository that specifies permissions to access it
tag_resource	Adds or updates tags for a resource in CodeArtifact
untag_resource	Removes tags from a resource in CodeArtifact
update_package_versions_status	Updates the status of one or more versions of a package
update_repository	Update the properties of a repository

Examples

```
## Not run:
svc <- codeartifact()
svc$associate_external_connection(
  Foo = 123
)

## End(Not run)
```

codebuild

AWS CodeBuild

Description

CodeBuild

CodeBuild is a fully managed build service in the cloud. CodeBuild compiles your source code, runs unit tests, and produces artifacts that are ready to deploy. CodeBuild eliminates the need to provision, manage, and scale your own build servers. It provides prepackaged build environments for the most popular programming languages and build tools, such as Apache Maven, Gradle, and more.

You can also fully customize build environments in CodeBuild to use your own build tools. CodeBuild scales automatically to meet peak build requests. You pay only for the build time you consume. For more information about CodeBuild, see the [User Guide](https://docs.aws.amazon.com/codebuild/latest/userguide/User Guide).

Usage

```
codebuild(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	--

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codebuild(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical"
    )
)

```

Operations

batch_delete_builds	Deletes one or more builds
batch_get_build_batches	Retrieves information about one or more batch builds
batch_get_builds	Gets information about one or more builds
batch_get_projects	Gets information about one or more build projects
batch_get_report_groups	Returns an array of report groups
batch_get_reports	Returns an array of reports
create_project	Creates a build project
create_report_group	Creates a report group
create_webhook	For an existing CodeBuild build project that has its source code stored in a GitHub or Bitbucket repository, creates a webhook
delete_build_batch	Deletes a batch build
delete_project	Deletes a build project
delete_report	Deletes a report
delete_report_group	Deletes a report group
delete_resource_policy	Deletes a resource policy that is identified by its resource ARN
delete_source_credentials	Deletes a set of GitHub, GitHub Enterprise, or Bitbucket source credentials
delete_webhook	For an existing CodeBuild build project that has its source code stored in a GitHub or Bitbucket repository, deletes a webhook
describe_code_coverages	Retrieves one or more code coverage reports
describe_test_cases	Returns a list of details about test cases for a report
get_report_group_trend	Analyzes and accumulates test report values for the specified test reports
get_resource_policy	Gets a resource policy that is identified by its resource ARN
import_source_credentials	Imports the source repository credentials for an CodeBuild project that has its source code stored in a GitHub or Bitbucket repository
invalidate_project_cache	Resets the cache for a project
list_build_batches	Retrieves the identifiers of your build batches in the current region
list_build_batches_for_project	Retrieves the identifiers of the build batches for a specific project
list_builds	Gets a list of build IDs, with each build ID representing a single build
list_builds_for_project	Gets a list of build identifiers for the specified build project, with each build identifier representing a single build
list_curated_environment_images	Gets information about Docker images that are managed by CodeBuild
list_projects	Gets a list of build project names, with each build project name representing a single build project
list_report_groups	Gets a list of ARNs for the report groups in the current Amazon Web Services account
list_reports	Returns a list of ARNs for the reports in the current Amazon Web Services account
list_reports_for_report_group	Returns a list of ARNs for the reports that belong to a ReportGroup
list_shared_projects	Gets a list of projects that are shared with other Amazon Web Services accounts or users
list_shared_report_groups	Gets a list of report groups that are shared with other Amazon Web Services accounts or users
list_source_credentials	Returns a list of SourceCredentialsInfo objects
put_resource_policy	Stores a resource policy for the ARN of a Project or ReportGroup object
retry_build	Restarts a build
retry_build_batch	Restarts a failed batch build
start_build	Starts running a build
start_build_batch	Starts a batch build for a project
stop_build	Attempts to stop running a build
stop_build_batch	Stops a running batch build

update_project	Changes the settings of a build project
update_project_visibility	Changes the public visibility for a project
update_report_group	Updates a report group
update_webhook	Updates the webhook associated with an CodeBuild build project

Examples

```
## Not run:
svc <- codebuild()
svc$batch_delete_builds(
  Foo = 123
)

## End(Not run)
```

codecommit

AWS CodeCommit

Description

This is the *AWS CodeCommit API Reference*. This reference provides descriptions of the operations and data types for AWS CodeCommit API along with usage examples.

You can use the AWS CodeCommit API to work with the following objects:

Repositories, by calling the following:

- [batch_get_repositories](#), which returns information about one or more repositories associated with your AWS account.
- [create_repository](#), which creates an AWS CodeCommit repository.
- [delete_repository](#), which deletes an AWS CodeCommit repository.
- [get_repository](#), which returns information about a specified repository.
- [list_repositories](#), which lists all AWS CodeCommit repositories associated with your AWS account.
- [update_repository_description](#), which sets or updates the description of the repository.
- [update_repository_name](#), which changes the name of the repository. If you change the name of a repository, no other users of that repository can access it until you send them the new HTTPS or SSH URL to use.

Branches, by calling the following:

- [create_branch](#), which creates a branch in a specified repository.
- [delete_branch](#), which deletes the specified branch in a repository unless it is the default branch.

- `get_branch`, which returns information about a specified branch.
- `list_branches`, which lists all branches for a specified repository.
- `update_default_branch`, which changes the default branch for a repository.

Files, by calling the following:

- `delete_file`, which deletes the content of a specified file from a specified branch.
- `get_blob`, which returns the base-64 encoded content of an individual Git blob object in a repository.
- `get_file`, which returns the base-64 encoded content of a specified file.
- `get_folder`, which returns the contents of a specified folder or directory.
- `put_file`, which adds or modifies a single file in a specified repository and branch.

Commits, by calling the following:

- `batch_get_commits`, which returns information about one or more commits in a repository.
- `create_commit`, which creates a commit for changes to a repository.
- `get_commit`, which returns information about a commit, including commit messages and author and committer information.
- `get_differences`, which returns information about the differences in a valid commit specifier (such as a branch, tag, HEAD, commit ID, or other fully qualified reference).

Merges, by calling the following:

- `batch_describe_merge_conflicts`, which returns information about conflicts in a merge between commits in a repository.
- `create_unreferenced_merge_commit`, which creates an unreferenced commit between two branches or commits for the purpose of comparing them and identifying any potential conflicts.
- `describe_merge_conflicts`, which returns information about merge conflicts between the base, source, and destination versions of a file in a potential merge.
- `get_merge_commit`, which returns information about the merge between a source and destination commit.
- `get_merge_conflicts`, which returns information about merge conflicts between the source and destination branch in a pull request.
- `get_merge_options`, which returns information about the available merge options between two branches or commit specifiers.
- `merge_branches_by_fast_forward`, which merges two branches using the fast-forward merge option.
- `merge_branches_by_squash`, which merges two branches using the squash merge option.
- `merge_branches_by_three_way`, which merges two branches using the three-way merge option.

Pull requests, by calling the following:

- `create_pull_request`, which creates a pull request in a specified repository.

- [create_pull_request_approval_rule](#), which creates an approval rule for a specified pull request.
- [delete_pull_request_approval_rule](#), which deletes an approval rule for a specified pull request.
- [describe_pull_request_events](#), which returns information about one or more pull request events.
- [evaluate_pull_request_approval_rules](#), which evaluates whether a pull request has met all the conditions specified in its associated approval rules.
- [get_comments_for_pull_request](#), which returns information about comments on a specified pull request.
- [get_pull_request](#), which returns information about a specified pull request.
- [get_pull_request_approval_states](#), which returns information about the approval states for a specified pull request.
- [get_pull_request_override_state](#), which returns information about whether approval rules have been set aside (overridden) for a pull request, and if so, the Amazon Resource Name (ARN) of the user or identity that overrode the rules and their requirements for the pull request.
- [list_pull_requests](#), which lists all pull requests for a repository.
- [merge_pull_request_by_fast_forward](#), which merges the source destination branch of a pull request into the specified destination branch for that pull request using the fast-forward merge option.
- [merge_pull_request_by_squash](#), which merges the source destination branch of a pull request into the specified destination branch for that pull request using the squash merge option.
- [merge_pull_request_by_three_way](#), which merges the source destination branch of a pull request into the specified destination branch for that pull request using the three-way merge option.
- [override_pull_request_approval_rules](#), which sets aside all approval rule requirements for a pull request.
- [post_comment_for_pull_request](#), which posts a comment to a pull request at the specified line, file, or request.
- [update_pull_request_approval_rule_content](#), which updates the structure of an approval rule for a pull request.
- [update_pull_request_approval_state](#), which updates the state of an approval on a pull request.
- [update_pull_request_description](#), which updates the description of a pull request.
- [update_pull_request_status](#), which updates the status of a pull request.
- [update_pull_request_title](#), which updates the title of a pull request.

Approval rule templates, by calling the following:

- [associate_approval_rule_template_with_repository](#), which associates a template with a specified repository. After the template is associated with a repository, AWS CodeCommit creates approval rules that match the template conditions on every pull request created in the specified repository.

- [batch_associate_approval_rule_template_with_repositories](#), which associates a template with one or more specified repositories. After the template is associated with a repository, AWS CodeCommit creates approval rules that match the template conditions on every pull request created in the specified repositories.
- [batch_disassociate_approval_rule_template_from_repositories](#), which removes the association between a template and specified repositories so that approval rules based on the template are not automatically created when pull requests are created in those repositories.
- [create_approval_rule_template](#), which creates a template for approval rules that can then be associated with one or more repositories in your AWS account.
- [delete_approval_rule_template](#), which deletes the specified template. It does not remove approval rules on pull requests already created with the template.
- [disassociate_approval_rule_template_from_repository](#), which removes the association between a template and a repository so that approval rules based on the template are not automatically created when pull requests are created in the specified repository.
- [get_approval_rule_template](#), which returns information about an approval rule template.
- [list_approval_rule_templates](#), which lists all approval rule templates in the AWS Region in your AWS account.
- [list_associated_approval_rule_templates_for_repository](#), which lists all approval rule templates that are associated with a specified repository.
- [list_repositories_for_approval_rule_template](#), which lists all repositories associated with the specified approval rule template.
- [update_approval_rule_template_description](#), which updates the description of an approval rule template.
- [update_approval_rule_template_name](#), which updates the name of an approval rule template.
- [update_approval_rule_template_content](#), which updates the content of an approval rule template.

Comments in a repository, by calling the following:

- [delete_comment_content](#), which deletes the content of a comment on a commit in a repository.
- [get_comment](#), which returns information about a comment on a commit.
- [get_comment_reactions](#), which returns information about emoji reactions to comments.
- [get_comments_for_compared_commit](#), which returns information about comments on the comparison between two commit specifiers in a repository.
- [post_comment_for_compared_commit](#), which creates a comment on the comparison between two commit specifiers in a repository.
- [post_comment_reply](#), which creates a reply to a comment.
- [put_comment_reaction](#), which creates or updates an emoji reaction to a comment.
- [update_comment](#), which updates the content of a comment on a commit in a repository.

Tags used to tag resources in AWS CodeCommit (not Git tags), by calling the following:

- [list_tags_for_resource](#), which gets information about AWS tags for a specified Amazon Resource Name (ARN) in AWS CodeCommit.
- [tag_resource](#), which adds or updates tags for a resource in AWS CodeCommit.
- [untag_resource](#), which removes tags for a resource in AWS CodeCommit.

Triggers, by calling the following:

- [get_repository_triggers](#), which returns information about triggers configured for a repository.
- [put_repository_triggers](#), which replaces all triggers for a repository and can be used to create or delete triggers.
- [test_repository_triggers](#), which tests the functionality of a repository trigger by sending data to the trigger target.

For information about how to use AWS CodeCommit, see the [AWS CodeCommit User Guide](#).

Usage

```
codecommit(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	--

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- codecommit(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)

```

Operations

associate_approval_rule_template_with_repository	Creates an association between an approval rule template and a repository
batch_associate_approval_rule_template_with_repositories	Creates an association between an approval rule template and multiple repositories
batch_describe_merge_conflicts	Returns information about one or more merge conflicts in the specified repository
batch_disassociate_approval_rule_template_from_repositories	Removes the association between an approval rule template and multiple repositories
batch_get_commits	Returns information about the contents of one or more commits in the specified repository
batch_get_repositories	Returns information about one or more repositories
create_approval_rule_template	Creates a template for approval rules that can then be associated with a repository
create_branch	Creates a branch in a repository and points the branch to a commit
create_commit	Creates a commit for a repository on the tip of a specified branch
create_pull_request	Creates a pull request in the specified repository
create_pull_request_approval_rule	Creates an approval rule for a pull request
create_repository	Creates a new, empty repository
create_unreferenced_merge_commit	Creates an unreferenced commit that represents the result of a merge
delete_approval_rule_template	Deletes a specified approval rule template
delete_branch	Deletes a branch from a repository, unless that branch is the current branch
delete_comment_content	Deletes the content of a comment made on a change, file, or repository
delete_file	Deletes a specified file from a specified branch
delete_pull_request_approval_rule	Deletes an approval rule from a specified pull request
delete_repository	Deletes a repository
describe_merge_conflicts	Returns information about one or more merge conflicts in the specified repository
describe_pull_request_events	Returns information about one or more pull request events
disassociate_approval_rule_template_from_repository	Removes the association between a template and a repository
evaluate_pull_request_approval_rules	Evaluates whether a pull request has met all the conditions specified in an approval rule
get_approval_rule_template	Returns information about a specified approval rule template
get_blob	Returns the base-64 encoded content of an individual blob in a repository
get_branch	Returns information about a repository branch, including its commit ID

<code>get_comment</code>	Returns the content of a comment made on a change, file, or repository
<code>get_comment_reactions</code>	Returns information about reactions to a specified comment
<code>get_comments_for_compared_commit</code>	Returns information about comments made on the comparison between two commits
<code>get_comments_for_pull_request</code>	Returns comments made on a pull request
<code>get_commit</code>	Returns information about a commit, including commit message
<code>get_differences</code>	Returns information about the differences in a valid commit
<code>get_file</code>	Returns the base-64 encoded contents of a specified file and repository
<code>get_folder</code>	Returns the contents of a specified folder in a repository
<code>get_merge_commit</code>	Returns information about a specified merge commit
<code>get_merge_conflicts</code>	Returns information about merge conflicts between the before and after commits
<code>get_merge_options</code>	Returns information about the merge options available for merge
<code>get_pull_request</code>	Gets information about a pull request in a specified repository
<code>get_pull_request_approval_states</code>	Gets information about the approval states for a specified pull request
<code>get_pull_request_override_state</code>	Returns information about whether approval rules have been overridden
<code>get_repository</code>	Returns information about a repository
<code>get_repository_triggers</code>	Gets information about triggers configured for a repository
<code>list_approval_rule_templates</code>	Lists all approval rule templates in the specified AWS Region
<code>list_associated_approval_rule_templates_for_repository</code>	Lists all approval rule templates that are associated with a specified repository
<code>list_branches</code>	Gets information about one or more branches in a repository
<code>list_pull_requests</code>	Returns a list of pull requests for a specified repository
<code>list_repositories</code>	Gets information about one or more repositories
<code>list_repositories_for_approval_rule_template</code>	Lists all repositories associated with the specified approval rule template
<code>list_tags_for_resource</code>	Gets information about AWS tags for a specified Amazon Resource Name
<code>merge_branches_by_fast_forward</code>	Merges two branches using the fast-forward merge strategy
<code>merge_branches_by_squash</code>	Merges two branches using the squash merge strategy
<code>merge_branches_by_three_way</code>	Merges two specified branches using the three-way merge strategy
<code>merge_pull_request_by_fast_forward</code>	Attempts to merge the source commit of a pull request into the target branch
<code>merge_pull_request_by_squash</code>	Attempts to merge the source commit of a pull request into the target branch
<code>merge_pull_request_by_three_way</code>	Attempts to merge the source commit of a pull request into the target branch
<code>override_pull_request_approval_rules</code>	Sets aside (overrides) all approval rule requirements for a specified pull request
<code>post_comment_for_compared_commit</code>	Posts a comment on the comparison between two commits
<code>post_comment_for_pull_request</code>	Posts a comment on a pull request
<code>post_comment_reply</code>	Posts a comment in reply to an existing comment on a comparison
<code>put_comment_reaction</code>	Adds or updates a reaction to a specified comment for the user
<code>put_file</code>	Adds or updates a file in a branch in an AWS CodeCommit repository
<code>put_repository_triggers</code>	Replaces all triggers for a repository
<code>tag_resource</code>	Adds or updates tags for a resource in AWS CodeCommit
<code>test_repository_triggers</code>	Tests the functionality of repository triggers by sending information
<code>untag_resource</code>	Removes tags for a resource in AWS CodeCommit
<code>update_approval_rule_template_content</code>	Updates the content of an approval rule template
<code>update_approval_rule_template_description</code>	Updates the description for a specified approval rule template
<code>update_approval_rule_template_name</code>	Updates the name of a specified approval rule template
<code>update_comment</code>	Replaces the contents of a comment
<code>update_default_branch</code>	Sets or changes the default branch name for the specified repository
<code>update_pull_request_approval_rule_content</code>	Updates the structure of an approval rule created specifically for a pull request
<code>update_pull_request_approval_state</code>	Updates the state of a user's approval on a pull request
<code>update_pull_request_description</code>	Replaces the contents of the description of a pull request
<code>update_pull_request_status</code>	Updates the status of a pull request

update_pull_request_title	Replaces the title of a pull request
update_repository_description	Sets or changes the comment or description for a repository
update_repository_name	Renames a repository

Examples

```
## Not run:
svc <- codecommit()
svc$associate_approval_rule_template_with_repository(
  Foo = 123
)

## End(Not run)
```

codedeploy

AWS CodeDeploy

Description

AWS CodeDeploy is a deployment service that automates application deployments to Amazon EC2 instances, on-premises instances running in your own facility, serverless AWS Lambda functions, or applications in an Amazon ECS service.

You can deploy a nearly unlimited variety of application content, such as an updated Lambda function, updated applications in an Amazon ECS service, code, web and configuration files, executables, packages, scripts, multimedia files, and so on. AWS CodeDeploy can deploy application content stored in Amazon S3 buckets, GitHub repositories, or Bitbucket repositories. You do not need to make changes to your existing code before you can use AWS CodeDeploy.

AWS CodeDeploy makes it easier for you to rapidly release new features, helps you avoid downtime during application deployment, and handles the complexity of updating your applications, without many of the risks associated with error-prone manual deployments.

AWS CodeDeploy Components

Use the information in this guide to help you work with the following AWS CodeDeploy components:

- **Application:** A name that uniquely identifies the application you want to deploy. AWS CodeDeploy uses this name, which functions as a container, to ensure the correct combination of revision, deployment configuration, and deployment group are referenced during a deployment.
- **Deployment group:** A set of individual instances, CodeDeploy Lambda deployment configuration settings, or an Amazon ECS service and network details. A Lambda deployment group specifies how to route traffic to a new version of a Lambda function. An Amazon ECS deployment group specifies the service created in Amazon ECS to deploy, a load balancer, and

a listener to reroute production traffic to an updated containerized application. An EC2/On-premises deployment group contains individually tagged instances, Amazon EC2 instances in Amazon EC2 Auto Scaling groups, or both. All deployment groups can specify optional trigger, alarm, and rollback settings.

- **Deployment configuration:** A set of deployment rules and deployment success and failure conditions used by AWS CodeDeploy during a deployment.
- **Deployment:** The process and the components used when updating a Lambda function, a containerized application in an Amazon ECS service, or of installing content on one or more instances.
- **Application revisions:** For an AWS Lambda deployment, this is an AppSpec file that specifies the Lambda function to be updated and one or more functions to validate deployment lifecycle events. For an Amazon ECS deployment, this is an AppSpec file that specifies the Amazon ECS task definition, container, and port where production traffic is rerouted. For an EC2/On-premises deployment, this is an archive file that contains source content—source code, webpages, executable files, and deployment scripts—along with an AppSpec file. Revisions are stored in Amazon S3 buckets or GitHub repositories. For Amazon S3, a revision is uniquely identified by its Amazon S3 object key and its ETag, version, or both. For GitHub, a revision is uniquely identified by its commit ID.

This guide also contains information to help you get details about the instances in your deployments, to make on-premises instances available for AWS CodeDeploy deployments, to get details about a Lambda function deployment, and to get details about Amazon ECS service deployments.

AWS CodeDeploy Information Resources

- [AWS CodeDeploy User Guide](#)
- [AWS CodeDeploy API Reference Guide](#)
- [AWS CLI Reference for AWS CodeDeploy](#)
- [AWS CodeDeploy Developer Forum](#)

Usage

```
codedeploy(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections.
--------	---

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codedeploy(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

add_tags_to_on_premises_instances	Adds tags to on-premises instances
batch_get_application_revisions	Gets information about one or more application revisions
batch_get_applications	Gets information about one or more applications
batch_get_deployment_groups	Gets information about one or more deployment groups
batch_get_deployment_instances	This method works, but is deprecated
batch_get_deployments	Gets information about one or more deployments
batch_get_deployment_targets	Returns an array of one or more targets associated with a deployment
batch_get_on_premises_instances	Gets information about one or more on-premises instances
continue_deployment	For a blue/green deployment, starts the process of rerouting traffic from instances
create_application	Creates an application
create_deployment	Deploys an application revision through the specified deployment group
create_deployment_config	Creates a deployment configuration
create_deployment_group	Creates a deployment group to which application revisions are deployed
delete_application	Deletes an application
delete_deployment_config	Deletes a deployment configuration

<code>delete_deployment_group</code>	Deletes a deployment group
<code>delete_git_hub_account_token</code>	Deletes a GitHub account connection
<code>delete_resources_by_external_id</code>	Deletes resources linked to an external ID
<code>deregister_on_premises_instance</code>	Deregisters an on-premises instance
<code>get_application</code>	Gets information about an application
<code>get_application_revision</code>	Gets information about an application revision
<code>get_deployment</code>	Gets information about a deployment
<code>get_deployment_config</code>	Gets information about a deployment configuration
<code>get_deployment_group</code>	Gets information about a deployment group
<code>get_deployment_instance</code>	Gets information about an instance as part of a deployment
<code>get_deployment_target</code>	Returns information about a deployment target
<code>get_on_premises_instance</code>	Gets information about an on-premises instance
<code>list_application_revisions</code>	Lists information about revisions for an application
<code>list_applications</code>	Lists the applications registered with the IAM user or AWS account
<code>list_deployment_configs</code>	Lists the deployment configurations with the IAM user or AWS account
<code>list_deployment_groups</code>	Lists the deployment groups for an application registered with the IAM user or
<code>list_deployment_instances</code>	The newer BatchGetDeploymentTargets should be used instead because it works
<code>list_deployments</code>	Lists the deployments in a deployment group for an application registered with
<code>list_deployment_targets</code>	Returns an array of target IDs that are associated a deployment
<code>list_git_hub_account_token_names</code>	Lists the names of stored connections to GitHub accounts
<code>list_on_premises_instances</code>	Gets a list of names for one or more on-premises instances
<code>list_tags_for_resource</code>	Returns a list of tags for the resource identified by a specified Amazon Resource
<code>put_lifecycle_event_hook_execution_status</code>	Sets the result of a Lambda validation function
<code>register_application_revision</code>	Registers with AWS CodeDeploy a revision for the specified application
<code>register_on_premises_instance</code>	Registers an on-premises instance
<code>remove_tags_from_on_premises_instances</code>	Removes one or more tags from one or more on-premises instances
<code>skip_wait_time_for_instance_termination</code>	In a blue/green deployment, overrides any specified wait time and starts termina
<code>stop_deployment</code>	Attempts to stop an ongoing deployment
<code>tag_resource</code>	Associates the list of tags in the input Tags parameter with the resource identifie
<code>untag_resource</code>	Disassociates a resource from a list of tags
<code>update_application</code>	Changes the name of an application
<code>update_deployment_group</code>	Changes information about a deployment group

Examples

```
## Not run:
svc <- codedeploy()
svc$add_tags_to_on_premises_instances(
  Foo = 123
)

## End(Not run)
```

codeguruprofiler *Amazon CodeGuru Profiler*

Description

This section provides documentation for the Amazon CodeGuru Profiler API operations.

Amazon CodeGuru Profiler collects runtime performance data from your live applications, and provides recommendations that can help you fine-tune your application performance. Using machine learning algorithms, CodeGuru Profiler can help you find your most expensive lines of code and suggest ways you can improve efficiency and remove CPU bottlenecks.

Amazon CodeGuru Profiler provides different visualizations of profiling data to help you identify what code is running on the CPU, see how much time is consumed, and suggest ways to reduce CPU utilization.

Amazon CodeGuru Profiler currently supports applications written in all Java virtual machine (JVM) languages and Python. While CodeGuru Profiler supports both visualizations and recommendations for applications written in Java, it can also generate visualizations and a subset of recommendations for applications written in other JVM languages and Python.

For more information, see [What is Amazon CodeGuru Profiler](#) in the *Amazon CodeGuru Profiler User Guide*.

Usage

```
codeguruprofiler(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- codeguruprofiler(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)

```

Operations

add_notification_channels	Add up to 2 anomaly notifications channels for a profiling group
batch_get_frame_metric_data	Returns the time series of values for a requested list of frame metrics from a time period
configure_agent	Used by profiler agents to report their current state and to receive remote configuration
create_profiling_group	Creates a profiling group
delete_profiling_group	Deletes a profiling group
describe_profiling_group	Returns a ProfilingGroupDescription object that contains information about the requested profiling group
get_findings_report_account_summary	Returns a list of FindingsReportSummary objects that contain analysis results for all findings
get_notification_configuration	Get the current configuration for anomaly notifications for a profiling group
get_policy	Returns the JSON-formatted resource-based policy on a profiling group
get_profile	Gets the aggregated profile of a profiling group for a specified time range
get_recommendations	Returns a list of Recommendation objects that contain recommendations for a profiling group
list_findings_reports	List the available reports for a given profiling group and time range
list_profile_times	Lists the start times of the available aggregated profiles of a profiling group for an agent
list_profiling_groups	Returns a list of profiling groups
list_tags_for_resource	Returns a list of the tags that are assigned to a specified resource
post_agent_profile	Submits profiling data to an aggregated profile of a profiling group
put_permission	Adds permissions to a profiling group's resource-based policy that are provided using IAM
remove_notification_channel	Remove one anomaly notifications channel for a profiling group
remove_permission	Removes permissions from a profiling group's resource-based policy that are provided using IAM
submit_feedback	Sends feedback to CodeGuru Profiler about whether the anomaly detected by the agent is a false positive
tag_resource	Use to assign one or more tags to a resource
untag_resource	Use to remove one or more tags from a resource
update_profiling_group	Updates a profiling group

Examples

```
## Not run:
svc <- codeguruprofiler()
svc$add_notification_channels(
  Foo = 123
)

## End(Not run)
```

codegurureviewer *Amazon CodeGuru Reviewer*

Description

This section provides documentation for the Amazon CodeGuru Reviewer API operations. CodeGuru Reviewer is a service that uses program analysis and machine learning to detect potential defects that are difficult for developers to find and recommends fixes in your Java and Python code.

By proactively detecting and providing recommendations for addressing code defects and implementing best practices, CodeGuru Reviewer improves the overall quality and maintainability of your code base during the code review stage. For more information about CodeGuru Reviewer, see the [Amazon CodeGuru Reviewer User Guide](https://docs.aws.amazon.com/codeguru/latest/reviewer-ug/welcome.html).

To improve the security of your CodeGuru Reviewer API calls, you can establish a private connection between your VPC and CodeGuru Reviewer by creating an *interface VPC endpoint*. For more information, see [CodeGuru Reviewer and interface VPC endpoints \(Amazon Web Services PrivateLink\)](#) in the *Amazon CodeGuru Reviewer User Guide*.

Usage

```
codegurureviewer(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none">• access_key_id: AWS access key ID• secret_access_key: AWS secret access key• session_token: AWS temporary session token• profile: The name of a profile to use. If not given, then the default profile is used.• anonymous: Set anonymous credentials.• endpoint: The complete URL to use for the constructed client.• region: The AWS Region used in instantiating the client.• close_connection: Immediately close all HTTP connections.
--------	--

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codegurureviewer(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

associate_repository	Use to associate an Amazon Web Services CodeCommit repository or a repository managed by another provider
create_code_review	Use to create a code review with a CodeReviewType of RepositoryAnalysis
describe_code_review	Returns the metadata associated with the code review along with its status
describe_recommendation_feedback	Describes the customer feedback for a CodeGuru Reviewer recommendation
describe_repository_association	Returns a RepositoryAssociation object that contains information about the requested repository association
disassociate_repository	Removes the association between Amazon CodeGuru Reviewer and a repository
list_code_reviews	Lists all the code reviews that the customer has created in the past 90 days
list_recommendation_feedback	Returns a list of RecommendationFeedbackSummary objects that contain customer feedback
list_recommendations	Returns the list of all recommendations for a completed code review
list_repository_associations	Returns a list of RepositoryAssociationSummary objects that contain summary information about repository associations
list_tags_for_resource	Returns the list of tags associated with an associated repository resource
put_recommendation_feedback	Stores customer feedback for a CodeGuru Reviewer recommendation
tag_resource	Adds one or more tags to an associated repository
untag_resource	Removes a tag from an associated repository

Examples

```
## Not run:
svc <- codegurureviewer()
svc$associate_repository(
  Foo = 123
)

## End(Not run)
```

codepipeline

AWS CodePipeline

Description

Overview

This is the AWS CodePipeline API Reference. This guide provides descriptions of the actions and data types for AWS CodePipeline. Some functionality for your pipeline can only be configured through the API. For more information, see the [AWS CodePipeline User Guide](#).

You can use the AWS CodePipeline API to work with pipelines, stages, actions, and transitions.

Pipelines are models of automated release processes. Each pipeline is uniquely named, and consists of stages, actions, and transitions.

You can work with pipelines by calling:

- [create_pipeline](#), which creates a uniquely named pipeline.
- [delete_pipeline](#), which deletes the specified pipeline.
- [get_pipeline](#), which returns information about the pipeline structure and pipeline metadata, including the pipeline Amazon Resource Name (ARN).
- [get_pipeline_execution](#), which returns information about a specific execution of a pipeline.
- [get_pipeline_state](#), which returns information about the current state of the stages and actions of a pipeline.
- [list_action_executions](#), which returns action-level details for past executions. The details include full stage and action-level details, including individual action duration, status, any errors that occurred during the execution, and input and output artifact location details.
- [list_pipelines](#), which gets a summary of all of the pipelines associated with your account.
- [list_pipeline_executions](#), which gets a summary of the most recent executions for a pipeline.
- [start_pipeline_execution](#), which runs the most recent revision of an artifact through the pipeline.
- [stop_pipeline_execution](#), which stops the specified pipeline execution from continuing through the pipeline.

- [update_pipeline](#), which updates a pipeline with edits or changes to the structure of the pipeline.

Pipelines include *stages*. Each stage contains one or more actions that must complete before the next stage begins. A stage results in success or failure. If a stage fails, the pipeline stops at that stage and remains stopped until either a new version of an artifact appears in the source location, or a user takes action to rerun the most recent artifact through the pipeline. You can call [get_pipeline_state](#), which displays the status of a pipeline, including the status of stages in the pipeline, or [get_pipeline](#), which returns the entire structure of the pipeline, including the stages of that pipeline. For more information about the structure of stages and actions, see [AWS CodePipeline Pipeline Structure Reference](#).

Pipeline stages include *actions* that are categorized into categories such as source or build actions performed in a stage of a pipeline. For example, you can use a source action to import artifacts into a pipeline from a source such as Amazon S3. Like stages, you do not work with actions directly in most cases, but you do define and interact with actions when working with pipeline operations such as [create_pipeline](#) and [get_pipeline_state](#). Valid action categories are:

- Source
- Build
- Test
- Deploy
- Approval
- Invoke

Pipelines also include *transitions*, which allow the transition of artifacts from one stage to the next in a pipeline after the actions in one stage complete.

You can work with transitions by calling:

- [disable_stage_transition](#), which prevents artifacts from transitioning to the next stage in a pipeline.
- [enable_stage_transition](#), which enables transition of artifacts between stages in a pipeline.

Using the API to integrate with AWS CodePipeline

For third-party integrators or developers who want to create their own integrations with AWS CodePipeline, the expected sequence varies from the standard API user. To integrate with AWS CodePipeline, developers need to work with the following items:

Jobs, which are instances of an action. For example, a job for a source action might import a revision of an artifact from a source.

You can work with jobs by calling:

- [acknowledge_job](#), which confirms whether a job worker has received the specified job.
- [get_job_details](#), which returns the details of a job.
- [poll_for_jobs](#), which determines whether there are any jobs to act on.
- [put_job_failure_result](#), which provides details of a job failure.
- [put_job_success_result](#), which provides details of a job success.

Third party jobs, which are instances of an action created by a partner action and integrated into AWS CodePipeline. Partner actions are created by members of the AWS Partner Network.

You can work with third party jobs by calling:

- `acknowledge_third_party_job`, which confirms whether a job worker has received the specified job.
- `get_third_party_job_details`, which requests the details of a job for a partner action.
- `poll_for_third_party_jobs`, which determines whether there are any jobs to act on.
- `put_third_party_job_failure_result`, which provides details of a job failure.
- `put_third_party_job_success_result`, which provides details of a job success.

Usage

```
codepipeline(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codepipeline(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
```

```

        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical"
)
)

```

Operations

acknowledge_job	Returns information about a specified job and whether that job has been received by the job worker.
acknowledge_third_party_job	Confirms a job worker has received the specified job.
create_custom_action_type	Creates a new custom action that can be used in all pipelines associated with the AWS account.
create_pipeline	Creates a pipeline.
delete_custom_action_type	Marks a custom action as deleted.
delete_pipeline	Deletes the specified pipeline.
delete_webhook	Deletes a previously created webhook by name.
deregister_webhook_with_third_party_action	Removes the connection between the webhook that was created by CodePipeline and the external tool.
disable_stage_transition	Prevents artifacts in a pipeline from transitioning to the next stage in the pipeline.
enable_stage_transition	Enables artifacts in a pipeline to transition to a stage in a pipeline.
get_action_type	Returns information about an action type created for an external provider, where the provider is not AWS.
get_job_details	Returns information about a job.
get_pipeline	Returns the metadata, structure, stages, and actions of a pipeline.
get_pipeline_execution	Returns information about an execution of a pipeline, including details about artifacts and stages.
get_pipeline_state	Returns information about the state of a pipeline, including the stages and actions.
get_third_party_job_details	Requests the details of a job for a third party action.
list_action_executions	Lists the action executions that have occurred in a pipeline.
list_action_types	Gets a summary of all AWS CodePipeline action types associated with your account.
list_pipeline_executions	Gets a summary of the most recent executions for a pipeline.
list_pipelines	Gets a summary of all of the pipelines associated with your account.
list_tags_for_resource	Gets the set of key-value pairs (metadata) that are used to manage the resource.
list_webhooks	Gets a listing of all the webhooks in this AWS Region for this account.
poll_for_jobs	Returns information about any jobs for AWS CodePipeline to act on.
poll_for_third_party_jobs	Determines whether there are any third party jobs for a job worker to act on.
put_action_revision	Provides information to AWS CodePipeline about new revisions to a source provider.
put_approval_result	Provides the response to a manual approval request to AWS CodePipeline.
put_job_failure_result	Represents the failure of a job as returned to the pipeline by a job worker.
put_job_success_result	Represents the success of a job as returned to the pipeline by a job worker.
put_third_party_job_failure_result	Represents the failure of a third party job as returned to the pipeline by a job worker.
put_third_party_job_success_result	Represents the success of a third party job as returned to the pipeline by a job worker.
put_webhook	Defines a webhook and returns a unique webhook URL generated by CodePipeline.
register_webhook_with_third_party_action	Configures a connection between the webhook that was created and the external tool.
retry_stage_execution	Resumes the pipeline execution by retrying the last failed actions in a stage.

start_pipeline_execution	Starts the specified pipeline
stop_pipeline_execution	Stops the specified pipeline execution
tag_resource	Adds to or modifies the tags of the given resource
untag_resource	Removes tags from an AWS resource
update_action_type	Updates an action type that was created with any supported integration model, where
update_pipeline	Updates a specified pipeline with edits or changes to its structure

Examples

```
## Not run:
svc <- codepipeline()
svc$acknowledge_job(
  Foo = 123
)

## End(Not run)
```

codestar

AWS CodeStar

Description

This is the API reference for AWS CodeStar. This reference provides descriptions of the operations and data types for the AWS CodeStar API along with usage examples.

You can use the AWS CodeStar API to work with:

Projects and their resources, by calling the following:

- [delete_project](#), which deletes a project.
- [describe_project](#), which lists the attributes of a project.
- [list_projects](#), which lists all projects associated with your AWS account.
- [list_resources](#), which lists the resources associated with a project.
- [list_tags_for_project](#), which lists the tags associated with a project.
- [tag_project](#), which adds tags to a project.
- [untag_project](#), which removes tags from a project.
- [update_project](#), which updates the attributes of a project.

Teams and team members, by calling the following:

- [associate_team_member](#), which adds an IAM user to the team for a project.
- [disassociate_team_member](#), which removes an IAM user from the team for a project.
- [list_team_members](#), which lists all the IAM users in the team for a project, including their roles and attributes.

- `update_team_member`, which updates a team member's attributes in a project.

Users, by calling the following:

- `create_user_profile`, which creates a user profile that contains data associated with the user across all projects.
- `delete_user_profile`, which deletes all user profile information across all projects.
- `describe_user_profile`, which describes the profile of a user.
- `list_user_profiles`, which lists all user profiles.
- `update_user_profile`, which updates the profile for a user.

Usage

```
codestar(config = list())
```

Arguments

<code>config</code>	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
---------------------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codestar(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
```

```

    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string",
  close_connection = "logical",
  timeout = "numeric",
  s3_force_path_style = "logical"
)
)

```

Operations

associate_team_member	Adds an IAM user to the team for an AWS CodeStar project
create_project	Creates a project, including project resources
create_user_profile	Creates a profile for a user that includes user preferences, such as the display name and email address
delete_project	Deletes a project, including project resources
delete_user_profile	Deletes a user profile in AWS CodeStar, including all personal preference data associated with the profile
describe_project	Describes a project and its resources
describe_user_profile	Describes a user in AWS CodeStar and the user attributes across all projects
disassociate_team_member	Removes a user from a project
list_projects	Lists all projects in AWS CodeStar associated with your AWS account
list_resources	Lists resources associated with a project in AWS CodeStar
list_tags_for_project	Gets the tags for a project
list_team_members	Lists all team members associated with a project
list_user_profiles	Lists all the user profiles configured for your AWS account in AWS CodeStar
tag_project	Adds tags to a project
untag_project	Removes tags from a project
update_project	Updates a project in AWS CodeStar
update_team_member	Updates a team member's attributes in an AWS CodeStar project
update_user_profile	Updates a user's profile in AWS CodeStar

Examples

```

## Not run:
svc <- codestar()
svc$associate_team_member(
  Foo = 123
)

## End(Not run)

```

Description

AWS CodeStar Connections

This AWS CodeStar Connections API Reference provides descriptions and usage examples of the operations and data types for the AWS CodeStar Connections API. You can use the connections API to work with connections and installations.

Connections are configurations that you use to connect AWS resources to external code repositories. Each connection is a resource that can be given to services such as CodePipeline to connect to a third-party repository such as Bitbucket. For example, you can add the connection in CodePipeline so that it triggers your pipeline when a code change is made to your third-party code repository. Each connection is named and associated with a unique ARN that is used to reference the connection.

When you create a connection, the console initiates a third-party connection handshake. *Installations* are the apps that are used to conduct this handshake. For example, the installation for the Bitbucket provider type is the Bitbucket app. When you create a connection, you can choose an existing installation or create one.

When you want to create a connection to an installed provider type such as GitHub Enterprise Server, you create a *host* for your connections.

You can work with connections by calling:

- [create_connection](#), which creates a uniquely named connection that can be referenced by services such as CodePipeline.
- [delete_connection](#), which deletes the specified connection.
- [get_connection](#), which returns information about the connection, including the connection status.
- [list_connections](#), which lists the connections associated with your account.

You can work with hosts by calling:

- [create_host](#), which creates a host that represents the infrastructure where your provider is installed.
- [delete_host](#), which deletes the specified host.
- [get_host](#), which returns information about the host, including the setup status.
- [list_hosts](#), which lists the hosts associated with your account.

You can work with tags in AWS CodeStar Connections by calling the following:

- [list_tags_for_resource](#), which gets information about AWS tags for a specified Amazon Resource Name (ARN) in AWS CodeStar Connections.
- [tag_resource](#), which adds or updates tags for a resource in AWS CodeStar Connections.
- [untag_resource](#), which removes tags for a resource in AWS CodeStar Connections.

For information about how to use AWS CodeStar Connections, see the [Developer Tools User Guide](#).

Usage

```
codestarconnections(config = list())
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **access_key_id**: AWS access key ID
- **secret_access_key**: AWS secret access key
- **session_token**: AWS temporary session token
- **profile**: The name of a profile to use. If not given, then the default profile is used.
- **anonymous**: Set anonymous credentials.
- **endpoint**: The complete URL to use for the constructed client.
- **region**: The AWS Region used in instantiating the client.
- **close_connection**: Immediately close all HTTP connections.
- **timeout**: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style**: Set this to `true` to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- codestarconnections(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

create_connection	Creates a connection that can then be given to other AWS services like CodePipeline so that it can ac
create_host	Creates a resource that represents the infrastructure where a third-party provider is installed
delete_connection	The connection to be deleted
delete_host	The host to be deleted
get_connection	Returns the connection ARN and details such as status, owner, and provider type
get_host	Returns the host ARN and details such as status, provider type, endpoint, and, if applicable, the VPC
list_connections	Lists the connections associated with your account
list_hosts	Lists the hosts associated with your account
list_tags_for_resource	Gets the set of key-value pairs (metadata) that are used to manage the resource
tag_resource	Adds to or modifies the tags of the given resource
untag_resource	Removes tags from an AWS resource
update_host	Updates a specified host with the provided configurations

Examples

```
## Not run:
svc <- codestarconnections()
svc$create_connection(
  Foo = 123
)

## End(Not run)
```

codestarnotifications *AWS CodeStar Notifications*

Description

This AWS CodeStar Notifications API Reference provides descriptions and usage examples of the operations and data types for the AWS CodeStar Notifications API. You can use the AWS CodeStar Notifications API to work with the following objects:

Notification rules, by calling the following:

- [create_notification_rule](#), which creates a notification rule for a resource in your account.
- [delete_notification_rule](#), which deletes a notification rule.
- [describe_notification_rule](#), which provides information about a notification rule.
- [list_notification_rules](#), which lists the notification rules associated with your account.
- [update_notification_rule](#), which changes the name, events, or targets associated with a notification rule.
- [subscribe](#), which subscribes a target to a notification rule.

- `unsubscribe`, which removes a target from a notification rule.

Targets, by calling the following:

- `delete_target`, which removes a notification rule target (SNS topic) from a notification rule.
- `list_targets`, which lists the targets associated with a notification rule.

Events, by calling the following:

- `list_event_types`, which lists the event types you can include in a notification rule.

Tags, by calling the following:

- `list_tags_for_resource`, which lists the tags already associated with a notification rule in your account.
- `tag_resource`, which associates a tag you provide with a notification rule in your account.
- `untag_resource`, which removes a tag from a notification rule in your account.

For information about how to use AWS CodeStar Notifications, see link in the CodeStarNotifications User Guide.

Usage

```
codestarnotifications(config = list())
```

Arguments

<code>config</code>	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
---------------------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- codestarnotifications(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)

```

Operations

create_notification_rule	Creates a notification rule for a resource
delete_notification_rule	Deletes a notification rule for a resource
delete_target	Deletes a specified target for notifications
describe_notification_rule	Returns information about a specified notification rule
list_event_types	Returns information about the event types available for configuring notifications
list_notification_rules	Returns a list of the notification rules for an AWS account
list_tags_for_resource	Returns a list of the tags associated with a notification rule
list_targets	Returns a list of the notification rule targets for an AWS account
subscribe	Creates an association between a notification rule and an SNS topic so that the associated target c
tag_resource	Associates a set of provided tags with a notification rule
unsubscribe	Removes an association between a notification rule and an Amazon SNS topic so that subscribers
untag_resource	Removes the association between one or more provided tags and a notification rule
update_notification_rule	Updates a notification rule for a resource

Examples

```

## Not run:
svc <- codestarnotifications()
svc$create_notification_rule(
  Foo = 123
)

## End(Not run)

```


Description

Amazon DevOps Guru is a fully managed service that helps you identify anomalous behavior in business critical operational applications. You specify the Amazon Web Services resources that you want DevOps Guru to cover, then the Amazon CloudWatch metrics and Amazon Web Services CloudTrail events related to those resources are analyzed. When anomalous behavior is detected, DevOps Guru creates an *insight* that includes recommendations, related events, and related metrics that can help you improve your operational applications. For more information, see [What is Amazon DevOps Guru](#).

You can specify 1 or 2 Amazon Simple Notification Service topics so you are notified every time a new insight is created. You can also enable DevOps Guru to generate an OpsItem in Amazon Web Services Systems Manager for each insight to help you manage and track your work addressing insights.

To learn about the DevOps Guru workflow, see [How DevOps Guru works](#). To learn about DevOps Guru concepts, see [Concepts in DevOps Guru](#).

Usage

```
devopsguru(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- devopsguru(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)

```

Operations

add_notification_channel	Adds a notification channel to DevOps Guru
delete_insight	Deletes the insight along with the associated anomalies, events and recommendations
describe_account_health	Returns the number of open reactive insights, the number of open proactive insights, and the number of open recommendations
describe_account_overview	For the time range passed in, returns the number of open reactive insights, the number of open proactive insights, and the number of open recommendations
describe_anomaly	Returns details about an anomaly that you specify using its ID
describe_event_sources_config	Returns the integration status of services that are integrated with DevOps Guru
describe_feedback	Returns the most recent feedback submitted in the current Amazon Web Services account
describe_insight	Returns details about an insight that you specify using its ID
describe_organization_health	Returns active insights, predictive insights, and resource hours analyzed in the current Amazon Web Services account
describe_organization_overview	Returns an overview of your organization's history based on the specified time range
describe_organization_resource_collection_health	Provides an overview of your system's health
describe_resource_collection_health	Returns the number of open proactive insights, open reactive insights, and open recommendations
describe_service_integration	Returns the integration status of services that are integrated with DevOps Guru
get_cost_estimation	Returns an estimate of the monthly cost for DevOps Guru to analyze your Amazon Web Services account
get_resource_collection	Returns lists Amazon Web Services resources that are of the specified resource type
list_anomalies_for_insight	Returns a list of the anomalies that belong to an insight that you specify using its ID
list_anomalous_log_groups	Returns the list of log groups that contain log anomalies
list_events	Returns a list of the events emitted by the resources that are evaluated by DevOps Guru
list_insights	Returns a list of insights in your Amazon Web Services account
list_monitored_resources	Returns the list of all log groups that are being monitored and tagged by DevOps Guru
list_notification_channels	Returns a list of notification channels configured for DevOps Guru
list_organization_insights	Returns a list of insights associated with the account or OU Id
list_recommendations	Returns a list of a specified insight's recommendations
put_feedback	Collects customer feedback about the specified insight
remove_notification_channel	Removes a notification channel from DevOps Guru
search_insights	Returns a list of insights in your Amazon Web Services account

[search_organization_insights](#)
[start_cost_estimation](#)
[update_event_sources_config](#)
[update_resource_collection](#)
[update_service_integration](#)

Returns a list of insights in your organization
 Starts the creation of an estimate of the monthly cost to analyze your Amazon
 Enables or disables integration with a service that can be integrated with
 Updates the collection of resources that DevOps Guru analyzes
 Enables or disables integration with a service that can be integrated with

Examples

```

## Not run:
svc <- devopsguru()
svc$add_notification_channel(
  Foo = 123
)

## End(Not run)

```

 drs

Elastic Disaster Recovery Service

Description

AWS Elastic Disaster Recovery Service.

Usage

```
drs(config = list())
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **access_key_id**: AWS access key ID
- **secret_access_key**: AWS secret access key
- **session_token**: AWS temporary session token
- **profile**: The name of a profile to use. If not given, then the default profile is used.
- **anonymous**: Set anonymous credentials.
- **endpoint**: The complete URL to use for the constructed client.
- **region**: The AWS Region used in instantiating the client.
- **close_connection**: Immediately close all HTTP connections.
- **timeout**: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style**: Set this to true to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- drs(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

create_extended_source_server	Create an extended source server in the target Account based on the source server
create_replication_configuration_template	Creates a new ReplicationConfigurationTemplate
delete_job	Deletes a single Job by ID
delete_recovery_instance	Deletes a single Recovery Instance by ID
delete_replication_configuration_template	Deletes a single Replication Configuration Template by ID
delete_source_server	Deletes a single Source Server by ID
describe_job_log_items	Retrieves a detailed Job log with pagination
describe_jobs	Returns a list of Jobs
describe_recovery_instances	Lists all Recovery Instances or multiple Recovery Instances by ID
describe_recovery_snapshots	Lists all Recovery Snapshots for a single Source Server
describe_replication_configuration_templates	Lists all ReplicationConfigurationTemplates, filtered by Source Server IDs
describe_source_servers	Lists all Source Servers or multiple Source Servers filtered by ID
disconnect_recovery_instance	Disconnect a Recovery Instance from Elastic Disaster Recovery
disconnect_source_server	Disconnects a specific Source Server from Elastic Disaster Recovery
get_failback_replication_configuration	Lists all Failback ReplicationConfigurations, filtered by Recovery Instance ID
get_launch_configuration	Gets a LaunchConfiguration, filtered by Source Server IDs
get_replication_configuration	Gets a ReplicationConfiguration, filtered by Source Server ID
initialize_service	Initialize Elastic Disaster Recovery
list_extensible_source_servers	Returns a list of source servers on a staging account that are extensible, which
list_staging_accounts	Returns an array of staging accounts for existing extended source servers

list_tags_for_resource	List all tags for your Elastic Disaster Recovery resources
retry_data_replication	Causes the data replication initiation sequence to begin immediately upon next
start_failback_launch	Initiates a Job for launching the machine that is being failed back to from the
start_recovery	Launches Recovery Instances for the specified Source Servers
stop_failback	Stops the failback process for a specified Recovery Instance
tag_resource	Adds or overwrites only the specified tags for the specified Elastic Disaster R
terminate_recovery_instances	Initiates a Job for terminating the EC2 resources associated with the specified
untag_resource	Deletes the specified set of tags from the specified set of Elastic Disaster Reco
update_failback_replication_configuration	Allows you to update the failback replication configuration of a Recovery Inst
update_launch_configuration	Updates a LaunchConfiguration by Source Server ID
update_replication_configuration	Allows you to update a ReplicationConfiguration by Source Server ID
update_replication_configuration_template	Updates a ReplicationConfigurationTemplate by ID

Examples

```
## Not run:
svc <- drs()
svc$create_extended_source_server(
  Foo = 123
)

## End(Not run)
```

 fis

AWS Fault Injection Simulator

Description

Fault Injection Simulator is a managed service that enables you to perform fault injection experiments on your Amazon Web Services workloads. For more information, see the [Fault Injection Simulator User Guide](#).

Usage

```
fis(config = list())
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **access_key_id**: AWS access key ID
- **secret_access_key**: AWS secret access key
- **session_token**: AWS temporary session token
- **profile**: The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- fis(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

create_experiment_template	Creates an experiment template
delete_experiment_template	Deletes the specified experiment template
get_action	Gets information about the specified FIS action
get_experiment	Gets information about the specified experiment
get_experiment_template	Gets information about the specified experiment template
get_target_resource_type	Gets information about the specified resource type
list_actions	Lists the available FIS actions
list_experiments	Lists your experiments
list_experiment_templates	Lists your experiment templates
list_tags_for_resource	Lists the tags for the specified resource

<code>list_target_resource_types</code>	Lists the target resource types
<code>start_experiment</code>	Starts running an experiment from the specified experiment template
<code>stop_experiment</code>	Stops the specified experiment
<code>tag_resource</code>	Applies the specified tags to the specified resource
<code>untag_resource</code>	Removes the specified tags from the specified resource
<code>update_experiment_template</code>	Updates the specified experiment template

Examples

```
## Not run:
svc <- fis()
svc$create_experiment_template(
  Foo = 123
)

## End(Not run)
```

wellarchitected

AWS Well-Architected Tool

Description

Well-Architected Tool

This is the *Well-Architected Tool API Reference*. The WA Tool API provides programmatic access to the **Well-Architected Tool** in the Amazon Web Services Management Console. For information about the Well-Architected Tool, see the **Well-Architected Tool User Guide**.

Usage

```
wellarchitected(config = list())
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **access_key_id**: AWS access key ID
- **secret_access_key**: AWS secret access key
- **session_token**: AWS temporary session token
- **profile**: The name of a profile to use. If not given, then the default profile is used.
- **anonymous**: Set anonymous credentials.
- **endpoint**: The complete URL to use for the constructed client.
- **region**: The AWS Region used in instantiating the client.
- **close_connection**: Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e., `http://s3.amazonaws.com/BUCKET/KEY`.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- wellarchitected(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

associate_lenses	Associate a lens to a workload
create_lens_share	Create a lens share
create_lens_version	Create a new lens version
create_milestone	Create a milestone for an existing workload
create_workload	Create a new workload
create_workload_share	Create a workload share
delete_lens	Delete an existing lens
delete_lens_share	Delete a lens share
delete_workload	Delete an existing workload
delete_workload_share	Delete a workload share
disassociate_lenses	Disassociate a lens from a workload
export_lens	Export an existing lens
get_answer	Get the answer to a specific question in a workload review
get_lens	Get an existing lens
get_lens_review	Get lens review

<code>get_lens_review_report</code>	Get lens review report
<code>get_lens_version_difference</code>	Get lens version differences
<code>get_milestone</code>	Get a milestone for an existing workload
<code>get_workload</code>	Get an existing workload
<code>import_lens</code>	Import a new lens
<code>list_answers</code>	List of answers
<code>list_lenses</code>	List the available lenses
<code>list_lens_review_improvements</code>	List lens review improvements
<code>list_lens_reviews</code>	List lens reviews
<code>list_lens_shares</code>	List the lens shares associated with the lens
<code>list_milestones</code>	List all milestones for an existing workload
<code>list_notifications</code>	List lens notifications
<code>list_share_invitations</code>	List the workload invitations
<code>list_tags_for_resource</code>	List the tags for a resource
<code>list_workloads</code>	List workloads
<code>list_workload_shares</code>	List the workload shares associated with the workload
<code>tag_resource</code>	Adds one or more tags to the specified resource
<code>untag_resource</code>	Deletes specified tags from a resource
<code>update_answer</code>	Update the answer to a specific question in a workload review
<code>update_global_settings</code>	Updates whether the Amazon Web Services account is opted into organization sharing features
<code>update_lens_review</code>	Update lens review
<code>update_share_invitation</code>	Update a workload invitation
<code>update_workload</code>	Update an existing workload
<code>update_workload_share</code>	Update a workload share
<code>upgrade_lens_review</code>	Upgrade lens review

Examples

```
## Not run:
svc <- wellarchitected()
svc$associate_lenses(
  Foo = 123
)

## End(Not run)
```

Description

Amazon Web Services X-Ray provides APIs for managing debug traces and retrieving service maps and other data created by processing those traces.

Usage

```
xray(config = list())
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • access_key_id: AWS access key ID • secret_access_key: AWS secret access key • session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e., <code>http://s3.amazonaws.com/BUCKET/KEY</code>.
--------	---

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- xray(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical"
  )
)
```

Operations

batch_get_traces	Retrieves a list of traces specified by ID
create_group	Creates a group resource with a name and a filter expression
create_sampling_rule	Creates a rule to control sampling behavior for instrumented applications
delete_group	Deletes a group resource
delete_sampling_rule	Deletes a sampling rule
get_encryption_config	Retrieves the current encryption configuration for X-Ray data
get_group	Retrieves group resource details
get_groups	Retrieves all active group details
get_insight	Retrieves the summary information of an insight
get_insight_events	X-Ray reevaluates insights periodically until they're resolved, and records each intermed
get_insight_impact_graph	Retrieves a service graph structure filtered by the specified insight
get_insight_summaries	Retrieves the summaries of all insights in the specified group matching the provided filter
get_sampling_rules	Retrieves all sampling rules
get_sampling_statistic_summaries	Retrieves information about recent sampling results for all sampling rules
get_sampling_targets	Requests a sampling quota for rules that the service is using to sample requests
get_service_graph	Retrieves a document that describes services that process incoming requests, and downstr
get_time_series_service_statistics	Get an aggregation of service statistics defined by a specific time range
get_trace_graph	Retrieves a service graph for one or more specific trace IDs
get_trace_summaries	Retrieves IDs and annotations for traces available for a specified time frame using an opt
list_tags_for_resource	Returns a list of tags that are applied to the specified Amazon Web Services X-Ray group
put_encryption_config	Updates the encryption configuration for X-Ray data
put_telemetry_records	Used by the Amazon Web Services X-Ray daemon to upload telemetry
put_trace_segments	Uploads segment documents to Amazon Web Services X-Ray
tag_resource	Applies tags to an existing Amazon Web Services X-Ray group or sampling rule
untag_resource	Removes tags from an Amazon Web Services X-Ray group or sampling rule
update_group	Updates a group resource
update_sampling_rule	Modifies a sampling rule's configuration

Examples

```
## Not run:
svc <- xray()
svc$batch_get_traces(
  Foo = 123
)

## End(Not run)
```

Index

acknowledge_job, [30, 32](#)
acknowledge_third_party_job, [31, 32](#)
add_notification_channel, [42](#)
add_notification_channels, [26](#)
add_tags_to_on_premises_instances, [23](#)
associate_approval_rule_template_with_repositories, [16, 19](#)
associate_external_connection, [8, 10](#)
associate_lenses, [48](#)
associate_repository, [28](#)
associate_team_member, [33, 35](#)

batch_associate_approval_rule_template_with_repositories, [17, 19](#)
batch_delete_builds, [13](#)
batch_describe_merge_conflicts, [15, 19](#)
batch_disassociate_approval_rule_template_from_repositories, [17, 19](#)
batch_get_application_revisions, [23](#)
batch_get_applications, [23](#)
batch_get_build_batches, [13](#)
batch_get_builds, [13](#)
batch_get_commits, [15, 19](#)
batch_get_deployment_groups, [23](#)
batch_get_deployment_instances, [23](#)
batch_get_deployment_targets, [23](#)
batch_get_deployments, [23](#)
batch_get_frame_metric_data, [26](#)
batch_get_on_premises_instances, [23](#)
batch_get_projects, [13](#)
batch_get_report_groups, [13](#)
batch_get_reports, [13](#)
batch_get_repositories, [14, 19](#)
batch_get_traces, [51](#)

cancel_resource_request, [6](#)
cloud9, [2](#)
cloudcontrolapi, [5](#)
codeartifact, [7](#)
codebuild, [11](#)
codecommit, [14](#)
codedeploy, [21](#)
codeguruprofiler, [25](#)
codegurureviewer, [27](#)
codepipeline, [29](#)
codestar, [33](#)
codestarconnections, [36](#)
codestarnotifications, [38](#)
configure_agent, [26](#)
continue_deployment, [23](#)
copy_package_versions, [8, 10](#)
create_application, [23](#)
create_approval_rule_template, [17, 19](#)
create_branch, [14, 19](#)
create_code_review, [28](#)
create_commit, [15, 19](#)
create_connection, [36, 38](#)
create_custom_action_type, [32](#)
create_deployment, [23](#)
create_deployment_config, [23](#)
create_deployment_group, [23](#)
create_domain, [8, 10](#)
create_environment_ec2, [3, 4](#)
create_environment_membership, [3, 4](#)
create_experiment_template, [46](#)
create_extended_source_server, [44](#)
create_group, [51](#)
create_host, [36, 38](#)
create_lens_share, [48](#)
create_lens_version, [48](#)
create_milestone, [48](#)
create_notification_rule, [38, 40](#)
create_pipeline, [29, 30, 32](#)
create_profiling_group, [26](#)
create_project, [13, 35](#)
create_pull_request, [15, 19](#)
create_pull_request_approval_rule, [16, 19](#)
create_replication_configuration_template,

- 44
- create_report_group, 13
- create_repository, 8, 10, 14, 19
- create_resource, 6
- create_sampling_rule, 51
- create_unreferenced_merge_commit, 15, 19
- create_user_profile, 34, 35
- create_webhook, 13
- create_workload, 48
- create_workload_share, 48
- delete_application, 23
- delete_approval_rule_template, 17, 19
- delete_branch, 14, 19
- delete_build_batch, 13
- delete_comment_content, 17, 19
- delete_connection, 36, 38
- delete_custom_action_type, 32
- delete_deployment_config, 23
- delete_deployment_group, 24
- delete_domain, 8, 10
- delete_domain_permissions_policy, 8, 10
- delete_environment, 3, 4
- delete_environment_membership, 3, 4
- delete_experiment_template, 46
- delete_file, 15, 19
- delete_git_hub_account_token, 24
- delete_group, 51
- delete_host, 36, 38
- delete_insight, 42
- delete_job, 44
- delete_lens, 48
- delete_lens_share, 48
- delete_notification_rule, 38, 40
- delete_package_versions, 8, 10
- delete_pipeline, 29, 32
- delete_profiling_group, 26
- delete_project, 13, 33, 35
- delete_pull_request_approval_rule, 16, 19
- delete_recovery_instance, 44
- delete_replication_configuration_template, 44
- delete_report, 13
- delete_report_group, 13
- delete_repository, 8, 10, 14, 19
- delete_repository_permissions_policy, 8, 10
- delete_resource, 6
- delete_resource_policy, 13
- delete_resources_by_external_id, 24
- delete_sampling_rule, 51
- delete_source_credentials, 13
- delete_source_server, 44
- delete_target, 39, 40
- delete_user_profile, 34, 35
- delete_webhook, 13, 32
- delete_workload, 48
- delete_workload_share, 48
- deregister_on_premises_instance, 24
- deregister_webhook_with_third_party, 32
- describe_account_health, 42
- describe_account_overview, 42
- describe_anomaly, 42
- describe_code_coverages, 13
- describe_code_review, 28
- describe_domain, 8, 10
- describe_environment_memberships, 3, 4
- describe_environment_status, 3, 4
- describe_environments, 3, 4
- describe_event_sources_config, 42
- describe_feedback, 42
- describe_insight, 42
- describe_job_log_items, 44
- describe_jobs, 44
- describe_merge_conflicts, 15, 19
- describe_notification_rule, 38, 40
- describe_organization_health, 42
- describe_organization_overview, 42
- describe_organization_resource_collection_health, 42
- describe_package, 8, 10
- describe_package_version, 8, 10
- describe_profiling_group, 26
- describe_project, 33, 35
- describe_pull_request_events, 16, 19
- describe_recommendation_feedback, 28
- describe_recovery_instances, 44
- describe_recovery_snapshots, 44
- describe_replication_configuration_templates, 44
- describe_repository, 8, 10
- describe_repository_association, 28
- describe_resource_collection_health, 42

describe_service_integration, [42](#)
 describe_source_servers, [44](#)
 describe_test_cases, [13](#)
 describe_user_profile, [34, 35](#)
 devopsguru, [41](#)
 disable_stage_transition, [30, 32](#)
 disassociate_approval_rule_template_from_repository, [17, 19](#)
 disassociate_external_connection, [8, 11](#)
 disassociate_lenses, [48](#)
 disassociate_repository, [28](#)
 disassociate_team_member, [33, 35](#)
 disconnect_recovery_instance, [44](#)
 disconnect_source_server, [44](#)
 dispose_package_versions, [8, 11](#)
 drs, [43](#)

 enable_stage_transition, [30, 32](#)
 evaluate_pull_request_approval_rules, [16, 19](#)
 export_lens, [48](#)

 fis, [45](#)

 get_action, [46](#)
 get_action_type, [32](#)
 get_answer, [48](#)
 get_application, [24](#)
 get_application_revision, [24](#)
 get_approval_rule_template, [17, 19](#)
 get_authorization_token, [8, 11](#)
 get_blob, [15, 19](#)
 get_branch, [15, 19](#)
 get_comment, [17, 20](#)
 get_comment_reactions, [17, 20](#)
 get_comments_for_compared_commit, [17, 20](#)
 get_comments_for_pull_request, [16, 20](#)
 get_commit, [15, 20](#)
 get_connection, [36, 38](#)
 get_cost_estimation, [42](#)
 get_deployment, [24](#)
 get_deployment_config, [24](#)
 get_deployment_group, [24](#)
 get_deployment_instance, [24](#)
 get_deployment_target, [24](#)
 get_differences, [15, 20](#)
 get_domain_permissions_policy, [8, 11](#)
 get_encryption_config, [51](#)

 get_experiment, [46](#)
 get_experiment_template, [46](#)
 get_failback_replication_configuration, [44](#)
 get_file, [15, 20](#)
 get_findings_report_account_summary, [26](#)
 get_folder, [15, 20](#)
 get_group, [51](#)
 get_groups, [51](#)
 get_host, [36, 38](#)
 get_insight, [51](#)
 get_insight_events, [51](#)
 get_insight_impact_graph, [51](#)
 get_insight_summaries, [51](#)
 get_job_details, [30, 32](#)
 get_launch_configuration, [44](#)
 get_lens, [48](#)
 get_lens_review, [48](#)
 get_lens_review_report, [49](#)
 get_lens_version_difference, [49](#)
 get_merge_commit, [15, 20](#)
 get_merge_conflicts, [15, 20](#)
 get_merge_options, [15, 20](#)
 get_milestone, [49](#)
 get_notification_configuration, [26](#)
 get_on_premises_instance, [24](#)
 get_package_version_asset, [8, 11](#)
 get_package_version_readme, [8, 11](#)
 get_pipeline, [29, 30, 32](#)
 get_pipeline_execution, [29, 32](#)
 get_pipeline_state, [29, 30, 32](#)
 get_policy, [26](#)
 get_profile, [26](#)
 get_pull_request, [16, 20](#)
 get_pull_request_approval_states, [16, 20](#)
 get_pull_request_override_state, [16, 20](#)
 get_recommendations, [26](#)
 get_replication_configuration, [44](#)
 get_report_group_trend, [13](#)
 get_repository, [14, 20](#)
 get_repository_endpoint, [9, 11](#)
 get_repository_permissions_policy, [9, 11](#)
 get_repository_triggers, [18, 20](#)
 get_resource, [6](#)
 get_resource_collection, [42](#)

- get_resource_policy, [13](#)
- get_resource_request_status, [6](#)
- get_sampling_rules, [51](#)
- get_sampling_statistic_summaries, [51](#)
- get_sampling_targets, [51](#)
- get_service_graph, [51](#)
- get_target_resource_type, [46](#)
- get_third_party_job_details, [31](#), [32](#)
- get_time_series_service_statistics, [51](#)
- get_trace_graph, [51](#)
- get_trace_summaries, [51](#)
- get_workload, [49](#)

- import_lens, [49](#)
- import_source_credentials, [13](#)
- initialize_service, [44](#)
- invalidate_project_cache, [13](#)

- list_action_executions, [29](#), [32](#)
- list_action_types, [32](#)
- list_actions, [46](#)
- list_anomalies_for_insight, [42](#)
- list_anomalous_log_groups, [42](#)
- list_answers, [49](#)
- list_application_revisions, [24](#)
- list_applications, [24](#)
- list_approval_rule_templates, [17](#), [20](#)
- list_associated_approval_rule_templates_for_repository, [17](#), [20](#)
- list_branches, [15](#), [20](#)
- list_build_batches, [13](#)
- list_build_batches_for_project, [13](#)
- list_builds, [13](#)
- list_builds_for_project, [13](#)
- list_code_reviews, [28](#)
- list_connections, [36](#), [38](#)
- list_curated_environment_images, [13](#)
- list_deployment_configs, [24](#)
- list_deployment_groups, [24](#)
- list_deployment_instances, [24](#)
- list_deployment_targets, [24](#)
- list_deployments, [24](#)
- list_domains, [9](#), [11](#)
- list_environments, [3](#), [4](#)
- list_event_types, [39](#), [40](#)
- list_events, [42](#)
- list_experiment_templates, [46](#)
- list_experiments, [46](#)
- list_extensible_source_servers, [44](#)

- list_findings_reports, [26](#)
- list_git_hub_account_token_names, [24](#)
- list_hosts, [36](#), [38](#)
- list_insights, [42](#)
- list_lens_review_improvements, [49](#)
- list_lens_reviews, [49](#)
- list_lens_shares, [49](#)
- list_lenses, [49](#)
- list_milestones, [49](#)
- list_monitored_resources, [42](#)
- list_notification_channels, [42](#)
- list_notification_rules, [38](#), [40](#)
- list_notifications, [49](#)
- list_on_premises_instances, [24](#)
- list_organization_insights, [42](#)
- list_package_version_assets, [9](#), [11](#)
- list_package_version_dependencies, [9](#), [11](#)
- list_package_versions, [9](#), [11](#)
- list_packages, [9](#), [11](#)
- list_pipeline_executions, [29](#), [32](#)
- list_pipelines, [29](#), [32](#)
- list_profile_times, [26](#)
- list_profiling_groups, [26](#)
- list_projects, [13](#), [33](#), [35](#)
- list_pull_requests, [16](#), [20](#)
- list_recommendation_feedback, [28](#)
- list_recommendations, [28](#), [42](#)
- list_report_groups, [13](#)
- list_reports, [13](#)
- list_reports_for_report_group, [13](#)
- list_repositories, [9](#), [11](#), [14](#), [20](#)
- list_repositories_for_approval_rule_template, [17](#), [20](#)
- list_repositories_in_domain, [9](#), [11](#)
- list_repository_associations, [28](#)
- list_resource_requests, [6](#)
- list_resources, [6](#), [33](#), [35](#)
- list_share_invitations, [49](#)
- list_shared_projects, [13](#)
- list_shared_report_groups, [13](#)
- list_source_credentials, [13](#)
- list_staging_accounts, [44](#)
- list_tags_for_project, [33](#), [35](#)
- list_tags_for_resource, [3](#), [4](#), [11](#), [18](#), [20](#), [24](#), [26](#), [28](#), [32](#), [36](#), [38–40](#), [45](#), [46](#), [49](#), [51](#)
- list_target_resource_types, [47](#)

- list_targets, [39, 40](#)
- list_team_members, [33, 35](#)
- list_user_profiles, [34, 35](#)
- list_webhooks, [32](#)
- list_workload_shares, [49](#)
- list_workloads, [49](#)

- merge_branches_by_fast_forward, [15, 20](#)
- merge_branches_by_squash, [15, 20](#)
- merge_branches_by_three_way, [15, 20](#)
- merge_pull_request_by_fast_forward, [16, 20](#)
- merge_pull_request_by_squash, [16, 20](#)
- merge_pull_request_by_three_way, [16, 20](#)

- override_pull_request_approval_rules, [16, 20](#)

- poll_for_jobs, [30, 32](#)
- poll_for_third_party_jobs, [31, 32](#)
- post_agent_profile, [26](#)
- post_comment_for_compared_commit, [17, 20](#)
- post_comment_for_pull_request, [16, 20](#)
- post_comment_reply, [17, 20](#)
- put_action_revision, [32](#)
- put_approval_result, [32](#)
- put_comment_reaction, [17, 20](#)
- put_domain_permissions_policy, [9, 11](#)
- put_encryption_config, [51](#)
- put_feedback, [42](#)
- put_file, [15, 20](#)
- put_job_failure_result, [30, 32](#)
- put_job_success_result, [30, 32](#)
- put_lifecycle_event_hook_execution_status, [24](#)
- put_package_origin_configuration, [9, 11](#)
- put_permission, [26](#)
- put_recommendation_feedback, [28](#)
- put_repository_permissions_policy, [9, 11](#)
- put_repository_triggers, [18, 20](#)
- put_resource_policy, [13](#)
- put_telemetry_records, [51](#)
- put_third_party_job_failure_result, [31, 32](#)
- put_third_party_job_success_result, [31, 32](#)
- put_trace_segments, [51](#)

- put_webhook, [32](#)

- register_application_revision, [24](#)
- register_on_premises_instance, [24](#)
- register_webhook_with_third_party, [32](#)
- remove_notification_channel, [26, 42](#)
- remove_permission, [26](#)
- remove_tags_from_on_premises_instances, [24](#)
- retry_build, [13](#)
- retry_build_batch, [13](#)
- retry_data_replication, [45](#)
- retry_stage_execution, [32](#)

- search_insights, [42](#)
- search_organization_insights, [43](#)
- skip_wait_time_for_instance_termination, [24](#)
- start_build, [13](#)
- start_build_batch, [13](#)
- start_cost_estimation, [43](#)
- start_experiment, [47](#)
- start_failback_launch, [45](#)
- start_pipeline_execution, [29, 33](#)
- start_recovery, [45](#)
- stop_build, [13](#)
- stop_build_batch, [13](#)
- stop_deployment, [24](#)
- stop_experiment, [47](#)
- stop_failback, [45](#)
- stop_pipeline_execution, [29, 33](#)
- submit_feedback, [26](#)
- subscribe, [38, 40](#)

- tag_project, [33, 35](#)
- tag_resource, [3, 4, 11, 18, 20, 24, 26, 28, 33, 36, 38–40, 45, 47, 49, 51](#)
- terminate_recovery_instances, [45](#)
- test_repository_triggers, [18, 20](#)

- unsubscribe, [39, 40](#)
- untag_project, [33, 35](#)
- untag_resource, [3, 4, 11, 18, 20, 24, 26, 28, 33, 36, 38–40, 45, 47, 49, 51](#)
- update_action_type, [33](#)
- update_answer, [49](#)
- update_application, [24](#)
- update_approval_rule_template_content, [17, 20](#)

update_approval_rule_template_description, [17, 20](#)
update_approval_rule_template_name, [17, 20](#)
update_comment, [17, 20](#)
update_default_branch, [15, 20](#)
update_deployment_group, [24](#)
update_environment, [3, 4](#)
update_environment_membership, [3, 4](#)
update_event_sources_config, [43](#)
update_experiment_template, [47](#)
update_failback_replication_configuration, [45](#)
update_global_settings, [49](#)
update_group, [51](#)
update_host, [38](#)
update_launch_configuration, [45](#)
update_lens_review, [49](#)
update_notification_rule, [38, 40](#)
update_package_versions_status, [9, 11](#)
update_pipeline, [30, 33](#)
update_profiling_group, [26](#)
update_project, [14, 33, 35](#)
update_project_visibility, [14](#)
update_pull_request_approval_rule_content, [16, 20](#)
update_pull_request_approval_state, [16, 20](#)
update_pull_request_description, [16, 20](#)
update_pull_request_status, [16, 20](#)
update_pull_request_title, [16, 21](#)
update_replication_configuration, [45](#)
update_replication_configuration_template, [45](#)
update_report_group, [14](#)
update_repository, [9, 11](#)
update_repository_description, [14, 21](#)
update_repository_name, [14, 21](#)
update_resource, [6](#)
update_resource_collection, [43](#)
update_sampling_rule, [51](#)
update_service_integration, [43](#)
update_share_invitation, [49](#)
update_team_member, [34, 35](#)
update_user_profile, [34, 35](#)
update_webhook, [14](#)
update_workload, [49](#)
update_workload_share, [49](#)
upgrade_lens_review, [49](#)
wellarchitected, [47](#)
xray, [49](#)